


# KEL-DPZ CR multi-membrane cable entry plates, round

for the use in cleanrooms, M25 - M63 / IP66 / IP68 / UL Type 12/4X\*



KEL-DPZ CR round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ CR round with cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR round provides strain relief and protection IP66 / IP68 / UL Type 4X\*.

The round versions of the KEL-DPZ CR series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

**The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).**

**The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.**

\*4X for indoor use only



## Specifications


<b>IP rating (EN 60529)</b>	IP54, IP55, IP64, IP65, IP66, IP67, IP68
<b>UL Type (UL 50E)</b>	UL Type 12, UL Type 4X*
<b>Material</b>	Elastomer Base frame: Polyamide
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free
<b>Mounting options</b>	Fasten with locknut

## Advantages & benefits


- Fast mounting
- High cable density
- Certified protection IP66/IP68 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Hygienic design - free of dirt-collecting recesses

## Product types & sizes

KEL-DPZ 25|3 CR gy




Part No.	<b>43736.601</b>	Mounting height	<b>8 mm</b>
EAN	<b>4251269328268</b>	External diameter	<b>39 mm</b>
Package quantity	<b>5</b>	Cut-out size, round	<b>25,3 mm</b>
For max. no. of cables	<b>3</b>	Cut-out size, metric	<b>M25</b>
Max. cable diameter	<b>6,5 mm</b>	Thread	<b>M25 x 1,5</b>
Colour	<b>grey (similar RAL 7035)</b>	Thread length	<b>14 mm</b>
Height	<b>22 mm</b>	Clamping range	<b>2 x 3.2 - 5.2 mm</b> <b>1 x 3.2 - 6.5 mm</b>

**KEL-DPZ 25|3 CR  
(S)VOC gy**


Part No. **43736.600**  
 EAN **4251269327964**  
 Package quantity **5**  
 For max. no. of cables **3**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|3 CR bk**


Part No. **50736.601**  
 EAN **4251269328411**  
 Package quantity **5**  
 For max. no. of cables **3**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|3 CR  
(S)VOC bk**


Part No. **50736.600**  
 EAN **4251269328114**  
 Package quantity **5**  
 For max. no. of cables **3**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **2 x 3.2 - 5.2 mm**  
**1 x 3.2 - 6.5 mm**

**KEL-DPZ 25|4 CR gy**


Part No. **43737.601**  
 EAN **4251269328275**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **5,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR  
(S)VOC gy**

Part No. **43737.600**  
 EAN **4251269327971**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **5,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**


Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR bk**

Part No. **50737.601**  
 EAN **4251269328428**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **5,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **39 mm**  
 Cut-out size, round **25,3 mm**  
 Cut-out size, metric **M25**  
 Thread **M25 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 5.2 mm**


**KEL-DPZ 25|4 CR  
(S)VOC bk**



Part No. **50737.600**  
EAN **4251269328121**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **5,2 mm**  
Colour **black**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **39 mm**  
Cut-out size, round **25,3 mm**  
Cut-out size, metric **M25**  
Thread **M25 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 3.2 - 5.2 mm**


**KEL-DPZ 32|4 CR gy**



Part No. **43732.601**  
EAN **4251269328237**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **12,5 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**


**KEL-DPZ 32|4 CR  
(S)VOC gy**



Part No. **43732.600**  
EAN **4251269327933**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **12,5 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**


**KEL-DPZ 32|4 CR bk**



Part No. **50732.601**  
EAN **4251269328381**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **12,5 mm**  
Colour **black**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**


**KEL-DPZ 32|4 CR  
(S)VOC bk**



Part No. **50732.600**  
EAN **4251269328084**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **12,5 mm**  
Colour **black**  
Height **22 mm**


Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **3 x 3.2 - 6.5 mm**  
**1 x 7.2 - 12.5 mm**

**KEL-DPZ 32|4-2 CR gy**




Part No. **43733.601**  
EAN **4251269328244**  
Package quantity **5**  
For max. no. of cables **4**  
Max. cable diameter **9,5 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR  
(S)VOC gy**


Part No. **43733.600**  
 EAN **4251269327940**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **9,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR bk**


Part No. **50733.601**  
 EAN **4251269328398**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **9,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR  
(S)VOC bk**


Part No. **50733.600**  
 EAN **4251269328091**  
 Package quantity **5**  
 For max. no. of cables **4**  
 Max. cable diameter **9,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|7 CR gy**


Part No. **43734.601**  
 EAN **4251269328251**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR  
(S)VOC gy**

Part No. **43734.600**  
 EAN **4251269327957**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**


Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR bk**

Part No. **50734.601**  
 EAN **4251269328404**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **44 mm**  
 Cut-out size, round **32,3 mm**  
 Cut-out size, metric **M32**  
 Thread **M32 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**


**KEL-DPZ 32|7 CR**  
**(S)VOC bk**



Part No. **50734.600**  
EAN **4251269328107**  
Package quantity **5**  
For max. no. of cables **7**  
Max. cable diameter **6,5 mm**  
Colour **black**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **44 mm**  
Cut-out size, round **32,3 mm**  
Cut-out size, metric **M32**  
Thread **M32 × 1,5**  
Thread length **14 mm**  
Clamping range **7 x 3.2 - 6.5 mm**


**KEL-DPZ 40|8 CR gy**



Part No. **43741.601**  
EAN **4251269328282**  
Package quantity **5**  
For max. no. of cables **8**  
Max. cable diameter **10,2 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **52 mm**  
Cut-out size, round **40,4 mm**  
Cut-out size, metric **M40**  
Thread **M40 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**


**KEL-DPZ 40|8 CR**  
**(S)VOC gy**



Part No. **43741.600**  
EAN **4251269327988**  
Package quantity **5**  
For max. no. of cables **8**  
Max. cable diameter **10,2 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **52 mm**  
Cut-out size, round **40,4 mm**  
Cut-out size, metric **M40**  
Thread **M40 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**


**KEL-DPZ 40|8 CR bk**



Part No. **50741.601**  
EAN **4251269328435**  
Package quantity **5**  
For max. no. of cables **8**  
Max. cable diameter **10,2 mm**  
Colour **black**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **52 mm**  
Cut-out size, round **40,4 mm**  
Cut-out size, metric **M40**  
Thread **M40 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**


**KEL-DPZ 40|8 CR**  
**(S)VOC bk**



Part No. **50741.600**  
EAN **4251269328138**  
Package quantity **5**  
For max. no. of cables **8**  
Max. cable diameter **10,2 mm**  
Colour **black**  
Height **22 mm**


Mounting height **8 mm**  
External diameter **52 mm**  
Cut-out size, round **40,4 mm**  
Cut-out size, metric **M40**  
Thread **M40 × 1,5**  
Thread length **14 mm**  
Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**

**KEL-DPZ 50|8 CR gy**




Part No. **43750.601**  
EAN **4251269328299**  
Package quantity **5**  
For max. no. of cables **8**  
Max. cable diameter **12,5 mm**  
Colour **grey (similar RAL 7035)**  
Height **22 mm**

Mounting height **8 mm**  
External diameter **62 mm**  
Cut-out size, round **50,4 mm**  
Cut-out size, metric **M50**  
Thread **M50 × 1,5**  
Thread length **14 mm**  
Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 CR  
(S)VOC gy**


Part No. **43750.600**  
 EAN **4251269327995**  
 Package quantity **5**  
 For max. no. of cables **8**  
 Max. cable diameter **12,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 CR bk**


Part No. **50750.601**  
 EAN **4251269328442**  
 Package quantity **5**  
 For max. no. of cables **8**  
 Max. cable diameter **12,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|8 bk**


Part No. **50750.600**  
 EAN **4251269328145**  
 Package quantity **5**  
 For max. no. of cables **8**  
 Max. cable diameter **12,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **5 x 5 - 10.2 mm**  
**3 x 7.2 - 12.5 mm**

**KEL-DPZ 50|10 CR  
(S)VOC gy**


Part No. **43751.600**  
 EAN **4251269328008**  
 Package quantity **5**  
 For max. no. of cables **10**  
 Max. cable diameter **22,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|10 CR gy**


Part No. **43751.601**  
 EAN **4251269328305**  
 Package quantity **5**  
 For max. no. of cables **10**  
 Max. cable diameter **22,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 50|10 CR  
(S)VOC bk**

Part No. **50751.600**  
 EAN **4251269328152**  
 Package quantity **5**  
 For max. no. of cables **10**  
 Max. cable diameter **22,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**


**KEL-DPZ 50|10 CR bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**50751.601**  
**4251269328459**  
**5**  
**10**  
**22,2 mm**  
**black**  
**22 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**7 x 3.2 - 6.5 mm**  
**2 x 5 - 10.2 mm**  
**1 x 16 - 22.2 mm**


**KEL-DPZ 50|12 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**43752.601**  
**4251269328312**  
**5**  
**12**  
**10,2 mm**  
**grey (similar RAL 7035)**  
**22 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**4 x 3.2 - 6.5 mm**  
**8 x 5 - 10.2 mm**


**KEL-DPZ 50|12 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**43752.600**  
**4251269328015**  
**5**  
**12**  
**10,2 mm**  
**grey (similar RAL 7035)**  
**22 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**4 x 3.2 - 6.5 mm**  
**8 x 5 - 10.2 mm**


**KEL-DPZ 50|12 CR (S)VOC bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**50752.600**  
**4251269328169**  
**5**  
**12**  
**10,2 mm**  
**black**  
**22 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**4 x 3.2 - 6.5 mm**


**KEL-DPZ 50|12 bk**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**50752.601**  
**4251269328466**  
**5**  
**12**  
**10,2 mm**  
**black**  
**22 mm**

Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**4 x 3.2 - 6.5 mm**


**KEL-DPZ 50|19 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Height

**43758.600**  
**4251269328039**  
**5**  
**19**  
**6,5 mm**  
**grey (similar RAL 7035)**  
**22 mm**


Mounting height  
External diameter  
Cut-out size, round  
Cut-out size, metric  
Thread  
Thread length  
Clamping range

**8 mm**  
**62 mm**  
**50,4 mm**  
**M50**  
**M50 × 1,5**  
**14 mm**  
**19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR gy**


Part No. **43758.601**  
 EAN **4251269328336**  
 Package quantity **5**  
 For max. no. of cables **19**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR (S)VOC bk**


Part No. **50758.600**  
 EAN **4251269328183**  
 Package quantity **5**  
 For max. no. of cables **19**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|19 CR bk**


Part No. **50758.601**  
 EAN **4251269328480**  
 Package quantity **5**  
 For max. no. of cables **19**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **19 x 3.2 - 6.5 mm**

**KEL-DPZ 50|78 CR gy**


Part No. **43756.601**  
 EAN **4251269328329**  
 Package quantity **5**  
 For max. no. of cables **78**  
 Max. cable diameter **5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 50|78 CR (S)VOC gy**

Part No. **43756.600**  
 EAN **4251269328022**  
 Package quantity **5**  
 For max. no. of cables **78**  
 Max. cable diameter **5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**


Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 50|78 CR bk**

Part No. **50756.601**  
 EAN **4251269328473**  
 Package quantity **5**  
 For max. no. of cables **78**  
 Max. cable diameter **5 mm**  
 Colour **black**  
 Height **22 mm**


Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 x 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**



**KEL-DPZ 50|78 CR  
(S)VOC bk**


Part No. **50756.600**  
 EAN **4251269328176**  
 Package quantity **5**  
 For max. no. of cables **78**  
 Max. cable diameter **5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **62 mm**  
 Cut-out size, round **50,4 mm**  
 Cut-out size, metric **M50**  
 Thread **M50 × 1,5**  
 Thread length **14 mm**  
 Clamping range **76 x 1.5 - 2.6 mm**  
**2 x 2.5 - 5 mm**

**KEL-DPZ 63|9 CR  
(S)VOC gy**


Part No. **43760.600**  
 EAN **4251269328046**  
 Package quantity **5**  
 For max. no. of cables **9**  
 Max. cable diameter **22,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR gy**


Part No. **43760.601**  
 EAN **4251269328343**  
 Package quantity **5**  
 For max. no. of cables **9**  
 Max. cable diameter **22,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR bk**


Part No. **50760.601**  
 EAN **4251269328497**  
 Package quantity **5**  
 For max. no. of cables **9**  
 Max. cable diameter **22,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|9 CR  
(S)VOC bk**


Part No. **50760.600**  
 EAN **4251269328190**  
 Package quantity **5**  
 For max. no. of cables **9**  
 Max. cable diameter **22,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **1 x 3.2 - 6.5 mm**  
**3 x 5 - 10.2 mm**  
**4 x 9 - 16.2 mm**  
**1 x 16 - 22.2 mm**

**KEL-DPZ 63|13 CR gy**


Part No. **43761.601**  
 EAN **4251269328350**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **16,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR (S)VOC gy**


Part No. **43761.600**  
 EAN **4251269328053**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **16,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR bk**


Part No. **50761.601**  
 EAN **4251269328503**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **16,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|13 CR (S)VOC bk**


Part No. **50761.600**  
 EAN **4251269328206**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **16,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **4 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**5 x 9 - 16.2 mm**

**KEL-DPZ 63|14 CR (S)VOC gy**


Part No. **43762.600**  
 EAN **4251269328060**  
 Package quantity **5**  
 For max. no. of cables **14**  
 Max. cable diameter **10,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height **8 mm**  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 x 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|14 CR gy**


Part No. **43762.601**  
 EAN **4251269328367**  
 Package quantity **5**  
 For max. no. of cables **14**  
 Max. cable diameter **10,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|14 CR (S)VOC bk**


Part No. **50762.600**  
 EAN **4251269328213**  
 Package quantity **5**  
 For max. no. of cables **14**  
 Max. cable diameter **10,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|14 CR bk**


Part No. **50762.601**  
 EAN **4251269328510**  
 Package quantity **5**  
 For max. no. of cables **14**  
 Max. cable diameter **10,2 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **14 x 5 - 10.2 mm**

**KEL-DPZ 63|35 CR gy**


Part No. **43763.601**  
 EAN **4251269328374**  
 Package quantity **5**  
 For max. no. of cables **35**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**

Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **35 x 3.2 - 6.5 mm**

**KEL-DPZ 63|35 CR (S)VOC gy**

Part No. **43763.600**  
 EAN **4251269328060**  
 Package quantity **5**  
 For max. no. of cables **35**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Height **22 mm**


Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **35 x 3.2 - 6.5 mm**

**KEL-DPZ 63|35 CR bk**

Part No. **50763.601**  
 EAN **4251269328527**  
 Package quantity **5**  
 For max. no. of cables **35**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Height **22 mm**

Mounting height  
 External diameter **75 mm**  
 Cut-out size, round **63,4 mm**  
 Cut-out size, metric **M63**  
 Thread **M63 × 1,5**  
 Thread length **14 mm**  
 Clamping range **35 x 3.2 - 6.5 mm**

**KEL-DPZ 63|35 CR**  
**(S)VOC bk**



Part No.	<b>50763.600</b>	Mounting height	<b>8 mm</b>
EAN	<b>4251269328220</b>	External diameter	<b>75 mm</b>
Package quantity	<b>5</b>	Cut-out size, round	<b>63,4 mm</b>
For max. no. of cables	<b>35</b>	Cut-out size, metric	<b>M63</b>
Max. cable diameter	<b>6,5 mm</b>	Thread	<b>M63 × 1,5</b>
Colour	<b>black</b>	Thread length	<b>14 mm</b>
Height	<b>22 mm</b>	Clamping range	<b>35 x 3.2 - 6.5 mm</b>

---

**icotek**<sup>®</sup>  
smart cable management