

# KEL-FA | Split multi cable entry frames

for cables with connectors, tool-free assembly / IP54 / UL Type 12



The KEL-FA range is a compact system to route and seal pre-terminated cables as well as conduits or pneumatic hoses utilising KT series [grommets](#). After populating the entry frame with grommets and cables, the cover is put on and the two clamping levers are locked with the lower part by pressing them down. The twist-proof construction of the KEL-FA enables intuitive assembly. Routing and sealing with IP54 / UL Type 12 for cable diameters from 1 to 35 mm.

The KEL-FA frames match exactly the cut-out dimensions for 10-, 16- and 24-pin standard industrial connectors. These KEL-FA frames can either be screw mounted or simply snapped into the [KEL-SNAP frame](#).

IP54

UL TYPE  
12

CE  
US

ECOLAB  
certified

UV  
ISO 4892-2A

RoHS  
compliant

REACH  
COMPLIANCE

Made in  
Germany

## Specifications


<b>IP rating (EN 60529)</b>	IP54
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Polyamide
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 140 C°
<b>Properties</b>	UV-resistant, silicone free, anti-corrosive, halogen free
<b>Mounting options</b>	Screw type mounting, Snap-in with KEL-SNAP

## Advantages & benefits

- Integrated sealing
- Quick assembly without tools
- Strain relief according to EN 62444 (when using KT single hole grommets)
- Very high cable density with multi-hole grommets
- High flexibility with multi-range grommets and the IMAS-CONNECT™ system
- Warranty on pre-terminated cables remains
- Retrofits, repairs and maintenance can be done much more easily and quickly
- Wide variety

## Product types & sizes


### KEL-FA 24|10



Part No.	<b>55241</b>
EAN	<b>4251269324796</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>40</b>
Max. cable diameter	<b>15 mm</b>
Length	<b>147 mm</b>
Width	<b>62 mm</b>


Height	<b>22 mm</b>
Mounting height	<b>22 mm</b>
Cut-out size	<b>112 x 36 mm</b>
No. of screw holes	<b>4</b>
Diam. of screw holes	<b>6 mm</b>
Suitable for grommets	<b>10 x KT small</b>

### KEL-FA 24|7




Part No.	<b>55247</b>
EAN	<b>4251269324802</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>25</b>
Max. cable diameter	<b>35 mm</b>
Length	<b>147 mm</b>
Width	<b>62 mm</b>

Height	<b>22 mm</b>
Mounting height	<b>22 mm</b>
Cut-out size	<b>112 x 36 mm</b>
No. of screw holes	<b>4</b>
Diam. of screw holes	<b>6 mm</b>
Suitable for grommets	<b>6 x KT small</b> <b>1 x KT large</b>

**KEL-FA 24|4**


Part No. **55244**  
 EAN **4251269324819**  
 Package quantity **10**  
 For max. no. of cables **6**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **112 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **2 x KT small**  
**2 x KT large**

**KEL-FA 16|8**


Part No. **55168**  
 EAN **4251269324826**  
 Package quantity **10**  
 For max. no. of cables **32**  
 Max. cable diameter **15 mm**  
 Length **120 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **86 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **8 x KT small**

**KEL-FA 16|5**


Part No. **55165**  
 EAN **4251269324833**  
 Package quantity **10**  
 For max. no. of cables **17**  
 Max. cable diameter **35 mm**  
 Length **120 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **86 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **4 x KT small**  
**1 x KT large**

**KEL-FA 16|2**


Part No. **55162**  
 EAN **4251269324840**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Max. cable diameter **35 mm**  
 Length **120 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **86 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **2 x KT large**

**KEL-FA 10|6**

Part No. **55216**  
 EAN **4251269324857**  
 Package quantity **10**  
 For max. no. of cables **24**  
 Max. cable diameter **15 mm**  
 Length **100 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **65 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **6 x KT small**

**KEL-FA 10|3**

Part No. **55212**  
 EAN **4251269324864**  
 Package quantity **10**  
 For max. no. of cables **9**  
 Max. cable diameter **35 mm**  
 Length **100 mm**  
 Width **62 mm**

Height **22 mm**  
 Mounting height **22 mm**  
 Cut-out size **65 x 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **6 mm**  
 Suitable for grommets **2 x KT small**  
**1 x KT large**

