


KDR-BES-U brush strip with clamp profile

in custom length or sized for Rittal, nVent Hoffman, ELDON, Häwa, Schneider Electric & ETA enclosures




Cable pass-through brush strip for enclosure bases or individual cut-outs on cabinets, enclosures, panels, server racks or machine walls.

Due to the innovative and universal clamp strip the brush can also be assembled in a 90° angle, e.g. on bent sheet metal. Brush may be removed from the profile at any time and remounted using other mounting options.

The KDR-BES-U brush strip is adaptable to almost any enclosure or cabinet type on the market. The standard gland plates included in the enclosure delivery can be used for assembly. They do not have to be changed!

There are 4 different models available:

- Order No. 58210.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 35 mm
- Order No. 58215.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 50 mm
- Order No. 58225.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 35 mm
- Order No. 58230.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 50 mm



Defining your individual length:

X (mm) = sight size of enclosure base opening

Order numbers (ex.):

X = 999 mm --> Order NO. 58210.0999

Specifications

Material	Aluminium Brushes: Polyamide
Operating temperature	-20 C° to 90 C°
Properties	silicone free, halogen free

Advantages & benefits

- Quick assembly without tools
- Original enclosure gland plates can be used when mounting
- Three mounting types possible
- Brush may be remounted at any time using other mounting options
- Available in almost any length up to 1.500 mm

Product types & sizes

KDR-BES-U-xxxx (1.5-2-35 mm) 	Part No.	58210.xxxx
	EAN	
	PU	1
	Brush height	35 mm
	For min. wall thickness	1,5 mm
	For max. wall thickness	2 mm

KDR-BES-U-xxxx (1.5-2-50 mm) 	Part No.	58215.xxxx
	EAN	
	PU	1
	Brush height	50 mm
	For min. wall thickness	1,5 mm
	For max. wall thickness	2 mm

KDR-BES-U-xxxx (2.5-3-35 mm) 	Part No.	58225.xxxx
	EAN	
	PU	1
	Brush height	35 mm
	For min. wall thickness	2,5 mm
	For max. wall thickness	3 mm

KDR-BES-U-xxxx (2.5-3-50 mm) 	Part No.	58230.xxxx
	EAN	
	PU	1
	Brush height	50 mm
	For min. wall thickness	2,5 mm
	For max. wall thickness	3 mm

KDR-BES-U-VX25-600 (35 mm) 	Part No.	58225.0452	Sight size of base opening	452 mm
	EAN	4251269320385		
	PU	1		
	Width	16 mm		
	Length	452 mm		
	For enclosure width	600 mm	Brush height	35 mm

KDR-BES-U-VX25-600 (50mm) 	Part No.	58230.0452	Sight size of base opening	452 mm
	EAN	4251269320996		
	PU	1		
	Width	16 mm		
	Length	452 mm		
	For enclosure width	600 mm	Brush height	50 mm

KDR-BES-U-VX25-800 (35 mm) 	Part No.	58225.0652	Sight size of base opening	652 mm
	EAN	4251269320392		
	PU	1		
	Width	16 mm		
	Length	652 mm		
	For enclosure width	800 mm	Brush height	35 mm

KDR-BES-U-VX25-800 (50mm) 	Part No.	58230.0652	Sight size of base opening	652 mm
	EAN	4251269321016	Brush height	50 mm
	PU	1		
	Width	16 mm		
	Length	652 mm		
	For enclosure width	800 mm		
KDR-BES-U-VX25-1000 (35 mm) 	Part No.	58225.0402	Sight size of base opening	402 mm
	EAN	4251269320408	Division bar	mit Mittelstrebe
	PU	1	Brush height	35 mm
	Width	16 mm		
	Length	402 mm		
	For enclosure width	1.000 mm		
KDR-BES-U-VX25-1000 (50mm) 	Part No.	58230.0402	Sight size of base opening	402 mm
	EAN	4251269320989	Division bar	mit Mittelstrebe
	PU	1	Brush height	50 mm
	Width	16 mm		
	Length	402 mm		
	For enclosure width	1.000 mm		
KDR-BES-U-VX25-1200 (35 mm) 	Part No.	58225.0502	Sight size of base opening	502 mm
	EAN	4251269320415	Division bar	mit Mittelstrebe
	PU	1	Brush height	35 mm
	Width	16 mm		
	Length	502 mm		
	For enclosure width	1.200 mm		
KDR-BES-U-VX25-1200 (50mm) 	Part No.	58230.0502	Sight size of base opening	502 mm
	EAN	4251269321009	Division bar	mit Mittelstrebe
	PU	1	Brush height	50 mm
	Width	16 mm		
	Length	502 mm		
	For enclosure width	1.200 mm		
KDR-BES-U-TS8-600-0435 	Part No.	58210.0435	For enclosure width	600 mm
	EAN	4251269316524	Sight size of base opening	435 mm
	PU	1		
	Width	16 mm		
	Brush height	35 mm		
	Length	435 mm		
KDR-BES-U-TS8-800 	Part No.	58210.0635	For enclosure width	800 mm
	EAN	4251269316548	Sight size of base opening	635 mm
	PU	1		
	Width	16 mm		
	Brush height	35 mm		
	Length	635 mm		

KDR-BES-U-TS8-1000



Part No. **58210.0397**
EAN **4251269316517**
PU **1**
Width **16 mm**
Brush height **35 mm**
Length **397 mm**

For enclosure width **1.000 mm**
Sight size of base opening **397 mm**
Division bar **mit Mittelstrebe**

KDR-BES-U-TS8-1000-0835



Part No. **58210.0835**
EAN **4251269316555**
PU **1**
Width **16 mm**
Brush height **35 mm**
Length **835 mm**

For enclosure width **1.000 mm**
Sight size of base opening **835 mm**
Division bar **ohne Mittelstrebe**

KDR-BES-U-TS8-1200



Part No. **58210.0495**
EAN **4251269316531**
PU **1**
Width **16 mm**
Brush height **35 mm**
Length **495 mm**

For enclosure width **1.200 mm**
Sight size of base opening **495 mm**
Division bar **mit Mittelstrebe**

KDR-BES-U-HW-600 (392/35 mm)



Part No. **58210.0392**
EAN **4251269324697**
PU **1**
Length **392 mm**
For enclosure width **600 mm**
Sight size of base opening **392 mm**
Brush height **35 mm**

For enclosure width **600 mm**
Sight size of base opening **392 mm**
Division bar **mit Mittelstrebe**

KDR-BES-U-HW-600 (392/50 mm)



Part No. **58215.0392**
EAN **4251269324734**
PU **1**
Length **392 mm**
For enclosure width **600 mm**
Sight size of base opening **392 mm**
Brush height **50 mm**

For enclosure width **600 mm**
Sight size of base opening **392 mm**
Division bar **mit Mittelstrebe**

KDR-BES-U-HW-600 (592/35 mm)



Part No. **58210.0592**
EAN **4251269324703**
PU **1**
Length **592 mm**
For enclosure width **600 mm**
Sight size of base opening **592 mm**
Brush height **35 mm**

For enclosure width **600 mm**
Sight size of base opening **592 mm**
Division bar **mit Mittelstrebe**

KDR-BES-U-HW-600
(592/50 mm)



Part No.	58215.0592
EAN	4251269324741
PU	1
Length	592 mm
For enclosure width	600 mm
Sight size of base opening	592 mm
Brush height	50 mm

KDR-BES-U-HW-600
(792/35 mm)



Part No.	58210.0792
EAN	4251269324710
PU	1
Length	792 mm
For enclosure width	600 mm
Sight size of base opening	792 mm
Brush height	35 mm

KDR-BES-U-HW-600
(792/50 mm)



Part No.	58215.0792
EAN	4251269324758
PU	1
Length	792 mm
For enclosure width	600 mm
Sight size of base opening	792 mm
Brush height	50 mm

KDR-BES-U-HW-600
(992/35 mm)



Part No.	58210.0992
EAN	4251269324727
PU	1
Length	992 mm
For enclosure width	600 mm
Sight size of base opening	992 mm
Brush height	35 mm

KDR-BES-U-HW-600
(992/50 mm)



Part No.	58215.0992
EAN	4251269324765
PU	1
Length	992 mm
For enclosure width	600 mm
Sight size of base opening	992 mm
Brush height	50 mm

KDR-BES-U-SSP-600
(35 mm)



Part No.	58210.0414
EAN	4251269324611
PU	1
Width	16 mm
Length	414 mm
For enclosure width	600 mm

Sight size of base opening	414 mm
Brush height	35 mm

KDR-BES-U-SSP-600
(50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58215.0414
4251269324659
1
16 mm
414 mm
600 mm

Sight size of base opening
Brush height

414 mm
50 mm

KDR-BES-U-SSP-800
(35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58210.0614
4251269324628
1
16 mm
614 mm
800 mm

Sight size of base opening
Brush height

614 mm
35 mm

KDR-BES-U-SSP-800
(50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58215.0614
4251269324666
1
16 mm
614 mm
800 mm

Sight size of base opening
Brush height

614 mm
50 mm

KDR-BES-U-SSP-1000
(35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58210.0814
4251269324635
1
16 mm
814 mm
1.000 mm

Sight size of base opening
Brush height

814 mm
35 mm

KDR-BES-U-SSP-1000
(50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58215.0814
4251269324673
1
16 mm
814 mm
1.000 mm

Sight size of base opening
Brush height

814 mm
50 mm

KDR-BES-U-SSP-1200
(35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58210.0477
4251269324642
1
16 mm
477 mm
1.200 mm

Sight size of base opening
Brush height

477 mm
35 mm

KDR-BES-U-SSP-1200
(50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58215.0477
4251269324680
1
16 mm
477 mm
1.200 mm

Sight size of base opening
Brush height

477 mm
50 mm

KDR-BES-U-ELDON-600 (35 mm) 	Part No.	58221.0435	Sight size of base opening	435 mm
	EAN	4251269325229	Brush height	35 mm
	PU	1		
	Width	16 mm		
	Length	435 mm		
	For enclosure width	600 mm		
KDR-BES-U-ELDON-600 (50 mm) 	Part No.	58221.0435	Sight size of base opening	435 mm
	EAN	4251269325267	Brush height	50 mm
	PU	1		
	Width	16 mm		
	Length	435 mm		
	For enclosure width	600 mm		
KDR-BES-U-ELDON-800+1600 (35 mm) 	Part No.	58221.0635	Sight size of base opening	635 mm
	EAN	4251269325236	Brush height	35 mm
	PU	1		
	Width	16 mm		
	Length	635 mm		
	For enclosure width	800 mm		
KDR-BES-U-ELDON-800+1600 (50 mm) 	Part No.	58222.0635	Sight size of base opening	635 mm
	EAN	4251269325274	Brush height	50 mm
	PU	1		
	Width	16 mm		
	Length	635 mm		
	For enclosure width	800 mm		
KDR-BES-U-ELDON-1000 (35 mm) 	Part No.	58221.0835	Sight size of base opening	835 mm
	EAN	4251269325243	Brush height	35 mm
	PU	1		
	Width	16 mm		
	Length	835 mm		
	For enclosure width	1.000 mm		
KDR-BES-U-ELDON-1000 (50 mm) 	Part No.	58222.0835	Sight size of base opening	835 mm
	EAN	4251269325281	Brush height	50 mm
	PU	1		
	Width	16 mm		
	Length	835 mm		
	For enclosure width	1.000 mm		
KDR-BES-U-ELDON-1200 (35 mm) 	Part No.	58221.0495	Sight size of base opening	495 mm
	EAN	4251269325250	Brush height	35 mm
	PU	1		
	Width	16 mm		
	Length	495 mm		
	For enclosure width	1.200 mm		

KDR-BES-U-ELDON-1200 (50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58222.0495
4251269325298
1
16 mm
495 mm
1.200 mm

Sight size of base opening
Brush height

495 mm
50 mm

KDR-BES-U-ETA-ENUX-600 (35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58221.0363
4251269325304
1
16 mm
363 mm
600 mm

Sight size of base opening
Brush height

363 mm
35 mm

KDR-BES-U-ETA-ENUX-600 (50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58222.0363
4251269325342
1
16 mm
363 mm
600 mm

Sight size of base opening
Brush height

363 mm
50 mm

KDR-BES-U-ETA-ENUX-800 (35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58221.0563
4251269325311
1
16 mm
563 mm
800 mm

Sight size of base opening
Brush height

563 mm
35 mm

KDR-BES-U-ETA-ENUX-800 (50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58222.0563
4251269325359
1
16 mm
563 mm
800 mm

Sight size of base opening
Brush height

563 mm
50 mm

KDR-BES-U-ETA-ENUX-1000 (35 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58221.0345
4251269325328
1
16 mm
345 mm
1.000 mm

Sight size of base opening
Brush height

345 mm
35 mm

KDR-BES-U-ETA-ENUX-1000 (50 mm)



Part No.
EAN
PU
Width
Length
For enclosure width

58222.0345
4251269325366
1
16 mm
345 mm
1.000 mm

Sight size of base opening
Brush height

345 mm
50 mm

KDR-BES-U-ETA-ENUX-1200 (35 mm) 	Part No.	58221.0445	Sight size of base opening	445 mm
	EAN	4251269325335	Brush height	35 mm
	PU	1		
	Width	16 mm		
	Length	445 mm		
	For enclosure width	1.200 mm		
KDR-BES-U-ETA-ENUX-1200 (50 mm) 	Part No.	58222.0445	Sight size of base opening	445 mm
	EAN	4251269325373	Brush height	50 mm
	PU	1		
	Width	16 mm		
	Length	445 mm		
	For enclosure width	1.200 mm		
KDR-BES-U-HG2-600 	Part No.	58210.0362	Sight size of base opening	362 mm
	EAN	4251269318207		
	PU	1		
	Brush height	35 mm		
	Length	362 mm		
	For enclosure width	600 mm		
KDR-BES-U-HG2-800 	Part No.	58210.0562	Sight size of base opening	562 mm
	EAN	4251269318214		
	PU	1		
	Brush height	35 mm		
	Length	562 mm		
	For enclosure width	800 mm		
KDR-BES-U-HG2-1000 	Part No.	58210.0762	Sight size of base opening	762 mm
	EAN	4251269318221		
	PU	1		
	Brush height	35 mm		
	Length	762 mm		
	For enclosure width	1.000 mm		
Edge protection trim 	Part No.	99152		
	EAN	4251269318238		
	PU	1		
	Length	100.000 mm		
	Clamping range	x 1 - 2 mm		