

EMC shield clamps on earthing tapes

with or without integrated cable fixing function



The earthing tapes are fitted with a shield clamp at one end. This solution is used where space is limited.

The earthing tapes are available with M4 or M6 holes.



Specifications

Material	Shield clamp: Spring steel, zinc plated Base frame: Cu-ETP
Properties	vibration proof
Mounting options	Screw type mounting, Riveting

Advantages & benefits

- Very flexible assembly
- Ideal for difficult to access installations
- Earthing tapes with pressed-on connecting end pads
- Standard products, short delivery times
- UL listed

Product types & sizes

MB|100|6|M4|MSKL 3-12



Part No.	32695.01
EAN	4251269324451
PU	10
No. of shield clamps	1
For max. no. of cables	1
Min. shield diam.	3 mm
Max. shield diam.	12 mm


Length	113 mm
Width	14,9 mm
Height	25 mm
Hole size	M4
Cross-section	6 mm ²
Current load	67 - 80 A


MB|100|6|M4|MSKL 8-18





Part No.	32695.02
EAN	4251269324468
PU	10
No. of shield clamps	1
For max. no. of cables	1
Min. shield diam.	8 mm
Max. shield diam.	18 mm


Length	113 mm
Width	19,7 mm
Height	31,2 mm
Hole size	M4
Cross-section	6 mm ²
Current load	67 - 80 A


	MB 100 10 M6+M4 MSK L 3-12	Part No.	39711.01	Length	120 mm
		EAN	4251269324413	Width	14,9 mm
		PU	10	Height	25 mm
		No. of shield clamps	1	Hole size	M6
		For max. no. of cables	1	Cross-section	10 mm²
		Min. shield diam.	3 mm	Current load	89 - 106 A
		Max. shield diam.	12 mm		


	MB 100 10 M6+M4 MSK L 8-18	Part No.	39711.02	Length	120 mm
		EAN	4251269324420	Width	19,7 mm
		PU	10	Height	31,2 mm
		No. of shield clamps	1	Hole size	M6
		For max. no. of cables	1	Cross-section	10 mm²
		Min. shield diam.	8 mm	Current load	89 - 106 A
		Max. shield diam.	18 mm		


	MB 150 6 M4 MSKL 3-12	Part No.	39710.01	Length	163 mm
		EAN	4251269324376	Width	14,9 mm
		PU	10	Height	25 mm
		No. of shield clamps	1	Hole size	M4
		For max. no. of cables	1	Cross-section	6 mm²
		Min. shield diam.	3 mm	Current load	67 - 80 A
		Max. shield diam.	12 mm		


	MB 150 6 M4 MSKL 8-18	Part No.	39710.02	Length	163 mm
		EAN	4251269324383	Width	19,7 mm
		PU	10	Height	31,2 mm
		No. of shield clamps	1	Hole size	M4
		For max. no. of cables	1	Cross-section	6 mm²
		Min. shield diam.	8 mm	Current load	67 - 80 A
		Max. shield diam.	18 mm		


	MB 200 6 M4 MSKL 3-12	Part No.	32707.01	Length	213 mm
		EAN	4251269324499	Width	14,9 mm
		PU	10	Height	25 mm
		No. of shield clamps	1	Hole size	M4
		For max. no. of cables	1	Cross-section	6 mm²
		Min. shield diam.	3 mm	Current load	67 - 80 A
		Max. shield diam.	12 mm		


	MB 200 6 M4 MSKL 8-18	Part No.	32707.02	Length	213 mm
		EAN	4251269324505	Width	19,7 mm
		PU	10	Height	31,2 mm
		No. of shield clamps	1	Hole size	M4
		For max. no. of cables	1	Cross-section	6 mm²
		Min. shield diam.	8 mm	Current load	67 - 80 A
		Max. shield diam.	18 mm		


MB 100 6 M4 Z-MSKL 3-12 	Part No.	32695.011	Length	113 mm
	EAN	4251269324475	Width	14,9 mm
	PU	10	Height	25 mm
	No. of shield clamps	1	Hole size	M4
	For max. no. of cables	1	Cross-section	6 mm²
	Min. shield diam.	3 mm	Current load	67 - 80 A
	Max. shield diam.	12 mm		

MB 100 6 M4 Z-MSKL 8-18 	Part No.	32695.021	Length	113 mm
	EAN	4251269324482	Width	19,7 mm
	PU	10	Height	31,2 mm
	No. of shield clamps	1	Hole size	M4
	For max. no. of cables	1	Cross-section	6 mm²
	Min. shield diam.	8 mm	Current load	67 - 80 A
	Max. shield diam.	18 mm		

MB 100 10 M6+M4 Z-MSKL 3-12 	Part No.	39711.011	Length	120 mm
	EAN	4251269324437	Width	14,9 mm
	PU	10	Height	25 mm
	No. of shield clamps	1	Hole size	M6
	For max. no. of cables	1	Cross-section	10 mm²
	Min. shield diam.	3 mm	Current load	89 - 106 A
	Max. shield diam.	12 mm		

MB 100 10 M6+M4 Z-MSKL 8-18 	Part No.	39711.021	Length	120 mm
	EAN	4251269324444	Width	19,7 mm
	PU	10	Height	31,2 mm
	No. of shield clamps	1	Hole size	M6
	For max. no. of cables	1	Cross-section	10 mm²
	Min. shield diam.	8 mm	Current load	89 - 106 A
	Max. shield diam.	18 mm		

MB 150 6 M4 Z-MSKL 3-12 	Part No.	39710.011	Length	163 mm
	EAN	4251269324390	Width	14,9 mm
	PU	10	Height	25 mm
	No. of shield clamps	1	Hole size	M4
	For max. no. of cables	1	Cross-section	6 mm²
	Min. shield diam.	3 mm	Current load	67 - 80 A
	Max. shield diam.	12 mm		

MB 150 6 M4 Z-MSKL 8-18 	Part No.	39710.021	Length	163 mm
	EAN	4251269324406	Width	19,7 mm
	PU	10	Height	31,2 mm
	No. of shield clamps	1	Hole size	M4
	For max. no. of cables	1	Cross-section	6 mm²
	Min. shield diam.	8 mm	Current load	67 - 80 A
	Max. shield diam.	18 mm		

MB|200|6|M4|Z-MSKL 3-12



Part No. **32707.011**
EAN **4251269324512**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **213 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|200|6|M4|Z-MSKL 8-18



Part No. **32707.021**
EAN **4251269324529**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **213 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**
