FT cable grommets for flat cables

for use in cable entry frames KEL-FL / IP54

FT grommets are used to route flat cables, e.g. in lift construction. Suitable for cable entry frames KEL-FL.

Innovative construction of the grommets compensates for manufacturing inconsistencies in flat cables.

Specifications

IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Routing of flat cables with various dimensions

Product types & sizes

FT-1|0

Part No.	**46201**	Mounting height	**2 mm**
EAN	**4251269311673**		
PU	**5**		
Colour	**grau (ähnlich RAL 7035)**		
Length	**42 mm**		
Width	**21 mm**		
Height	**19 mm**		

FT-1|A

Part No.	**46210**	Height	**19 mm**
EAN	**4251269311710**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**19 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**23 mm**
Length	**42 mm**	Min. flat cable thickness	**5,5 mm**
Width	**21 mm**	Max. flat cable thickness	**6 mm**

FT-1|B



Part No.	**46211**	Height	**19 mm**
EAN	**4251269311727**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**28 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**33 mm**
Length	**42 mm**	Min. flat cable thickness	**5,5 mm**
Width	**21 mm**	Max. flat cable thickness	**6 mm**

FT-1|C

Part No.	**46212**	Height	**19 mm**
EAN	**4251269311734**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**24 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**30 mm**
Length	**42 mm**	Min. flat cable thickness	**8,5 mm**
Width	**21 mm**	Max. flat cable thickness	**9 mm**

FT-1|E

Part No.	**46214**	Height	**19 mm**
EAN	**4251269311741**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**19 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**24 mm**
Length	**42 mm**	Min. flat cable thickness	**6,5 mm**
Width	**21 mm**	Max. flat cable thickness	**7 mm**

FT-1|F



Part No.	**46215**	Height	**19 mm**
EAN	**4251269311758**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**28 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**33 mm**
Length	**42 mm**	Min. flat cable thickness	**9 mm**
Width	**21 mm**	Max. flat cable thickness	**9,5 mm**

FT-2|0

Part No.	**46202**	Mounting height	**2 mm**
EAN	**4251269311680**		
PU	**5**		
Colour	**grau (ähnlich RAL 7035)**		
Length	**65 mm**		
Width	**21 mm**		
Height	**19 mm**		

FT-2|A

Part No.	**46250**	Height	**19 mm**
EAN	**4251269311765**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**32,5 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**38 mm**
Length	**65 mm**	Min. flat cable thickness	**5 mm**
Width	**21 mm**	Max. flat cable thickness	**5,5 mm**

FT-2|B

Part No.	**46251**	Height	**19 mm**
EAN	**4251269311772**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**45 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**50,5 mm**
Length	**65 mm**	Min. flat cable thickness	**6 mm**
Width	**21 mm**	Max. flat cable thickness	**6,5 mm**

FT-2|C

Part No.	**46252**	Height	**19 mm**
EAN	**4251269311789**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**47 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**52 mm**
Length	**65 mm**	Min. flat cable thickness	**9,5 mm**
Width	**21 mm**	Max. flat cable thickness	**10 mm**

FT-2|F

Part No.	**46255**	Height	**19 mm**
EAN	**4251269311796**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**38 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**43 mm**
Length	**65 mm**	Min. flat cable thickness	**12,5 mm**
Width	**21 mm**	Max. flat cable thickness	**13 mm**

FT-2|G

Part No.	**46256**	Height	**19 mm**
EAN	**4251269311802**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**49 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**54 mm**
Length	**65 mm**	Min. flat cable thickness	**5 mm**
Width	**21 mm**	Max. flat cable thickness	**6 mm**

FT-3|0

Part No.	**46203**	Mounting height	**2 mm**
EAN	**4251269311697**		
PU	**5**		
Colour	**grau (ähnlich RAL 7035)**		
Length	**87 mm**		
Width	**21 mm**		
Height	**19 mm**		

FT-3|A

Part No.	**46300**	Height	**19 mm**
EAN	**4251269311819**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**72 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**77 mm**
Length	**87 mm**	Min. flat cable thickness	**5 mm**
Width	**21 mm**	Max. flat cable thickness	**5,5 mm**

FT-4|0

Part No.	**46204**	Mounting height	**2 mm**
EAN	**4251269311703**		
PU	**5**		
Colour	**grau (ähnlich RAL 7035)**		
Length	**114 mm**		
Width	**21 mm**		
Height	**19 mm**		

FT-4|A

Part No.	**46330**	Height	**19 mm**
EAN	**4251269311826**	Mounting height	**2 mm**
PU	**5**	For cable type	**Flachleitung**
For max. no. of cables	**1**	Min. flat cable width	**85 mm**
Colour	**grau (ähnlich RAL 7035)**	Max. flat cable width	**99 mm**
Length	**114 mm**	Min. flat cable thickness	**4,2 mm**
Width	**21 mm**	Max. flat cable thickness	**5,2 mm**