


EMC-KT | EMC cable grommets

für shield diameters 2 - 33 mm





Specifications

Material	Elastomer, conductive
Flame class	UL94-HB
Operating temperature	-30 C° to 80 C°
Properties	silicone free, halogen free

Product types & Sizes

EMC-BTK 	Part No.	99473	Mounting height	2 mm
	EAN	4251269319549	Blank grommet	1
	PU	5		
	Color	schwarz		
	Length	21 mm		
	Width	21 mm		
	Height	19 mm		

EMC-KT 2 	Part No.	99459	Height	19 mm
	EAN	4251269324772	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	2 mm
	Color	schwarz	Max. shield diam.	3 mm
	Length	21 mm	Clamping range	1 x 2 - 3 mm
	Width	21 mm		



The cable grommets type EMC-KT are made of a very conductive elastomer. Thus, disturbances are dissipated from the cable shield directly via the grommet, the frame and the flat gasket. This ensures full-area protection against field-bound interference!

Suitable for:


- EMC-KEL-U cable entry frames
- EMC-KEL-DS cable entry frames
- EMC-KVT-DS cable glands


The model range EMC-KT small is designed for cable diameters from 2 to 16 mm. Cable grommets EMC-KT large accept a wide range of cable diameters from 13 to 33 mm.


When installing the small grommets in multiple rows, the flat sides should be facing each other.


Advantages & Benefits


- Contacting the cable shield over 360°
- EMC grommets made entirely from conductive elastomer
- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters


EMC-KT 3 	Part No.	99460	Height	19 mm
	EAN	4251269319419	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	3 mm
	Color	schwarz	Max. shield diam.	4 mm
	Length	21 mm	Clamping range	1 x 3 - 4 mm
	Width	21 mm		


EMC-KT 4 	Part No.	99461	Height	19 mm
	EAN	4251269319426	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	4 mm
	Color	schwarz	Max. shield diam.	5 mm
	Length	21 mm	Clamping range	1 x 4 - 5 mm
	Width	21 mm		


EMC-KT 5 	Part No.	99462	Height	19 mm
	EAN	4251269319433	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	5 mm
	Color	schwarz	Max. shield diam.	6 mm
	Length	21 mm	Clamping range	1 x 5 - 6 mm
	Width	21 mm		


EMC-KT 6 	Part No.	99463	Height	19 mm
	EAN	4251269319440	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	6 mm
	Color	schwarz	Max. shield diam.	7 mm
	Length	21 mm	Clamping range	1 x 6 - 7 mm
	Width	21 mm		


EMC-KT 7 	Part No.	99464	Height	19 mm
	EAN	4251269319457	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	7 mm
	Color	schwarz	Max. shield diam.	8 mm
	Length	21 mm	Clamping range	1 x 7 - 8 mm
	Width	21 mm		

EMC-KT 8 	Part No.	99465	Height	19 mm
	EAN	4251269319464	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	8 mm
	Color	schwarz	Max. shield diam.	9 mm
	Length	21 mm	Clamping range	1 x 8 - 9 mm
	Width	21 mm		


EMC-KT 9 	Part No.	99466	Height	19 mm
	EAN	4251269319471	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	9 mm
	Color	schwarz	Max. shield diam.	10 mm
	Length	21 mm	Clamping range	1 x 9 - 10 mm
	Width	21 mm		


EMC-KT 10 	Part No.	99467	Height	19 mm
	EAN	4251269319488	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	10 mm
	Color	schwarz	Max. shield diam.	11 mm
	Length	21 mm	Clamping range	1 x 10 - 11 mm
	Width	21 mm		

EMC-KT 11 	Part No.	99468	Height	19 mm
	EAN	4251269319495	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	11 mm
	Color	schwarz	Max. shield diam.	12 mm
	Length	21 mm	Clamping range	1 x 11 - 12 mm
	Width	21 mm		

EMC-KT 12 	Part No.	99469	Height	19 mm
	EAN	4251269319501	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	12 mm
	Color	schwarz	Max. shield diam.	13 mm
	Length	21 mm	Clamping range	1 x 12 - 13 mm
	Width	21 mm		

EMC-KT 13 	Part No.	99470	Height	19 mm
	EAN	4251269319518	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	13 mm
	Color	schwarz	Max. shield diam.	14 mm
	Length	21 mm	Clamping range	1 x 13 - 14 mm
	Width	21 mm		

EMC-KT 14 	Part No.	99471	Height	19 mm
	EAN	4251269319525	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	14 mm
	Color	schwarz	Max. shield diam.	15 mm
	Length	21 mm	Clamping range	1 x 14 - 15 mm
	Width	21 mm		


EMC-KT 15

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99472
4251269319532
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
15 mm
16 mm
1 x 15 - 16 mm


EMC-BTG

Part No.
EAN
PU
Color
Length
Width
Height

99495
4251269319648
5
schwarz
41,5 mm
42 mm
19 mm

Mounting height
Blank grommet

2 mm
1


EMC-KTG 13

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99496
4251269324222
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
13 mm
14 mm
1 x 13 - 14 mm


EMC-KTG 14

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99497
4251269324239
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
14 mm
15 mm
1 x 14 - 15 mm


EMC-KTG 15

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99498
4251269324246
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
15 mm
16 mm
1 x 15 - 16 mm


EMC-KT 16

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99475
4251269319556
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
16 mm
17 mm
1 x 16 - 17 mm


EMC-KT 17

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99476
4251269319563
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
17 mm
18 mm
1 x 17 - 18 mm


EMC-KT 18

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99477
4251269319570
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
18 mm
19 mm
1 x 18 - 19 mm


EMC-KT 19

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99478
4251269319587
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
19 mm
20 mm
1 x 19 - 20 mm


EMC-KT 20

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99479
4251269319594
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
20 mm
21 mm
1 x 20 - 21 mm


EMC-KT 21

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99480
4251269319600
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
21 mm
22 mm
1 x 21 - 22 mm


EMC-KT 22

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99481
4251269319617
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
22 mm
23 mm
1 x 22 - 23 mm


EMC-KT 23

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99482
4251269319624
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
23 mm
24 mm
1 x 23 - 24 mm


EMC-KT 24

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99483
4251269319631
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
24 mm
25 mm
1 x 24 - 25 mm


EMC-KT 25

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99484
4251269323836
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
25 mm
26 mm
1 x 25 - 26 mm


EMC-KT 26

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99485
4251269323843
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
26 mm
27 mm
1 x 26 - 27 mm


EMC-KT 27

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99486
4251269323850
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
27 mm
28 mm
1 x 27 - 28 mm

EMC-KT 28

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99487
4251269323867
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
28 mm
29 mm
1 x 28 - 29 mm

EMC-KT 29



Part No.	99488	Height	19 mm
EAN	4251269323874	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	29 mm
Color	schwarz	Max. shield diam.	30 mm
Length	41,5 mm	Clamping range	1 x 29 - 30 mm
Width	42 mm		

EMC-KT 30



Part No.	99489	Height	19 mm
EAN	4251269323881	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	30 mm
Color	schwarz	Max. shield diam.	31 mm
Length	41,5 mm	Clamping range	1 x 30 - 31 mm
Width	42 mm		

EMC-KT 31



Part No.	99490	Height	19 mm
EAN	4251269323898	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	31 mm
Color	schwarz	Max. shield diam.	32 mm
Length	41,5 mm	Clamping range	1 x 31 - 32 mm
Width	42 mm		

EMC-KT 32



Part No.	99491	Height	19 mm
EAN	4251269323904	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	32 mm
Color	schwarz	Max. shield diam.	33 mm
Length	41,5 mm	Clamping range	1 x 32 - 33 mm
Width	42 mm		