

KEL-DPZ CR multi-membrane cable entry plates, round

for the use in cleanrooms, M25 - M63 / IP66 / IP68 / UL Type 12/4X



KEL-DPZ CR round cable entry plates are designed to route and seal cables without connectors or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The assembly of the KEL-DPZ CR round with cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR round provides strain relief and protection IP66 / IP68 / UL Type 4X.

The round versions of the KEL-DPZ CR series have a thread to fit in metric cut-outs from M25 to M63. Thus cut-outs for metric cable glands can be used.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

IP54

IP67





Made in Germany

IP55

IP68





IP64

UL TYPE 12





IP65

UL TYPE 4X



RoHS compliant

IP66







Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer Base frame: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Fasten with locknut

Advantages & Benefits

- Fast mounting
- High cable density
- Certified protection IP66/IP68 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Suitable for metric cut-outs
- Hexagonal locknut included in the delivery
- Hygienic design - free of dirt-collecting recesses

Product types & Sizes

KEL-DPZ 25/3 CR gy



Part No.	43736.601	Mounting height	8 mm
EAN	4251269328268	Cut-out size, round	25,3 mm
PU	5	Cut-out size, metric	M25
For max. no. of cables	3	Thread	M25 x 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	2 x 3.2 - 5.2 mm
External diameter	39 mm		1 x 3.2 - 6.5 mm

**KEL-DPZ 25|3 CR
(S)VOC gy**

Part No. **43736.600**
EAN **4251269327964**
PU **5**
For max. no. of cables **3**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

KEL-DPZ 25|3 CR bk


Part No. **50736.601**
EAN **4251269328411**
PU **5**
For max. no. of cables **3**
Color **schwarz**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

**KEL-DPZ 25|3 CR
(S)VOC bk**


Part No. **50736.600**
EAN **4251269328114**
PU **5**
For max. no. of cables **3**
Color **schwarz**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **2 x 3.2 - 5.2 mm**
1 x 3.2 - 6.5 mm

KEL-DPZ 25|4 CR gy


Part No. **43737.601**
EAN **4251269328275**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25|4 CR
(S)VOC gy**


Part No. **43737.600**
EAN **4251269327971**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 5.2 mm**

KEL-DPZ 25|4 CR bk


Part No. **50737.601**
EAN **4251269328428**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **39 mm**

Mounting height **8 mm**
Cut-out size, round **25,3 mm**
Cut-out size, metric **M25**
Thread **M25 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 5.2 mm**

**KEL-DPZ 25/4 CR
(S)VOC bk**


Part No. **50737.600**
EAN **4251269328121**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **39 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **25,3 mm**
Thread **M25**
Thread length **M25 × 1,5**
Clamping range **14 mm**
4 x 3.2 - 5.2 mm

KEL-DPZ 32/4 CR gy

Part No. **43732.601**
EAN **4251269328237**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
3 x 3.2 - 6.5 mm
1 x 7.2 - 12.5 mm

**KEL-DPZ 32/4 CR
(S)VOC gy**

Part No. **43732.600**
EAN **4251269327933**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
3 x 3.2 - 6.5 mm
1 x 7.2 - 12.5 mm

KEL-DPZ 32/4 CR bk


Part No. **50732.601**
EAN **4251269328381**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
3 x 3.2 - 6.5 mm
1 x 7.2 - 12.5 mm

**KEL-DPZ 32/4 CR
(S)VOC bk**


Part No. **50732.600**
EAN **4251269328084**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
3 x 3.2 - 6.5 mm
1 x 7.2 - 12.5 mm

KEL-DPZ 32/4-2 CR gy

Part No. **43733.601**
EAN **4251269328244**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
4 x 5 - 9.5 mm

**KEL-DPZ 32|4-2 CR
(S)VOC gy**

Part No. **43733.600**
EAN **4251269327940**
PU **5**
For max. no. of cables **4**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **4 x 5 - 9.5 mm**

KEL-DPZ 32|4-2 CR bk


Part No. **50733.601**
EAN **4251269328398**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **4 x 5 - 9.5 mm**

**KEL-DPZ 32|4-2 CR
(S)VOC bk**


Part No. **50733.600**
EAN **4251269328091**
PU **5**
For max. no. of cables **4**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **4 x 5 - 9.5 mm**

KEL-DPZ 32|7 CR gy

Part No. **43734.601**
EAN **4251269328251**
PU **5**
For max. no. of cables **7**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR
(S)VOC gy**

Part No. **43734.600**
EAN **4251269327957**
PU **5**
For max. no. of cables **7**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**

KEL-DPZ 32|7 CR bk


Part No. **50734.601**
EAN **4251269328404**
PU **5**
For max. no. of cables **7**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height **8 mm**
Cut-out size, round **32,3 mm**
Cut-out size, metric **M32**
Thread **M32 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**

**KEL-DPZ 32|7 CR
(S)VOC bk**


Part No. **50734.600**
EAN **4251269328107**
PU **5**
For max. no. of cables **7**
Color **schwarz**
Height **22 mm**
External diameter **44 mm**

Mounting height
Cut-out size, round **8 mm**
Cut-out size, metric **32,3 mm**
Thread **M32**
Thread length **M32 × 1,5**
Clamping range **14 mm**
7 x 3.2 - 6.5 mm

KEL-DPZ 40|8 CR gy

Part No. **43741.601**
EAN **4251269328282**
PU **5**
For max. no. of cables **8**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **52 mm**

Mounting height **8 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm

**KEL-DPZ 40|8 CR
(S)VOC gy**

Part No. **43741.600**
EAN **4251269327988**
PU **5**
For max. no. of cables **8**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **52 mm**

Mounting height **8 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm

KEL-DPZ 40|8 CR bk


Part No. **50741.601**
EAN **4251269328435**
PU **5**
For max. no. of cables **8**
Color **schwarz**
Height **22 mm**
External diameter **52 mm**

Mounting height **8 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm

**KEL-DPZ 40|8 CR
(S)VOC bk**


Part No. **50741.600**
EAN **4251269328138**
PU **5**
For max. no. of cables **8**
Color **schwarz**
Height **22 mm**
External diameter **52 mm**

Mounting height **8 mm**
Cut-out size, round **40,4 mm**
Cut-out size, metric **M40**
Thread **M40 × 1,5**
Thread length **14 mm**
Clamping range **4 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm

KEL-DPZ 50|8 CR gy

Part No. **43750.601**
EAN **4251269328299**
PU **5**
For max. no. of cables **8**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

**KEL-DPZ 50|8 CR
(S)VOC gy**

Part No. **43750.600**
EAN **4251269327995**
PU **5**
For max. no. of cables **8**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 CR bk


Part No. **50750.601**
EAN **4251269328442**
PU **5**
For max. no. of cables **8**
Color **schwarz**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|8 bk


Part No. **50750.600**
EAN **4251269328145**
PU **5**
For max. no. of cables **8**
Color **schwarz**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **5 x 5 - 10.2 mm**
3 x 7.2 - 12.5 mm

KEL-DPZ 50|10 CR gy

Part No. **43751.601**
EAN **4251269328305**
PU **5**
For max. no. of cables **10**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

**KEL-DPZ 50|10 CR
(S)VOC gy**

Part No. **43751.600**
EAN **4251269328008**
PU **5**
For max. no. of cables **10**
Color **grau (ähnlich RAL 7035)**
Height **22 mm**
External diameter **62 mm**

Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm


KEL-DPZ 50|10 CR bk

Part No. **50751.601**
EAN **4251269328459**
PU **5**
For max. no. of cables **10**
Color **schwarz**
Height **22 mm**
External diameter **62 mm**


Mounting height **8 mm**
Cut-out size, round **50,4 mm**
Cut-out size, metric **M50**
Thread **M50 × 1,5**
Thread length **14 mm**
Clamping range **7 x 3.2 - 6.5 mm**
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm

**KEL-DPZ 50|10 CR
(S)VOC bk**

Part No.	50751.600	Mounting height	8 mm
EAN	4251269328152	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	10	Thread	M50 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	7 x 3.2 - 6.5 mm
External diameter	62 mm		2 x 5 - 10.2 mm
			1 x 16 - 22.2 mm

KEL-DPZ 50|12 CR gy

Part No.	43752.601	Mounting height	8 mm
EAN	4251269328312	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	12	Thread	M50 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	62 mm		8 x 5 - 10.2 mm

**KEL-DPZ 50|12 CR
(S)VOC gy**


Part No.	43752.600	Mounting height	8 mm
EAN	4251269328015	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	12	Thread	M50 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	62 mm		8 x 5 - 10.2 mm

KEL-DPZ 50|12 bk


Part No.	50752.601	Mounting height	8 mm
EAN	4251269328466	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	12	Thread	M50 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	62 mm		

**KEL-DPZ 50|12 CR
(S)VOC bk**

Part No.	50752.600	Mounting height	8 mm
EAN	4251269328169	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	12	Thread	M50 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	62 mm		

KEL-DPZ 50|19 CR gy

Part No.	43758.601	Mounting height	8 mm
EAN	4251269328336	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	19	Thread	M50 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	19 x 3.2 - 6.5 mm
External diameter	62 mm		

KEL-DPZ 50|19 CR gy

Part No. **43758.600**
 EAN **4251269328039**
 PU **5**
 For max. no. of cables **19**
 Color **grau (ähnlich RAL 7035)**
 Height **22 mm**
 External diameter **62 mm**

Mounting height
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|19 CR bk

Part No. **50758.601**
 EAN **4251269328480**
 PU **5**
 For max. no. of cables **19**
 Color **schwarz**
 Height **22 mm**
 External diameter **62 mm**

Mounting height **8 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|19 bk

Part No. **50758.600**
 EAN **4251269328183**
 PU **5**
 For max. no. of cables **19**
 Color **schwarz**
 Height **22 mm**
 External diameter **62 mm**

Mounting height **8 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **19 x 3.2 - 6.5 mm**

KEL-DPZ 50|78 CR gy

Part No. **43756.601**
 EAN **4251269328329**
 PU **5**
 For max. no. of cables **78**
 Color **grau (ähnlich RAL 7035)**
 Height **22 mm**
 External diameter **62 mm**

Mounting height **8 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 50|78 CR (S)VOC gy

Part No. **43756.600**
 EAN **4251269328022**
 PU **5**
 For max. no. of cables **78**
 Color **grau (ähnlich RAL 7035)**
 Height **22 mm**
 External diameter **62 mm**

Mounting height **8 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

KEL-DPZ 50|78 CR bk

Part No. **50756.601**
 EAN **4251269328473**
 PU **5**
 For max. no. of cables **78**
 Color **schwarz**
 Height **22 mm**
 External diameter **62 mm**

Mounting height **8 mm**
 Cut-out size, round **50,4 mm**
 Cut-out size, metric **M50**
 Thread **M50 × 1,5**
 Thread length **14 mm**
 Clamping range **76 x 1.5 - 2.6 mm**
2 x 2.5 - 5 mm

**KEL-DPZ 50|78 CR
(S)VOC bk**

Part No.	50756.600	Mounting height	8 mm
EAN	4251269328176	Cut-out size, round	50,4 mm
PU	5	Cut-out size, metric	M50
For max. no. of cables	78	Thread	M50 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	76 x 1.5 - 2.6 mm
External diameter	62 mm		2 x 2.5 - 5 mm

KEL-DPZ 63|9 CR gy

Part No.	43760.601	Mounting height	8 mm
EAN	4251269328343	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	9	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm
External diameter	75 mm		3 x 5 - 10.2 mm
			4 x 9 - 16.2 mm
			1 x 16 - 22.2 mm

**KEL-DPZ 63|9 CR
(S)VOC gy**

Part No.	43760.600	Mounting height	8 mm
EAN	4251269328046	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	9	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm
External diameter	75 mm		3 x 5 - 10.2 mm
			4 x 9 - 16.2 mm
			1 x 16 - 22.2 mm

KEL-DPZ 63|9 CR bk


Part No.	50760.601	Mounting height	8 mm
EAN	4251269328497	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	9	Thread	M63 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm
External diameter	75 mm		3 x 5 - 10.2 mm
			4 x 9 - 16.2 mm
			1 x 16 - 22.2 mm

**KEL-DPZ 63|9 CR
(S)VOC bk**

Part No.	50760.600	Mounting height	8 mm
EAN	4251269328190	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	9	Thread	M63 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	1 x 3.2 - 6.5 mm
External diameter	75 mm		3 x 5 - 10.2 mm
			4 x 9 - 16.2 mm
			1 x 16 - 22.2 mm

KEL-DPZ 63|13 CR gy

Part No.	43761.601	Mounting height	8 mm
EAN	4251269328350	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	13	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	75 mm		4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR (S)VOC gy


Part No.	43761.600	Mounting height	8 mm
EAN	4251269328053	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	13	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	75 mm		4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR bk


Part No.	50761.601	Mounting height	8 mm
EAN	4251269328503	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	13	Thread	M63 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	75 mm		4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm

KEL-DPZ 63|13 CR (S)VOC bk

Part No.	50761.600	Mounting height	8 mm
EAN	4251269328206	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	13	Thread	M63 × 1,5
Color	schwarz	Thread length	14 mm
Height	22 mm	Clamping range	4 x 3.2 - 6.5 mm
External diameter	75 mm		4 x 5 - 10.2 mm
			5 x 9 - 16.2 mm

KEL-DPZ 63|14 CR gy

Part No.	43762.601	Mounting height	8 mm
EAN	4251269328367	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	14	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm
External diameter	75 mm		

KEL-DPZ 63|14 CR (S)VOC gy

Part No.	43762.600	Mounting height	8 mm
EAN	4251269328060	Cut-out size, round	63,4 mm
PU	5	Cut-out size, metric	M63
For max. no. of cables	14	Thread	M63 × 1,5
Color	grau (ähnlich RAL 7035)	Thread length	14 mm
Height	22 mm	Clamping range	14 x 5 - 10.2 mm
External diameter	75 mm		

KEL-DPZ 63|14 CR bk


Part No.	50762.601
EAN	4251269328510
PU	5
For max. no. of cables	14
Color	schwarz
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	14 x 5 - 10.2 mm

KEL-DPZ 63|14 CR (S)VOC bk


Part No.	50762.600
EAN	4251269328213
PU	5
For max. no. of cables	14
Color	schwarz
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	14 x 5 - 10.2 mm

KEL-DPZ 63|35 CR gy


Part No.	43763.601
EAN	4251269328374
PU	5
For max. no. of cables	35
Color	grau (ähnlich RAL 7035)
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	35 x 3.2 - 6.5 mm

KEL-DPZ 63|35 CR (S)VOC gy


Part No.	43763.600
EAN	4251269328060
PU	5
For max. no. of cables	35
Color	grau (ähnlich RAL 7035)
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	35 x 3.2 - 6.5 mm

KEL-DPZ 63|35 CR bk

Part No.	50763.601
EAN	4251269328527
PU	5
For max. no. of cables	35
Color	schwarz
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	35 x 3.2 - 6.5 mm

KEL-DPZ 63|35 CR (S)VOC bk

Part No.	50763.600
EAN	4251269328220
PU	5
For max. no. of cables	35
Color	schwarz
Height	22 mm
External diameter	75 mm

Mounting height	8 mm
Cut-out size, round	63,4 mm
Cut-out size, metric	M63
Thread	M63 × 1,5
Thread length	14 mm
Clamping range	35 x 3.2 - 6.5 mm

