


KT CR cable grommets

for the use in cleanrooms, 1 - 35 mm / IP66 / IP68 / UL Type 12/4X



IP54	IP55	IP64	IP65	IP66
IP67	IP68	UL TYPE 12	UL TYPE 4X	UL US
				
ECOLAB certified	UV ISO 4892-2A			RoHS compliant
REACH COMPLIANCE	Made in Germany			

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free


Product types & Sizes

BTK CR gy



Part No.	41251.601	Height	19 mm
EAN	4251269326455	Mounting height	2 mm
PU	10	For cable type	Rundleitung
Color	grau (ähnlich RAL 7035)	Blank grommet	1
Length	21 mm		
Width	21 mm		

IP68 UL 4X


BTK CR (S)VOC gy

Part No.
EAN
PU
Color
Length
Width

41251.600
4251269325441
10
grau (ähnlich RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Blank grommet

19 mm
2 mm
Rundleitung
1


KT 1 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

39941.601
4251269326318
10
1
grau (ähnlich RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 1 - 2 mm


KT 1 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

39941.600
4251269326196
10
1
grau (ähnlich RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 1 - 2 mm


KT 2 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

39934.601
4251269326301
10
1
grau (ähnlich RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 2 - 3 mm


KT 2 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

39934.600
4251269326189
10
1
grau (ähnlich RAL 7035)
21 mm
21 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 2 - 3 mm


KT 3 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41203.601
4251269326325
10
1
grau (ähnlich RAL 7035)
21 mm
21 mm


Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 3 - 4 mm

KT 3 CR (S)VOC gy


Part No. **41203.600**
 EAN **4251269326202**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 3 - 4 mm**

KT 4 CR gy


Part No. **41204.601**
 EAN **4251269326332**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 4 CR (S)VOC gy


Part No. **41204.600**
 EAN **4251269326219**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 5 CR gy


Part No. **41205.601**
 EAN **4251269326349**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**

KT 5 CR (S)VOC gy


Part No. **41205.600**
 EAN **4251269325397**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**

KT 6 CR gy


Part No. **41206.601**
 EAN **4251269326356**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 6 CR (S)VOC gy


Part No. **41206.600**
 EAN **4251269325403**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 7 CR gy


Part No. **41207.601**
 EAN **4251269326363**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 7 - 8 mm**

KT 7 CR (S)VOC gy


Part No. **41207.600**
 EAN **4251269326226**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 7 - 8 mm**

KT 8 CR gy


Part No. **41208.601**
 EAN **4251269326370**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 8 - 9 mm**

KT 8 CR (S)VOC gy


Part No. **41208.600**
 EAN **4251269326233**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 8 - 9 mm**

KT 9 CR gy


Part No. **41209.601**
 EAN **4251269326387**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 9 - 10 mm**

KT 9 CR (S)VOC gy


Part No. **41209.600**
 EAN **4251269326240**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 9 - 10 mm**

KT 10 CR gy


Part No. **41210.601**
 EAN **4251269326394**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 10 - 11 mm**

KT 10 CR (S)VOC gy


Part No. **41210.600**
 EAN **4251269326257**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 10 - 11 mm**

KT 11 CR gy


Part No. **41211.601**
 EAN **4251269326400**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 11 - 12 mm**

KT 11 CR (S)VOC gy


Part No. **41211.600**
 EAN **4251269325410**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 11 - 12 mm**

KT 12 CR gy


Part No. **41212.601**
 EAN **4251269326417**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 12 - 13 mm**

KT 12 CR (S)VOC gy


Part No. **41212.600**
 EAN **4251269325427**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 12 - 13 mm**

KT 13 CR gy


Part No. **41213.601**
 EAN **4251269326424**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 13 CR (S)VOC gy


Part No. **41213.600**
 EAN **4251269326264**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 14 CR gy


Part No. **41214.601**
 EAN **4251269326431**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 14 CR (S)VOC gy

Part No. **41214.600**
 EAN **4251269326271**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**


Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 15 CR gy

Part No. **41215.601**
 EAN **4251269326448**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

KT 15 CR (S)VOC gy



Part No.	41215.600	Height	19 mm
EAN	4251269325434	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

BTG CR gy




Part No.	41252.601	Height	19 mm
EAN	4251269327124	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Blank grommet	1
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

BTG CR (S)VOC gy




Part No.	41252.600	Height	19 mm
EAN	4251269326912	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Blank grommet	1
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 16 CR gy




Part No.	41216.601	Height	19 mm
EAN	4251269326936	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 16 - 17 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 16 CR (S)VOC gy




Part No.	41216.600	Height	19 mm
EAN	4251269326721	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 16 - 17 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 17 CR gy




Part No.	41217.601	Height	19 mm
EAN	4251269326943	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 17 - 18 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 17 CR (S)VOC gy


Part No. **41217.600**
 EAN **4251269326738**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 18 CR gy


Part No. **41218.601**
 EAN **4251269326950**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**

KT 18 CR (S)VOC gy


Part No. **41218.600**
 EAN **4251269326745**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**

KT 19 CR gy


Part No. **41219.601**
 EAN **4251269326967**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 19 - 20 mm**

KT 19 CR (S)VOC gy


Part No. **41219.600**
 EAN **4251269326752**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 19 - 20 mm**

KT 20 CR gy

Part No. **41220.601**
 EAN **4251269326974**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 20 - 21 mm**


KT 20 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41220.600
4251269326769
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 20 - 21 mm


KT 21 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41221.601
4251269326981
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 21 - 22 mm


KT 21 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41221.600
4251269326776
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 21 - 22 mm


KT 22 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41222.601
4251269326998
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 22 - 23 mm


KT 22 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41222.600
4251269326783
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 22 - 23 mm


KT 23 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41223.601
4251269327001
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm


Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 23 - 24 mm

KT 23 CR (S)VOC gy


Part No. **41223.600**
 EAN **4251269326790**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 23 - 24 mm**

KT 24 CR gy


Part No. **41224.601**
 EAN **4251269327018**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 24 CR (S)VOC gy


Part No. **41224.600**
 EAN **4251269326806**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 25 CR gy


Part No. **41225.601**
 EAN **4251269327025**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 25 CR (S)VOC gy


Part No. **41225.600**
 EAN **4251269326813**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 26 CR gy


Part No. **41226.601**
 EAN **4251269327032**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 26 CR (S)VOC gy


Part No. **41226.600**
 EAN **4251269326820**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 27 CR gy


Part No. **41227.601**
 EAN **4251269327049**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 27 CR (S)VOC gy


Part No. **41227.600**
 EAN **4251269326837**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 28 CR gy


Part No. **41228.601**
 EAN **4251269327056**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 28 CR (S)VOC gy


Part No. **41228.600**
 EAN **4251269326844**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 29 CR gy

Part No. **41229.601**
 EAN **4251269327063**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**


KT 29 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41229.600
4251269326851
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 29 - 30 mm


KT 30 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41230.601
4251269327070
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 30 - 31 mm


KT 30 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41230.600
4251269326868
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 30 - 31 mm


KT 31 CR gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41231.601
4251269327087
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 31 - 32 mm


KT 31 CR (S)VOC gy

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41231.600
4251269326875
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Rundleitung
1 x 31 - 32 mm

KT 32 CR gy


Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

41232.601
4251269327094
10
1
grau (ähnlich RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range


19 mm
2 mm
Rundleitung
1 x 32 - 33 mm

KT 32 CR (S)VOC gy




Part No.	41232.600	Height	19 mm
EAN	4251269326882	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 32 - 33 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 33 CR gy



Part No.	41233.601	Height	19 mm
EAN	4251269327100	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 33 - 34 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 33 CR (S)VOC gy



Part No.	41233.600	Height	19 mm
EAN	4251269326899	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 33 - 34 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 34 CR gy



Part No.	41234.601	Height	19 mm
EAN	4251269327117	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 34 - 35 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 34 CR (S)VOC gy



Part No.	41234.600	Height	19 mm
EAN	4251269326905	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 34 - 35 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		