


KT CR multi / special cable grommets

for the use in cleanrooms, 1 - 8 mm / IP54 / UL Type 12



Cable grommets KT CR small are used with the following cleanroom cable entry components:

- KEL-ER CR cable entry frames
- KEL-U CR cable entry frames


KT CR multi-hole and special grommets enable a sealing of the cables with IP54 and UL Type 12.

When using double or quadruple grommets the cable density of cleanroom cable entry frames can be greatly increased. The multi-hole model range KT CR small is designed for cable diameters from 1 to 8 mm. ATG CR adapter grommets provide the possibility to hold a small KT CR grommet to reduce the clamping range down to 1 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.



Specifications


IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits


- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets

Product types & Sizes

KT 2-1 CR gy




Part No.	39942.601	Height	19 mm
EAN	4251269326684	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	2	Clamping range	2 x 1 - 1 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 2-1 CR (S)VOC gy


Part No. **39942.600**
 EAN **4251269326554**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 1 - 1 mm**

KT 2-2 CR gy


Part No. **39935.601**
 EAN **4251269326653**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 2 - 2 mm**

KT 2-2 CR (S)VOC gy


Part No. **39935.600**
 EAN **4251269326523**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 2 - 2 mm**

KT 2-3 CR gy


Part No. **39939.601**
 EAN **4251269326677**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 3 - 3 mm**

KT 2-3 CR (S)VOC gy


Part No. **39939.600**
 EAN **4251269326547**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 3 - 3 mm**

KT 2-4 CR gy


Part No. **39906.601**
 EAN **4251269326592**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 4 - 4 mm**

KT 2-4 CR (S)VOC gy


Part No. **39906.600**
 EAN **4251269326462**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 4 - 4 mm**

KT 2-5 CR gy


Part No. **41200.601**
 EAN **4251269326691**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 5 - 5 mm**

KT 2-5 CR (S)VOC gy


Part No. **41200.600**
 EAN **4251269326561**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 5 - 5 mm**

KT 2-6 CR gy


Part No. **41201.601**
 EAN **4251269326707**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 6 - 6 mm**

KT 2-6 CR (S)VOC gy


Part No. **41201.600**
 EAN **4251269326578**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 6 - 6 mm**

KT 2-7 CR gy


Part No. **41202.601**
 EAN **4251269326714**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 7 - 7 mm**

KT 2-7 CR (S)VOC gy


Part No. **41202.600**
 EAN **4251269326585**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 7 - 7 mm**

KT 2-8 CR gy


Part No. **39917.601**
 EAN **4251269326639**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 8 - 8 mm**

KT 2-8 CR (S)VOC gy

Part No. **39917.600**
 EAN **4251269326509**
 PU **10**
 For max. no. of cables **2**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **2 x 8 - 8 mm**

KT 4-2 CR gy


Part No. **39937.601**
 EAN **4251269326660**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 2 - 2 mm**

KT 4-2 CR (S)VOC gy


Part No. **39937.600**
 EAN **4251269326530**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 2 - 2 mm**

KT 4-3 CR gy


Part No. **39914.601**
 EAN **4251269326622**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 3 - 3 mm**

KT 4-3 CR (S)VOC gy


Part No. **39914.600**
 EAN **4251269326493**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 3 - 3 mm**

KT 4-4 CR gy


Part No. **39909.601**
 EAN **4251269326615**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 4 - 4 mm**

KT 4-4 CR (S)VOC gy


Part No. **39909.600**
 EAN **4251269326486**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 4 - 4 mm**

KT 4-5 CR gy


Part No. **39908.601**
 EAN **4251269326608**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 5 - 5 mm**

KT 4-5 CR (S)VOC gy


Part No. **39908.600**
 EAN **4251269326479**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 5 - 5 mm**

KT 4-6 CR gy


Part No. **39932.601**
 EAN **4251269326646**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 6 - 6 mm**

KT 4|6 gy


Part No. **39932.600**
 EAN **4251269326516**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **4 x 6 - 6 mm**

KTs 16 CR gy


Part No. **39901.601**
 EAN **4251269326295**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 16 mm**

KTs 16 CR (S)VOC gy


Part No. **39901.600**
 EAN **4251269326172**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 16 mm**

KTs 17 CR gy


Part No. **39900.601**
 EAN **4251269326288**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 17 mm**

KTs 17 CR (S)VOC gy


Part No. **39900.600**
 EAN **4251269326165**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 17 mm**

ATG CR gy

Part No. **41253.601**
 EAN **4251269327131**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**

ATG CR (S)VOC gy

Part No. **41253.600**
EAN **4251269326929**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**

□