


KT cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X



IP54

IP67

ECOLAB certified

Made in Germany

IP55

IP68

IP64

UL TYPE 12

IP65

UL TYPE 4X

RoHS compliant

IP66

REACH COMPLIANCE


Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Product types & Sizes


BTK gy	Part No.	41251	Height	19 mm
	EAN	4251269306686	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	Color	grau (ähnlich RAL 7035)	Blank grommet	1
	Length	21 mm		
	Width	21 mm		

IP68 UL 4X

KT 1 gy


Part No. **39941**
 EAN **4251269318146**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 1 - 2 mm**

KT 2 gy


Part No. **39934**
 EAN **4251269306280**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 2 - 3 mm**

KT 3 gy


Part No. **41203**
 EAN **4251269306389**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 3 - 4 mm**

KT 4 gy


Part No. **41204**
 EAN **4251269306396**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 5 gy


Part No. **41205**
 EAN **4251269306402**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**


KT 6 gy

Part No. **41206**
 EAN **4251269306419**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**


Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 7 gy


Part No.	41207	Height	19 mm
EAN	4251269306426	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 7 - 8 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 8 gy


Part No.	41208	Height	19 mm
EAN	4251269306433	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 8 - 9 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 9 gy


Part No.	41209	Height	19 mm
EAN	4251269306440	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 9 - 10 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 10 gy


Part No.	41210	Height	19 mm
EAN	4251269306457	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 10 - 11 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 11 gy

Part No.	41211	Height	19 mm
EAN	4251269306464	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 11 - 12 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		


KT 12 gy

Part No.	41212	Height	19 mm
EAN	4251269306471	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 12 - 13 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 13 gy


Part No. **41213**
 EAN **4251269306488**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 14 gy


Part No. **41214**
 EAN **4251269306495**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 15 gy


Part No. **41215**
 EAN **4251269306501**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

BTG gy (IP54)


Part No. **41252**
 EAN **4251269306693**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Blank grommet **1**

KT 16 gy


Part No. **41216**
 EAN **4251269306518**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 17 mm**


KT 17 gy

Part No. **41217**
 EAN **4251269306525**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**


Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 18 gy


Part No.	41218	Height	19 mm
EAN	4251269306532	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 18 - 19 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 19 gy


Part No.	41219	Height	19 mm
EAN	4251269306549	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 19 - 20 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 20 gy


Part No.	41220	Height	19 mm
EAN	4251269306556	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 20 - 21 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 21 gy


Part No.	41221	Height	19 mm
EAN	4251269306563	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 21 - 22 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 22 gy

Part No.	41222	Height	19 mm
EAN	4251269306570	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 22 - 23 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		


KT 23 gy

Part No.	41223	Height	19 mm
EAN	4251269306587	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 23 - 24 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 24 gy


Part No. **41224**
EAN **4251269306594**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 24 - 25 mm**

KT 25 gy


Part No. **41225**
EAN **4251269306600**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 25 - 26 mm**

KT 26 gy


Part No. **41226**
EAN **4251269306617**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 26 - 27 mm**

KT 27 gy


Part No. **41227**
EAN **4251269306624**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 27 - 28 mm**

KT 28 gy


Part No. **41228**
EAN **4251269306631**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 28 - 29 mm**


KT 29 gy


Part No. **41229**
EAN **4251269306648**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**


Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 29 - 30 mm**

KT 30 gy 	Part No.	41230	Height	19 mm
	EAN	4251269306655	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 30 - 31 mm
	Color	grau (ähnlich RAL 7035)		
	Length	41,5 mm		
	Width	42 mm		

KT 31 gy 	Part No.	41231	Height	19 mm
	EAN	4251269316784	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 31 - 32 mm
	Color	grau (ähnlich RAL 7035)		
	Length	41,5 mm		
	Width	42 mm		

KT 32 gy 	Part No.	41232	Height	19 mm
	EAN	4251269306662	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 32 - 33 mm
	Color	grau (ähnlich RAL 7035)		
	Length	41,5 mm		
	Width	42 mm		

KT 33 gy 	Part No.	41233	Height	19 mm
	EAN	4251269316791	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 33 - 34 mm
	Color	grau (ähnlich RAL 7035)		
	Length	41,5 mm		
	Width	42 mm		

KT 34 gy 	Part No.	41234	Height	19 mm
	EAN	4251269306679	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 34 - 35 mm
	Color	grau (ähnlich RAL 7035)		
	Length	41,5 mm		
	Width	42 mm		