

# Connector housings & insert sets 3A / 4A

for adapter grommets AT-HA & cable entry frames MIS



icotek offers 3A or 4A insert sets and matching connector housings with integrated M20 (cable diam. 6 - 12 mm) or M25 (cable diam. 13 - 18 mm) cable glands for [adapter grommets AT-HA](#) and [split cable entry frames MIS](#).

The connector housings are compatible and CE-compliant with numerous insert manufacturers (Harting, Ilme, Phoenix Contact, TE Connectivity, Weidmüller, Lapp, Amphenol, Molex, RS Pro, ...).

EN 45545-2

certified

ISO 4892-2A

IK04

IEC 61984

UL 1977

UL ECBT2

RoHS compliant

COMPLIANCE

Made in Germany

UL

## Specifications

Material	Enclosure: Polyamide Einsatz: Polycarbonate
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 125 C°
Properties	silicone free, halogen free

## Advantages & benefits

- Connector housings: High degree of protection IP65 when plugged in
- Connector housings are compatible with numerous insert manufacturers

## Product types & sizes

Insert set 3A



Part No.	55510
EAN	4251269337499
Package quantity	5
Rated current	10 A
Operating voltage	230 V

#### Insert set 4A



Part No.	<b>55511</b>
EAN	<b>4251269337529</b>
Package quantity	<b>5</b>
Rated current	<b>10 A</b>
Operating voltage	<b>230 V</b>

#### Housing KV 20



Part No.	<b>55514</b>
EAN	
Package quantity	<b>5</b>
Cable gland	<b>M20</b>
Clamping range	<b>1 x 6 - 12 mm</b>

#### Housing KV 25



Part No.	<b>55515</b>
EAN	
Package quantity	<b>5</b>
Cable gland	<b>M25</b>
Clamping range	<b>1 x 13 - 18 mm</b>

