


EMC shield clamps for metal sheet edges, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

These shield clamps are used where a screw connection is either not possible or wanted. The shield is simply plugged on the metal sheet edge. The claws provide a secure grip, even in case of vibrations.

Specifications


Material	Shield clamp: Spring steel, zinc plated Mounting foot: Spring steel
Properties	vibration proof
Mounting options	Clamping

Advantages & benefits


- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free

Product types & sizes


PFK-A|SKL 1.5-3



Part No.	36778.1	Min. shield diam.	1,5 mm
EAN	4251269303	Max. shield diam.	3 mm
Package quantity	227	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	19,4 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm




Part No.	36782.1	Min. shield diam.	1,5 mm
EAN	4251269303760	Max. shield diam.	3 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	1,5 - 3 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm





Part No.	36778.2	Min. shield diam.	3 mm
EAN	4251269303234	Max. shield diam.	6 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	20,1 mm
Shield diameter	3 - 6 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm

Part No.	36782.2	Min. shield	3 mm
EAN	4251269303	diam.	
	777	Max. shield	6 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	21,1 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	3 - 6 mm	For max. wall	3 mm
diameter		thickness	




Part No.	36778.3	Min. shield	6 mm
EAN	4251269303	diam.	
	241	Max. shield	8 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	21,5 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm	For max. wall	2 mm
diameter		thickness	






Part No.	36782.3	Min. shield diam.	6 mm
EAN	4251269303784	Max. shield diam.	8 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	22,5 mm
Shield diameter	6 - 8 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm





Part No.	36778.4	Min. shield diam.	8 mm
EAN	4251269303258	Max. shield diam.	11 mm
Package quantity	10	Length	28,5 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	12 mm
For max. no. of cables	1	Height	26,5 mm
Shield diameter	8 - 11 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm

Part No.	36782.4	Min. shield	8 mm
EAN	4251269303	diam.	
	791	Max. shield	11 mm
Package	10	diam.	
quantity		Length	28,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	12 mm
type		Height	27,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	8 - 11 mm	For max. wall	3 mm
diameter		thickness	




Part No.	36780.01	Length	32,5 mm
EAN	4251269303	Min. shield	1,5 mm
	302	diam. pos. 2	
Package	10	Max. shield	3 mm
quantity		diam. pos. 2	
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,7 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	- 1,5 - 3 mm	For max. wall	2 mm
diameter		thickness	






Part No.	36784.01	Length	32,5 mm
EAN	4251269303845	Min. shield diam. pos. 2	1,5 mm
Package quantity	10	Max. shield diam. pos. 2	3 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	20,4 mm
Shield diameter	- 1,5 - 3 mm	For min. wall thickness	2 mm
		For max. wall thickness	3 mm





Part No.	36780.02	Length	32,5 mm
EAN	4251269303319	Min. shield diam. pos. 2	3 mm
Package quantity	10	Max. shield diam. pos. 2	6 mm
No. of shield clamps	1	Strain relief function	No
Shield clamp type	SKL	Width	18 mm
For max. no. of cables	1	Height	21,5 mm
Shield diameter	- 3 - 6 mm	For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm

Part No.	36784.02	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	3 mm
	852	Max. shield diam. pos. 2	6 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	21,1 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 3 - 6 mm	For max. wall thickness	3 mm




Part No.	36780.03	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	6 mm
	326	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	22,9 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	2 mm






Part No.	36784.03	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	6 mm
	869	Max. shield diam. pos. 2	8 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	22,5 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 6 - 8 mm	For max. wall thickness	3 mm





Part No.	36780.04	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	8 mm
	333	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	27,9 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	2 mm

Part No.	36784.04	Length	32,5 mm
EAN	4251269303	Min. shield diam. pos. 2	8 mm
	876	Max. shield diam. pos. 2	11 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	27,5 mm
For max. no. of cables	1	For min. wall thickness	2 mm
Shield diameter	- 8 - 11 mm	For max. wall thickness	3 mm




Part No.	36780.10	Min. shield diam. pos. 1	1,5 mm
EAN	4251269303	Max. shield diam. pos. 1	3 mm
	340	Length	32,5 mm
Package quantity	10	Strain relief function	No
No. of shield clamps	1	Width	18 mm
Shield clamp type	SKL	Height	20,7 mm
For max. no. of cables	1	For min. wall thickness	1,5 mm
Shield diameter	1,5 - 3 mm	For max. wall thickness	2 mm







Part No.	36784.10	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	883	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	20,4 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	1,5 - 3 mm	- For max. wall	3 mm
diameter		thickness	




Part No.	36780.11	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	357	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	20,7 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.11	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	890	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	20,4 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	



Part No.	36780.12	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	364	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm	Width	20 mm
diameter	3 - 6 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.12	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	906	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	3 - 6 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	





Part No.	36780.13	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	371	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	6 - 8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	

Part No.	36784.13	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	913	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	6 - 8 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.14	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	388	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	






Part No.	36784.14	Min. shield	1,5 mm
EAN	4251269303	diam. pos. 1	
	920	Max. shield	3 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	1,5 - 3 mm 	Width	20 mm
diameter	8 - 11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	





Part No.	36780.20	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	395	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,5 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	2 mm
diameter		thickness	

Part No.	36784.20	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	937	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	21,1 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	3 - 6 mm -	For max. wall	3 mm
diameter		thickness	




Part No.	36780.21	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	401	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	






Part No.	36784.21	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	944	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	





Part No.	36780.22	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	418	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	

Part No.	36784.22	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	951	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 3 -	Width	20 mm
diameter	6 mm	Height	21,1 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.23	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	425	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	







Part No.	36784.23	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	968	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 6 -	Width	20 mm
diameter	8 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.24	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	432	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.24	Min. shield	3 mm
EAN	4251269303	diam. pos. 1	
	975	Max. shield	6 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	3 - 6 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.30	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	449	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22,9 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	2 mm
diameter		thickness	




Part No.	36784.30	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	982	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	22,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	6 - 8 mm -	For max. wall	3 mm
diameter		thickness	




Part No.	36780.31	Min. shield	6 mm
EAN	4251269303	diam. pos. 1	
	456	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.31	Min. shield	6 mm
EAN	4251269303999	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm	Width	20 mm
diameter	1,5 - 3 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.32	Min. shield	6 mm
EAN	4251269303463	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 3 -	Width	20 mm
diameter	6 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.32	Min. shield	6 mm
EAN	4251269304002	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm	Width	20 mm
diameter	6 mm	Height	22,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36780.33	Min. shield	6 mm
EAN	4251269303470	diam. pos. 1	
		Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm	Width	20 mm
diameter	8 mm	Height	22,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36784.33	Min. shield diam. pos. 1	6 mm
EAN	4251269304019	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	6 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	8 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 6 - 8 mm	Width	20 mm
	8 mm	Height	22,5 mm
		For min. wall thickness	2 mm
		For max. wall thickness	3 mm



Part No.	36780.34	Min. shield diam. pos. 1	6 mm
EAN	4251269303487	Max. shield diam. pos. 1	8 mm
Package quantity	10	Length	32,5 mm
No. of shield clamps	2	Min. shield diam. pos. 2	8 mm
Shield clamp type	SKL	Max. shield diam. pos. 2	11 mm
For max. no. of cables	2	Strain relief function	No
Shield diameter	6 - 8 mm 6 - 8 mm	Width	20 mm
	11 mm	Height	27,9 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm




Part No.	36784.34	Min. shield	6 mm
EAN	4251269304	diam. pos. 1	
	026	Max. shield	8 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	8 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	11 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	6 - 8 mm 8 -	Width	20 mm
diameter	11 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	





Part No.	36780.40	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	494	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	27,9 mm
For max. no. of	1	For min. wall	1,5 mm
cables		thickness	
Shield	8 - 11 mm -	For max. wall	2 mm
diameter		thickness	

Part No.	36784.40	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	033	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	1	Strain relief	No
clamps		function	
Shield clamp	SKL	Width	18 mm
type		Height	27,5 mm
For max. no. of	1	For min. wall	2 mm
cables		thickness	
Shield	8 - 11 mm 	For max. wall	3 mm
diameter	-	thickness	




Part No.	36780.41	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	500	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	






Part No.	36784.41	Min. shield	8 mm
EAN	4251269304040	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	1,5 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	3 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 	Width	20 mm
diameter	1,5 - 3 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	





Part No.	36780.42	Min. shield	8 mm
EAN	4251269303517	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	

Part No.	36784.42	Min. shield	8 mm
EAN	4251269304	diam. pos. 1	
	057	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	3 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	6 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 3	Width	20 mm
diameter	- 6 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	



Part No.	36780.43	Min. shield	8 mm
EAN	4251269303	diam. pos. 1	
	524	Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm 6	Width	20 mm
diameter	- 8 mm	Height	27,9 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	





Part No.	36784.43	Min. shield	8 mm
EAN	4251269304064	diam. pos. 1	
		Max. shield	11 mm
Package	10	diam. pos. 1	
quantity		Length	32,5 mm
No. of shield	2	Min. shield	6 mm
clamps		diam. pos. 2	
Shield clamp	SKL	Max. shield	8 mm
type		diam. pos. 2	
For max. no. of	2	Strain relief	No
cables		function	
Shield	8 - 11 mm	Width	20 mm
diameter	- 8 mm	Height	27,5 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	

PFKZ-A-M|MSKL 3-12



Part No.	37640
EAN	4251269316746
Package quantity	10
No. of shield clamps	1
Shield clamp type	MSKL
Length	38 mm
Strain relief (acc. to EN 62444)	1

For max. no. of cables	1
Shield diameter	3 - 12 mm
Min. shield diam.	3 mm
Max. shield diam.	12 mm
Strain relief function	Yes
Width	15 mm
Height	28,8 mm
For min. wall thickness	1,5 mm
For max. wall thickness	2 mm


PFKZ-B-M|MSKL 3-12



Part No.	37650
EAN	4251269316760
Package quantity	10
No. of shield clamps	1
Shield clamp type	MSKL
Length	38 mm
Strain relief (acc. to EN 62444)	1

For max. no. of cables	1
Shield diameter	3 - 12 mm
Min. shield diam.	3 mm
Max. shield diam.	12 mm
Strain relief function	Yes
Width	15 mm
Height	28 mm
For min. wall thickness	2 mm
For max. wall thickness	3 mm

PFKZ-A-M|MSKL 8-18



Part No.	37642
EAN	4251269316753
Package quantity	10
No. of shield clamps	1
Shield clamp type	MSKL
Length	38 mm
Strain relief (acc. to EN 62444)	1

For max. no. of cables	1
Shield diameter	8 - 18 mm
Min. shield diam.	8 mm
Max. shield diam.	18 mm
Strain relief function	Yes
Width	20 mm
Height	35 mm
For min. wall thickness	1,5 mm
For max. wall thickness	2 mm


PFKZ-B-M|MSKL 8-18



Part No.	37652
EAN	4251269316777
Package quantity	10
No. of shield clamps	1
Shield clamp type	MSKL
Length	38 mm
Strain relief (acc. to EN 62444)	1


For max. no. of cables	1
Shield diameter	8 - 18 mm
Min. shield diam.	8 mm
Max. shield diam.	18 mm
Strain relief function	Yes
Width	20 mm
Height	35 mm
For min. wall thickness	2 mm
For max. wall thickness	3 mm

PFKZ-A|SKL 1.5-3




Part No.	36779.1	Width	12 mm
EAN	4251269303265	Strain relief (acc. to EN 62444)	1
Package quantity	10	Shield diameter	1,5 - 3 mm
No. of shield clamps	1	Min. shield diam.	1,5 mm
Shield clamp type	SKL	Max. shield diam.	3 mm
For max. no. of cables	1	Strain relief function	Yes
Length	33 mm	Height	21 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm


PFKZ-B|SKL 1.5-3



Part No.	36783.1	Width	12 mm
EAN	4251269303807	Strain relief (acc. to EN 62444)	1
Package quantity	10	Shield diameter	1,5 - 3 mm
No. of shield clamps	1	Min. shield diam.	1,5 mm
Shield clamp type	SKL	Max. shield diam.	3 mm
For max. no. of cables	1	Strain relief function	Yes
Length	33 mm	Height	21 mm
		For min. wall thickness	2 mm
		For max. wall thickness	3 mm




Part No.	36779.2	Width	12 mm
EAN	4251269303	Strain relief	1
	272	(acc. to EN	
Package	10	62444)	
quantity		Shield	3 - 6 mm
No. of shield	1	diameter	
clamps		Min. shield	3 mm
Shield clamp	SKL	diam.	
type		Max. shield	6 mm
For max. no. of	1	diam.	
cables		Strain relief	Yes
Length	33 mm	function	
		Height	20,5 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	





Part No.	36783.2	Width	12 mm
EAN	4251269303	Strain relief	1
	814	(acc. to EN	
Package	10	62444)	
quantity		Shield	3 - 6 mm
No. of shield	1	diameter	
clamps		Min. shield	3 mm
Shield clamp	SKL	diam.	
type		Max. shield	6 mm
For max. no. of	1	diam.	
cables		Strain relief	Yes
Length	33 mm	function	
		Height	21,6 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	

Part No.	36779.3	Width	12 mm
EAN	4251269303289	Strain relief (acc. to EN 62444)	1
Package quantity	10	Shield diameter	6 - 8 mm
No. of shield clamps	1	Min. shield diam.	6 mm
Shield clamp type	SKL	Max. shield diam.	8 mm
For max. no. of cables	1	Strain relief function	Yes
Length	33 mm	Height	22 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm




Part No.	36783.3	Width	12 mm
EAN	4251269303821	Strain relief (acc. to EN 62444)	1
Package quantity	10	Shield diameter	6 - 8 mm
No. of shield clamps	1	Min. shield diam.	6 mm
Shield clamp type	SKL	Max. shield diam.	8 mm
For max. no. of cables	1	Strain relief function	Yes
Length	33 mm	Height	23 mm
		For min. wall thickness	2 mm
		For max. wall thickness	3 mm






Part No.	36779.4	Width	12 mm
EAN	4251269303	Strain relief	1
	296	(acc. to EN	
Package	10	62444)	
quantity		Shield	8 - 11 mm
No. of shield	1	diameter	
clamps		Min. shield	8 mm
Shield clamp	SKL	diam.	
type		Max. shield	11 mm
For max. no. of	1	diam.	
cables		Strain relief	Yes
Length	33 mm	function	
		Height	27 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36783.4	Width	12 mm
EAN	4251269303	Strain relief	1
	838	(acc. to EN	
Package	10	62444)	
quantity		Shield	8 - 11 mm
No. of shield	1	diameter	
clamps		Min. shield	8 mm
Shield clamp	SKL	diam.	
type		Max. shield	11 mm
For max. no. of	1	diam.	
cables		Strain relief	Yes
Length	33 mm	function	
		Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	

PFKZ2-A|SKL 01




Part No.	36781.01	For max. no. of	1
EAN	4251269303	cables	
	531	Shield	- 1,5 - 3 mm
Package	10	diameter	
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 2	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 2	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	21,2 mm
clamps		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	


PFKZ2-B|SKL 01



Part No.	36785.01	For max. no. of	1
EAN	4251269304	cables	
	071	Shield	- 1,5 - 3 mm
Package	10	diameter	
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 2	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 2	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	20,9 mm
clamps		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.02	For max. no. of 1
EAN	4251269303	cables
	548	Shield - 3 - 6 mm
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield diam. pos. 2 3 mm
Length	37 mm	Max. shield diam. pos. 2 6 mm
Strain relief (acc. to EN 62444)	1	Strain relief function Yes
No. of shield clamps	1	Width 18 mm
		Height 22 mm
		For min. wall thickness 1,5 mm
		For max. wall thickness 2 mm




Part No.	36785.02	For max. no. of 1
EAN	4251269304	cables
	088	Shield - 3 - 6 mm
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield diam. pos. 2 3 mm
Length	37 mm	Max. shield diam. pos. 2 6 mm
Strain relief (acc. to EN 62444)	1	Strain relief function Yes
No. of shield clamps	1	Width 18 mm
		Height 21,6 mm
		For min. wall thickness 2 mm
		For max. wall thickness 3 mm

PFKZ2-A|SKL 03




Part No.	36781.03	For max. no. of	1
EAN	4251269303	cables	
	555	Shield	- 6 - 8 mm
Package	10	diameter	
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 2	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 2	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	23,4 mm
clamps		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	


PFKZ2-B|SKL 03



Part No.	36785.03	For max. no. of	1
EAN	4251269304	cables	
	095	Shield	- 6 - 8 mm
Package	10	diameter	
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 2	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 2	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	23 mm
clamps		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.04	For max. no. of 1
EAN	4251269303	cables
	562	Shield - 8 - 11 mm
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield diam. pos. 2 8 mm
Length	37 mm	Max. shield diam. pos. 2 11 mm
Strain relief (acc. to EN 62444)	1	Strain relief function Yes
No. of shield clamps	1	Width 18 mm
		Height 28,4 mm
		For min. wall thickness 1,5 mm
		For max. wall thickness 2 mm




Part No.	36785.04	For max. no. of 1
EAN	4251269304	cables
	101	Shield - 8 - 11 mm
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield diam. pos. 2 8 mm
Length	37 mm	Max. shield diam. pos. 2 11 mm
Strain relief (acc. to EN 62444)	1	Strain relief function Yes
No. of shield clamps	1	Width 18 mm
		Height 28 mm
		For min. wall thickness 2 mm
		For max. wall thickness 3 mm

PFKZ2-A|SKL 10




Part No.	36781.10	For max. no. of	1
EAN	4251269303	cables	
	579	Shield	1,5 - 3 mm -
Package	10	diameter	
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	21,2 mm
clamps		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	


PFKZ2-B|SKL 10




Part No.	36785.10	For max. no. of	1
EAN	4251269304	cables	
	118	Shield	1,5 - 3 mm -
Package	10	diameter	
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	20,9 mm
clamps		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.11	For max. no. of 2
EAN	4251269303	cables
	586	Shield 1,5 - 3 mm
Package	10	diameter 1,5 - 3 mm
quantity		Min. shield 1,5 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 3 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 1,5 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 3 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 21,2 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.11	For max. no. of 2
EAN	4251269304	cables
	125	Shield 1,5 - 3 mm
Package	10	diameter 1,5 - 3 mm
quantity		Min. shield 1,5 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 3 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 1,5 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 3 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 20,9 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.12	For max. no. of	2
EAN	4251269303	cables	
	593	Shield	1,5 - 3 mm
Package	10	diameter	3 - 6 mm
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	3 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	22 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36785.12	For max. no. of	2
EAN	4251269304	cables	
	132	Shield	1,5 - 3 mm
Package	10	diameter	3 - 6 mm
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	3 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	21,6 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.13	For max. no. of 2
EAN	4251269303	cables
	609	Shield 1,5 - 3 mm
Package	10	diameter 6 - 8 mm
quantity		Min. shield 1,5 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 3 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 6 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 8 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.13	For max. no. of 2
EAN	4251269304	cables
	149	Shield 1,5 - 3 mm
Package	10	diameter 6 - 8 mm
quantity		Min. shield 1,5 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 3 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 6 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 8 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.14	For max. no. of	2
EAN	4251269303	cables	
	616	Shield	1,5 - 3 mm
Package	10	diameter	8 - 11 mm
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	8 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	11 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	



Part No.	36785.14	For max. no. of	2
EAN	4251269304	cables	
	156	Shield	1,5 - 3 mm
Package	10	diameter	8 - 11 mm
quantity		Min. shield	1,5 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	3 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	8 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	11 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.20	For max. no. of	1
EAN	4251269303	cables	
	623	Shield	3 - 6 mm -
Package	10	diameter	
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	22 mm
clamps		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36785.20	For max. no. of	1
EAN	4251269304	cables	
	163	Shield	3 - 6 mm -
Package	10	diameter	
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	21,6 mm
clamps		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	

PFKZ2-A|SKL 21




Part No.	36781.21	For max. no. of	2
EAN	4251269303	cables	
	630	Shield	3 - 6 mm
Package	10	diameter	1,5 - 3 mm
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	1,5 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	22 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	


PFKZ2-B|SKL 21




Part No.	36785.21	For max. no. of	2
EAN	4251269304	cables	
	170	Shield	3 - 6 mm
Package	10	diameter	1,5 - 3 mm
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	1,5 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	21,6 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.22	For max. no. of 2
EAN	4251269303	cables
	647	Shield 3 - 6 mm 3 -
Package	10	diameter 6 mm
quantity		Min. shield 3 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 6 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 3 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 6 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 22 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.22	For max. no. of 2
EAN	4251269304	cables
	187	Shield 3 - 6 mm 3 -
Package	10	diameter 6 mm
quantity		Min. shield 3 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 6 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 3 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 6 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 21,6 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.23	For max. no. of	2
EAN	4251269303	cables	
	654	Shield	3 - 6 mm 6 -
Package	10	diameter	8 mm
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	6 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	8 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	



Part No.	36785.23	For max. no. of	2
EAN	4251269304	cables	
	194	Shield	3 - 6 mm 6 -
Package	10	diameter	8 mm
quantity		Min. shield	3 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	6 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	6 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	8 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.24	For max. no. of 2
EAN	4251269303	cables
	661	Shield 3 - 6 mm 8 -
Package	10	diameter 11 mm
quantity		Min. shield 3 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 6 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 8 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 11 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.24	For max. no. of 2
EAN	4251269304	cables
	200	Shield 3 - 6 mm 8 -
Package	10	diameter 11 mm
quantity		Min. shield 3 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 6 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 8 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 11 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness

PFKZ2-A|SKL 30




Part No.	36781.30	For max. no. of	1
EAN	4251269303	cables	
	678	Shield	6 - 8 mm -
Package	10	diameter	
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	23,4 mm
clamps		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	


PFKZ2-B|SKL 30




Part No.	36785.30	For max. no. of	1
EAN	4251269304	cables	
	217	Shield	6 - 8 mm -
Package	10	diameter	
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Strain relief	Yes
(acc. to EN		function	
62444)		Width	18 mm
No. of shield	1	Height	23 mm
clamps		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.31	For max. no. of 2
EAN	4251269303	cables
	685	Shield 6 - 8 mm
Package	10	diameter 1,5 - 3 mm
quantity		Min. shield 6 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 1,5 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 3 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.31	For max. no. of 2
EAN	4251269304	cables
	224	Shield 6 - 8 mm
Package	10	diameter 1,5 - 3 mm
quantity		Min. shield 6 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 1,5 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 3 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.32	For max. no. of	2
EAN	4251269303	cables	
	692	Shield	6 - 8 mm 3 -
Package	10	diameter	6 mm
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	3 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	23,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36785.32	For max. no. of	2
EAN	4251269304	cables	
	231	Shield	6 - 8 mm 3 -
Package	10	diameter	6 mm
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	3 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	6 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	23 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.33	For max. no. of 2
EAN	4251269303	cables
	708	Shield 6 - 8 mm 6 -
Package	10	diameter 8 mm
quantity		Min. shield 6 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 6 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 8 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.33	For max. no. of 2
EAN	4251269304	cables
	248	Shield 6 - 8 mm 6 -
Package	10	diameter 8 mm
quantity		Min. shield 6 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 6 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 8 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 23 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.34	For max. no. of	2
EAN	4251269303	cables	
	715	Shield	6 - 8 mm 8 -
Package	10	diameter	11 mm
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	8 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	11 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36785.34	For max. no. of	2
EAN	4251269304	cables	
	255	Shield	6 - 8 mm 8 -
Package	10	diameter	11 mm
quantity		Min. shield	6 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	8 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	8 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	11 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.40	For max. no. of 1
EAN	4251269303	cables
	722	Shield 8 - 11 mm -
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief (acc. to EN 62444)	1	Max. shield 11 mm
No. of shield clamps	1	diam. pos. 1
		Strain relief Yes
		function
		Width 18 mm
		Height 28,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness




Part No.	36785.40	For max. no. of 1
EAN	4251269304	cables
	262	Shield 8 - 11 mm -
Package quantity	10	diameter
Shield clamp type	SKL	Min. shield 8 mm
Length	37 mm	diam. pos. 1
Strain relief (acc. to EN 62444)	1	Max. shield 11 mm
No. of shield clamps	1	diam. pos. 1
		Strain relief Yes
		function
		Width 18 mm
		Height 28 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness




Part No.	36781.41	For max. no. of	2
EAN	4251269303	cables	
	739	Shield	8 - 11 mm
Package	10	diameter	1,5 - 3 mm
quantity		Min. shield	8 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	11 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	1,5 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	




Part No.	36785.41	For max. no. of	2
EAN	4251269304	cables	
	279	Shield	8 - 11 mm
Package	10	diameter	1,5 - 3 mm
quantity		Min. shield	8 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	11 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	1,5 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	3 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	




Part No.	36781.42	For max. no. of 2
EAN	4251269303	cables
	746	Shield 8 - 11 mm 3
Package	10	diameter - 6 mm
quantity		Min. shield 8 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 11 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 3 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 6 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28,4 mm
		For min. wall 1,5 mm
		thickness
		For max. wall 2 mm
		thickness



Part No.	36785.42	For max. no. of 2
EAN	4251269304	cables
	286	Shield 8 - 11 mm 3
Package	10	diameter - 6 mm
quantity		Min. shield 8 mm
Shield clamp	SKL	diam. pos. 1
type		Max. shield 11 mm
Length	37 mm	diam. pos. 1
Strain relief	1	Min. shield 3 mm
(acc. to EN		diam. pos. 2
62444)		Max. shield 6 mm
No. of shield	2	diam. pos. 2
clamps		Strain relief Yes
		function
		Width 20 mm
		Height 28 mm
		For min. wall 2 mm
		thickness
		For max. wall 3 mm
		thickness



Part No.	36781.43	For max. no. of	2
EAN	4251269303	cables	
	753	Shield	8 - 11 mm 6
Package	10	diameter	- 8 mm
quantity		Min. shield	8 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	11 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	6 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	8 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28,4 mm
		For min. wall	1,5 mm
		thickness	
		For max. wall	2 mm
		thickness	



Part No.	36785.43	For max. no. of	2
EAN	4251269304	cables	
	293	Shield	8 - 11 mm 6
Package	10	diameter	- 8 mm
quantity		Min. shield	8 mm
Shield clamp	SKL	diam. pos. 1	
type		Max. shield	11 mm
Length	37 mm	diam. pos. 1	
Strain relief	1	Min. shield	6 mm
(acc. to EN		diam. pos. 2	
62444)		Max. shield	8 mm
No. of shield	2	diam. pos. 2	
clamps		Strain relief	Yes
		function	
		Width	20 mm
		Height	28 mm
		For min. wall	2 mm
		thickness	
		For max. wall	3 mm
		thickness	

