



KAFM-EMC cable assembly with strain relief

for shield earthing and simultaneous strain relief



The EMC strain relief plate KAFM is practical for earthing interferences on the cable shield.

The cable assembly can be assembled on a mounting plate with screws, with SC-feet on C section rails C30 or with MF-feet on 35 mm top hat DIN rails.



Specifications


Material	Stainless steel
Properties	vibration proof
Mounting options	Snap-in,Screw type mounting

Advantages & benefits

■ Universal solution


Product types & sizes

KAFM 2




Part No.	36422	Height	2 mm
EAN	4251269302	Hole size	M4
	657	No. of screw	2
Package quantity	1	holes	
For max. no. of	2	Diam. of screw	4,5
cables		holes	
Length L1	50,5 mm	No. of teeth	2
Length L2	37,5 mm		
Width	49 mm		

KAFM 4



Part No.	36424	Height	2 mm
EAN	4251269302664	Hole size	M4
Package quantity	1	No. of screw holes	2
For max. no. of cables	4	Diam. of screw holes	4,5 mm
Length L1	83,5 mm	No. of teeth	4
Length L2	70,5 mm		
Width	49 mm		


KAFM 6



Part No.	36426	Height	2 mm
EAN	4251269302671	Hole size	M4
Package quantity	1	No. of screw holes	2
For max. no. of cables	6	Diam. of screw holes	4,5 mm
Length L1	116,5 mm	No. of teeth	6
Length L2	103,5 mm		
Width	49 mm		


KAFM 8

Part No.	36428	Height	2 mm
EAN	4251269302688	Hole size	M4
		No. of screw	2
Package quantity	1	holes	
For max. no. of cables	8	Diam. of screw	4,5 mm
		holes	
		No. of teeth	8
Length L1	149,5 mm		
Length L2	136,5 mm		
Width	49 mm		




KAFM 10

Part No.	36430	Height	2 mm
EAN	4251269302695	Hole size	M4
		No. of screw	2
Package quantity	1	holes	
For max. no. of cables	10	Diam. of screw	4,5 mm
		holes	
		No. of teeth	10
Length L1	182,5 mm		
Length L2	169,5 mm		
Width	49 mm		




KAFM 16



Part No.	36530	Height	2 mm
EAN	4251269303081	Hole size	M4
Package quantity	1	No. of screw holes	3
For max. no. of cables	16	Diam. of screw holes	4,5 mm
Length L1	281,5 mm	No. of teeth	16
Length L2	268,5 mm		
Width	49 mm		

KAFM 29



Part No.	36540	Height	2 mm
EAN	4251269303098	Hole size	M4
Package quantity	1	No. of screw holes	5
For max. no. of cables	29	Diam. of screw holes	4,5 mm
Length L1	494,5 mm	No. of teeth	29
Length L2	481,5 mm		
Width	49 mm		

KAFM 59

Part No.	36550	Height	2 mm
EAN	4251269303	Hole size	M4
	104	No. of screw	5
Package quantity	1	holes	
For max. no. of cables	59	Diam. of screw	4,5 mm
		holes	
		No. of teeth	59
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		



KAFM 59 zn

Part No.	36562	Height	2 mm
EAN	4251269303	Hole size	M4
	111	No. of screw	5
Package quantity	1	holes	
For max. no. of cables	59	Diam. of screw	4,5 mm
		holes	
		No. of teeth	59
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		




Distance bushing KAFM




Part No.	36234
EAN	4251269302
	275
Package quantity	10
Length	12 mm
Height	8 mm
Hole size	M4

KAFM 2|DH




Part No.	36482	Height	10 mm
EAN	4251269302	No. of screw holes	2
	930	Diam. of screw holes	4,5 mm
Package quantity	1	No. of teeth	2
For max. no. of cables	2		
Length L1	50,5 mm		
Length L2	37,5 mm		
Width	49 mm		

KAFM 4|DH




Part No.	36484	Height	10 mm
EAN	4251269302	No. of screw holes	2
	947	Diam. of screw holes	4,5 mm
Package quantity	1	No. of teeth	4
For max. no. of cables	4		
Length L1	83,5 mm		
Length L2	70,5 mm		
Width	49 mm		

KAFM 6|DH




Part No.	36486	Height	10 mm
EAN	4251269302954	No. of screw holes	2
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	6	No. of teeth	6
Length L1	116,5 mm		
Length L2	103,5 mm		
Width	49 mm		

KAFM 8|DH




Part No.	36488	Height	10 mm
EAN	4251269302961	No. of screw holes	2
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	8	No. of teeth	8
Length L1	149,5 mm		
Length L2	136,5 mm		
Width	49 mm		

KAFM 10|DH




Part No.	36490	Height	10 mm
EAN	4251269302978	No. of screw holes	2
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	10	No. of teeth	10
Length L1	182,5 mm		
Length L2	169,5 mm		
Width	49 mm		

KAFM 16|DH




Part No.	36460	Height	10 mm
EAN	4251269302848	No. of screw holes	3
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	16	No. of teeth	16
Length L1	281,5 mm		
Length L2	268,5 mm		
Width	49 mm		

KAFM 29|DH




Part No.	36462	Height	10 mm
EAN	4251269302855	No. of screw holes	5
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	29	No. of teeth	29
Length L1	494,5 mm		
Length L2	481,5 mm		
Width	49 mm		

KAFM 59|DH




Part No.	36464	Height	10 mm
EAN	4251269302862	No. of screw holes	5
Package quantity	1	Diam. of screw holes	4,5 mm
For max. no. of cables	59	No. of teeth	59
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		

Screw M4 x 16 DIN 912




Part No.	99017
EAN	4251269316
	494
Package quantity	10
Length	20 mm
Height	7 mm

KAFM 2|SF




Part No.	36442	Height	19 mm
EAN	4251269302	No. of teeth	2
	756		
Package quantity	1		
For max. no. of cables	2		
Length L1	50,5 mm		
Length L2	37,5 mm		
Width	49 mm		

KAFM 4|SF




Part No.	36444	Height	19 mm
EAN	4251269302	No. of teeth	4
	763		
Package quantity	1		
For max. no. of cables	4		
Length L1	83,5 mm		
Length L2	70,5 mm		
Width	49 mm		

KAFM 6|SF




Part No.	36446	Height	19 mm
EAN	4251269302	No. of teeth	6
	770		
Package quantity	1		
For max. no. of cables	6		
Length L1	116,5 mm		
Length L2	103,5 mm		
Width	49 mm		

KAFM 8|SF




Part No.	36448	Height	19 mm
EAN	4251269302	No. of teeth	8
	787		
Package quantity	1		
For max. no. of cables	8		
Length L1	149,5 mm		
Length L2	136,5 mm		
Width	49 mm		

KAFM 10|SF




Part No.	36450	Height	19 mm
EAN	4251269302	No. of teeth	10
	794		
Package quantity	1		
For max. no. of cables	10		
Length L1	182,5 mm		
Length L2	169,5 mm		
Width	49 mm		

KAFM 16|SF




Part No.	36452	Height	19 mm
EAN	4251269302	No. of teeth	16
	800		
Package quantity	1		
For max. no. of cables	16		
Length L1	281,5 mm		
Length L2	268,5 mm		
Width	49 mm		

KAFM 29|SF




Part No.	36454	Height	19 mm
EAN	4251269302	No. of teeth	29
	817		
Package quantity	1		
For max. no. of cables	29		
Length L1	494,5 mm		
Length L2	481,5 mm		
Width	49 mm		

KAFM 59|SF




Part No.	36458	Height	19 mm
EAN	4251269302	No. of teeth	59
	824		
Package quantity	1		
For max. no. of cables	59		
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		

KAFM 59|SF zn




Part No.	36459	Height	19 mm
EAN	4251269302	No. of teeth	59
	831		
Package quantity	1		
For max. no. of cables	59		
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		

KAFM 2|SK




Part No.	36432	Height	36 mm
EAN	4251269302	No. of teeth	2
	701		
Package quantity	1		
For max. no. of cables	2		
Length L1	50,5 mm		
Length L2	37,5 mm		
Width	49 mm		

KAFM 4|SK




Part No.	36434	Height	36 mm
EAN	4251269302	No. of teeth	4
	718		
Package quantity	1		
For max. no. of cables	4		
Length L1	83,5 mm		
Length L2	70,5 mm		
Width	49 mm		

KAFM 6|SK




Part No.	36436	Height	36 mm
EAN	4251269302725	No. of teeth	6
Package quantity	1		
For max. no. of cables	6		
Length L1	116,5 mm		
Length L2	103,5 mm		
Width	49 mm		

KAFM 8|SK




Part No.	36438	Height	36 mm
EAN	4251269302732	No. of teeth	8
Package quantity	1		
For max. no. of cables	8		
Length L1	149,5 mm		
Length L2	136,5 mm		
Width	49 mm		

KAFM 10|SK




Part No.	36440	Height	36 mm
EAN	4251269302749	No. of teeth	10
Package quantity	1		
For max. no. of cables	10		
Length L1	182,5 mm		
Length L2	169,5 mm		
Width	49 mm		

KAFM 16|SK




Part No.	36470	Height	36 mm
EAN	4251269302909	No. of teeth	16
Package quantity	1		
For max. no. of cables	16		
Length L1	281,5 mm		
Length L2	268,5 mm		
Width	49 mm		

KAFM 29|SK




Part No.	36471	Height	36 mm
EAN	4251269302916	No. of teeth	29
Package quantity	1		
For max. no. of cables	29		
Length L1	494,5 mm		
Length L2	481,5 mm		
Width	49 mm		

KAFM 59|SK




Part No.	36472	Height	36 mm
EAN	4251269302923	No. of teeth	59
Package quantity	1		
For max. no. of cables	59		
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		

KAFM 2|SC




Part No.	36412	Height	19 mm
EAN	4251269302	No. of teeth	2
	619		
Package quantity	1		
For max. no. of cables	2		
Length L1	50,5 mm		
Length L2	37,5 mm		
Width	49 mm		

KAFM 4|SC




Part No.	36414	Height	19 mm
EAN	4251269302	No. of teeth	4
	626		
Package quantity	1		
For max. no. of cables	4		
Length L1	83,5 mm		
Length L2	70,5 mm		
Width	49 mm		

KAFM 6|SC




Part No.	36416	Height	19 mm
EAN	4251269302	No. of teeth	6
	633		
Package quantity	1		
For max. no. of cables	6		
Length L1	116,5 mm		
Length L2	103,5 mm		
Width	49 mm		

KAFM 8|SC




Part No.	36418	Height	19 mm
EAN	4251269302	No. of teeth	8
	640		
Package quantity	1		
For max. no. of cables	8		
Length L1	149,5 mm		
Length L2	136,5 mm		
Width	49 mm		

KAFM 10|SC




Part No.	36400	Height	19 mm
EAN	4251269302	No. of teeth	10
	602		
Package quantity	1		
For max. no. of cables	10		
Length L1	182,5 mm		
Length L2	169,5 mm		
Width	49 mm		

KAFM 16|SC




Part No.	36465	Height	19 mm
EAN	4251269302	No. of teeth	16
	879		
Package quantity	1		
For max. no. of cables	16		
Length L1	281,5 mm		
Length L2	268,5 mm		
Width	49 mm		

KAFM 29|SC




Part No.	36466	Height	19 mm
EAN	4251269302	No. of teeth	29
	886		
Package quantity	1		
For max. no. of cables	29		
Length L1	494,5 mm		
Length L2	481,5 mm		
Width	49 mm		

KAFM 59|SC




Part No.	36467	Height	19 mm
EAN	4251269302	No. of teeth	59
	893		
Package quantity	1		
For max. no. of cables	59		
Length L1	990 mm		
Length L2	978 mm		
Width	49 mm		

SK single



Part No.	36232	Diam. of screw	5,1 mm
EAN	4251269302	holes	
	268		
Package quantity	10		
Length	50 mm		
Width	9 mm		
Height	31 mm		
No. of screw holes	1		

SC single



Part No.
EAN

36220
4251269302
183
10

Package
quantity
Length
Width
Height
Mounting
height

No. of screw **1**
holes
Diam. of screw **4,1 mm**
holes

26 mm
22,5 mm
6,5 mm
2

icotek[®]
smart cable management