

KEL-DPZ multi-membrane cable entry plates

with high cable density / up to IP66 / UL Type 12



KEL-DPZ cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ with unterminated cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ matches exactly the cut-out dimensions of 6-, 10-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B fits on cut-outs 46 x 46 mm. The very compact size KEL-DPZ-E is designed for routing cables in very small spaces. Through a cut-out of only 18 x 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

It is also possible to integrate threaded bushings (except KEL-DPZ 6 / KEL-DPZ-KX/KL). Please ask us about your desired variant.

The version with threaded bushings enables the cable entry plate to be screwed onto the housing from the inside out. This protects against vandalism and tampering with the housing from the outside.

IP54



IP55



IP64



RoHS compliant

IP65



IP66



Made in Germany



Specifications


| | |
|------------------------------|---|
| IP rating (EN 60529) | IP54, IP55, IP64, IP65, IP66 |
| UL Type (UL 50E) | UL Type 12 |
| Material | Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A) |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C° |
| Properties | silicone free, halogen free |
| Mounting options | Screw type mounting |

Advantages & benefits


- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

Product types & sizes

KEL-DPZ 24|14 gy




| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43700 | Width | 58 mm |
| EAN | 4251269310461 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 14 | Cut-out size | 112 x 36 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 10 x 3.2 - 6.5 mm 4 x 16 - 22 mm |

KEL-DPZ 24|14 bk


Part No. **50700**
 EAN **4251269315084**
 Package quantity **10**
 For max. no. of cables **14**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 16 - 22 mm

KEL-DPZ 24|15 gy


Part No. **43720**
 EAN **4251269310508**
 Package quantity **10**
 For max. no. of cables **15**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.5 - 12 mm**

KEL-DPZ 24|15 bk


Part No. **50720**
 EAN **4251269315121**
 Package quantity **10**
 For max. no. of cables **15**
 Max. cable diameter **12 mm**
 Colour **black**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.5 - 12 mm**

KEL-DPZ 24|16 gy


Part No. **43725**
 EAN **4251269310515**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **22 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

KEL-DPZ 24|16 bk


Part No. **50725**
 EAN **4251269315138**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

KEL-DPZ 24|17 gy

Part No. **43705**
 EAN **4251269310478**
 Package quantity **10**
 For max. no. of cables **17**
 Max. cable diameter **16,2 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **6 x 3.2 - 6.5 mm**
6 x 5 - 10.2 mm
5 x 9 - 16.2 mm


KEL-DPZ 24|17 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

50705
4251269315091
10
17
16,2 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
6 x 3.2 - 6.5 mm
6 x 5 - 10.2 mm
5 x 9 - 16.2 mm


KEL-DPZ 24|25 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43710
4251269310485
10
25
12 mm
grey (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
12 x 3.2 - 6.5 mm
7 x 4.8 - 9.7 mm
6 x 7.5 - 12 mm


KEL-DPZ 24|25 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

50710
4251269315107
10
25
12 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
12 x 3.2 - 6.5 mm
7 x 4.8 - 9.7 mm
6 x 7.5 - 12 mm


KEL-DPZ 24|26 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43711
4251269321498
10
26
10,2 mm
grey (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
26 x 5 - 10.2 mm


KEL-DPZ 24|26 bk

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

50711
4251269321504
10
26
10,2 mm
black
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
26 x 5 - 10.2 mm


KEL-DPZ 24|32 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43730
4251269310522
10
32
12 mm
grey (similar RAL 7035)
147 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
112 x 36 mm
4
5,9 mm
21 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm
3 x 7.5 - 12 mm

KEL-DPZ 24|32 bk


| | | | |
|------------------------|----------------------|----------------------|--|
| Part No. | 50730 | Width | 58 mm |
| EAN | 4251269315145 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 32 | Cut-out size | 112 × 36 mm |
| Max. cable diameter | 12 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 21 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 24|42 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43715 | Width | 58 mm |
| EAN | 4251269310492 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 42 | Cut-out size | 112 × 36 mm |
| Max. cable diameter | 6,5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 42 x 3.2 - 6.5 mm |

KEL-DPZ 24|42 bk


| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 50715 | Width | 58 mm |
| EAN | 4251269315114 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 42 | Cut-out size | 112 × 36 mm |
| Max. cable diameter | 6,5 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 42 x 3.2 - 6.5 mm |

KEL-DPZ 24|121 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43735 | Width | 58 mm |
| EAN | 4251269310560 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 121 | Cut-out size | 112 × 36 mm |
| Max. cable diameter | 5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm |

KEL-DPZ 24|121 bk


| | | | |
|------------------------|----------------------|----------------------|--|
| Part No. | 50735 | Width | 58 mm |
| EAN | 4251269315183 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 121 | Cut-out size | 112 × 36 mm |
| Max. cable diameter | 5 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm |

KEL-DPZ 16|11 gy


| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43815 | Width | 58 mm |
| EAN | 4251269320507 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 11 | Cut-out size | 86 × 36 mm |
| Max. cable diameter | 12 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 11 x 7.5 - 12 mm |

KEL-DPZ 16|14 gy

| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43816 | Width | 58 mm |
| EAN | 4251269320514 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 14 | Cut-out size | 86 × 36 mm |
| Max. cable diameter | 16,2 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 5 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 9 - 16.2 mm |

KEL-DPZ 16|20 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43817 | Width | 58 mm |
| EAN | 4251269320521 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 20 | Cut-out size | 86 × 36 mm |
| Max. cable diameter | 12 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 11 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 7.5 - 12 mm |

KEL-DPZ 16|25 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43818 | Width | 58 mm |
| EAN | 4251269320538 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 25 | Cut-out size | 86 × 36 mm |
| Max. cable diameter | 12 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 16 x 3.2 - 6.5 mm 6 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 16|34 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43819 | Width | 58 mm |
| EAN | 4251269320545 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 34 | Cut-out size | 86 × 36 mm |
| Max. cable diameter | 6,5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 34 x 3.2 - 6.5 mm |

KEL-DPZ 10|8 gy

| | | | |
|------------------------|--------------------------------|----------------------|------------------------|
| Part No. | 43800 | Width | 58 mm |
| EAN | 4251269324086 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 8 | Cut-out size | 65 × 36 mm |
| Max. cable diameter | 12 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 8 x 7.5 - 12 mm |

KEL-DPZ 10|14 gy

| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43801 | Width | 58 mm |
| EAN | 4251269324093 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 14 | Cut-out size | 65 × 36 mm |
| Max. cable diameter | 10,2 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 14 x 5 - 10.2 mm |


KEL-DPZ 10|15 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43802
4251269324109
10
15
10,2 mm
grey (similar RAL 7035)
98,3 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
65 x 36 mm
4
5,8 mm
5 x 3.2 - 6.5 mm
10 x 5 - 10.2 mm


KEL-DPZ 10|16 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43803
4251269324116
10
16
12 mm
grey (similar RAL 7035)
98,3 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
65 x 36 mm
4
5,8 mm
9 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm
3 x 7.5 - 12 mm


KEL-DPZ 10|26 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43804
4251269324123
10
26
6,5 mm
grey (similar RAL 7035)
98,3 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

58 mm
14 mm
14 mm
65 x 36 mm
4
5,8 mm
26 x 3.2 - 6.5 mm


KEL-DPZ 6|12 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43809
4251269321061
10
12
8 mm
grey (similar RAL 7035)
85,5 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

54 mm
7,5 mm
7,5 mm
52 x 36 mm
4
4,5
12 x 4.5 - 8 mm


KEL-DPZ 6|18 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length

43812
4251269321030
10
18
6,5 mm
grey (similar RAL 7035)
85,5 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range

54 mm
7,5 mm
7,5 mm
52 x 36 mm
4
4,5
18 x 3.2 - 6.5 mm


KEL-DPZ 6|18-1 gy

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Colour
Length


43811
4251269321023
10
18
8 mm
grey (similar RAL 7035)
85,5 mm

Width
Height
Mounting height
Cut-out size
No. of screw holes
Diam. of screw holes
Clamping range


54 mm
7,5 mm
7,5 mm
52 x 36 mm
4
4,5
6 x 2.5 - 5 mm
5 x 3.2 - 6.5 mm
7 x 4.5 - 8 mm

KEL-DPZ 6|23 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43813 | Width | 54 mm |
| EAN | 4251269321047 | Height | 7,5 mm |
| Package quantity | 10 | Mounting height | 7,5 mm |
| For max. no. of cables | 23 | Cut-out size | 52 x 36 mm |
| Max. cable diameter | 5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 10 x 3.2 - 6.5 mm 13 x 2.5 - 5 mm |

KEL-DPZ 6|27 gy


| | | | |
|------------------------|--------------------------------|----------------------|------------------------|
| Part No. | 43814 | Width | 54 mm |
| EAN | 4251269321054 | Height | 7,5 mm |
| Package quantity | 10 | Mounting height | 7,5 mm |
| For max. no. of cables | 27 | Cut-out size | 52 x 36 mm |
| Max. cable diameter | 5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 27 x 2.5 - 5 mm |

KEL-DPZ-B 13 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43794 | Width | 58 mm |
| EAN | 4251269310690 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 13 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm |

KEL-DPZ-B 13 bk


| | | | |
|------------------------|----------------------|----------------------|--|
| Part No. | 50794 | Width | 58 mm |
| EAN | 4251269315312 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 13 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm |

KEL-DPZ-B 17 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43796 | Width | 58 mm |
| EAN | 4251269310706 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 17 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 16,2 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 10 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 2 x 7.5 - 12 mm 1 x 9 - 16.2 mm |

KEL-DPZ-B 17 bk

| | | | |
|------------------------|----------------------|----------------------|--|
| Part No. | 50796 | Width | 58 mm |
| EAN | 4251269315329 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 17 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 16,2 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 10 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 2 x 7.5 - 12 mm 1 x 9 - 16.2 mm |

KEL-DPZ-B 25 gy

| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43798 | Width | 58 mm |
| EAN | 4251269310713 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 25 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 6,5 mm | No. of screw holes | 4 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 25 x 3.2 - 6.5 mm |

KEL-DPZ-B 25 bk


| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 50798 | Width | 58 mm |
| EAN | 4251269315336 | Height | 10 mm |
| Package quantity | 10 | Mounting height | 10 mm |
| For max. no. of cables | 25 | Cut-out size | 46 x 46 mm |
| Max. cable diameter | 6,5 mm | No. of screw holes | 4 |
| Colour | black | Diam. of screw holes | 5,7 mm |
| Length | 72,8 mm | Clamping range | 25 x 3.2 - 6.5 mm |

KEL-DPZ-E 112|7 gy

| | | | |
|------------------------|--------------------------------|----------------------|------------------------|
| Part No. | 43780 | Width | 29 mm |
| EAN | 4251269310676 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 7 | No. of screw holes | 2 |
| Max. cable diameter | 12 mm | Diam. of screw holes | 5,7 mm |
| Colour | grey (similar RAL 7035) | Clamping range | 7 x 7.5 - 12 mm |
| Length | 147 mm | | |

KEL-DPZ-E 112|7 bk


| | | | |
|------------------------|----------------------|----------------------|------------------------|
| Part No. | 50780 | Width | 29 mm |
| EAN | 4251269315299 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 7 | No. of screw holes | 2 |
| Max. cable diameter | 12 mm | Diam. of screw holes | 5,7 mm |
| Colour | black | Clamping range | 7 x 7.5 - 12 mm |
| Length | 147 mm | | |

KEL-DPZ-E 112|21 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43790 | Width | 29 mm |
| EAN | 4251269310683 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 21 | No. of screw holes | 2 |
| Max. cable diameter | 6,5 mm | Diam. of screw holes | 5,7 mm |
| Colour | grey (similar RAL 7035) | Clamping range | 21 x 3.2 - 6.5 mm |
| Length | 147 mm | | |

KEL-DPZ-E 112|21 bk


| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 50790 | Width | 29 mm |
| EAN | 4251269315305 | Height | 14 mm |
| Package quantity | 10 | Mounting height | 14 mm |
| For max. no. of cables | 21 | No. of screw holes | 2 |
| Max. cable diameter | 6,5 mm | Diam. of screw holes | 5,7 mm |
| Colour | black | Clamping range | 21 x 3.2 - 6.5 mm |
| Length | 147 mm | | |

KEL-DPZ-KX/KL 24 gy


| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43682 | Width | 90 mm |
| EAN | 4251269334719 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 24 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 26 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 1 x 4 - 7.5 mm 18 x 10 - 17 mm 3 x 15 - 20 mm 2 x 21 - 26 mm |

KEL-DPZ-KX/KL 39 gy


| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43684 | Width | 90 mm |
| EAN | 4251269334733 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 39 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 26 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 14 x 3.2 - 6.5 mm 1 x 4 - 7.5 mm 7 x 5 - 10.2 mm 2 x 9 - 16.2 mm 9 x 10 - 17 mm 3 x 15 - 20 mm 1 x 16 - 22 mm 2 x 21 - 26 mm |

KEL-DPZ-KX/KL 42 gy


| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43686 | Width | 90 mm |
| EAN | 4251269334757 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 42 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 14 x 3.2 - 6.5 mm 7 x 5 - 10.2 mm 2 x 9 - 16.2 mm 18 x 10 - 17 mm 1 x 16 - 22 mm |

KEL-DPZ-KX/KL 54 gy


| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43683 | Width | 90 mm |
| EAN | 4251269334726 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 54 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 26 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 28 x 3.2 - 6.5 mm 1 x 4 - 7.5 mm 14 x 5 - 10.2 mm 4 x 9 - 16.2 mm 2 x 15 - 20 mm 2 x 16 - 22 mm 2 x 21 - 26 mm |

KEL-DPZ-KX/KL 57 gy

| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43685 | Width | 90 mm |
| EAN | 4251269334740 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 57 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 28 x 3.2 - 6.5 mm |
| | | | 14 x 5 - 10.2 mm |
| | | | 4 x 9 - 16.2 mm |
| | | | 9 x 10 - 17 mm |
| | | | 2 x 16 - 22 mm |

KEL-DPZ-KX/KL 72 gy

| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43675.001 | Width | 90 mm |
| EAN | 4251269310447 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 72 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 6 |
| Colour | grey (similar RAL 7035) | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 42 x 3.2 - 6.5 mm |
| | | | 21 x 5 - 10.2 mm |
| | | | 6 x 9 - 16.2 mm |
| | | | 3 x 16 - 22 mm |

KEL-DPZ-KX/KL 72 bk

| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 43675.101 | Width | 90 mm |
| EAN | 4251269310454 | Height | 4 mm |
| Package quantity | 1 | Mounting height | 4 mm |
| For max. no. of cables | 72 | Cut-out size | 192 x 62 mm |
| Max. cable diameter | 22 mm | No. of screw holes | 6 |
| Colour | black | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 42 x 3.2 - 6.5 mm |
| | | | 21 x 5 - 10.2 mm |
| | | | 6 x 9 - 16.2 mm |
| | | | 3 x 16 - 22 mm |