


# EMC shield clamps for C section rail C30

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved. We also offer EMC shield clamps with double strain relief function acc. to PROFINET installation guidelines.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

The shield clamps can be mounted on C section rails C30 using the SC screw foot.

With the LFC cable shield clamp the cable shield is directly contacted at the C section rail. Your existing cable clamp can still be used for strain relief. The LFC clamp is simply snapped onto the C-rail and is then fixed using the screw of your cable clamp.

**Now available:** sets consisting of EMC shield clamp LFC and matching CCL bracket clip.

## Specifications


|                  |                                                                                                                                                     |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Material         | Shield clamp: Spring steel, zinc plated<br>Shield bracket: Mild steel, galvanically zinc plated<br>Screw foot: Mild steel, galvanically zinc plated |
| Properties       | vibration proof                                                                                                                                     |
| Mounting options | Screw type mounting,Clamping,Snap-in                                                                                                                |

## Advantages & benefits


- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Easy assembly and removal
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Shock and vibration resistant, maintenance free
- Integrated double strain relief function acc. to PROFINET installation guidelines
- For mounting on all standard C section rails C30 (16-17 mm)
- LFC: space-saving due to the combination of the LFC shield clamp with a cable clamp


## Product types & sizes

|               |                   |                 |                  |
|---------------|-------------------|-----------------|------------------|
| Part No.      | <b>37670.100</b>  | For max. no. of | <b>1</b>         |
| EAN           | <b>4251269322</b> | cables          |                  |
|               | <b>044</b>        | Shield          | <b>3 - 12 mm</b> |
| Package       | <b>10</b>         | diameter        |                  |
| quantity      |                   | Min. shield     | <b>3 mm</b>      |
| No. of shield | <b>1</b>          | diam.           |                  |
| clamps        |                   | Max. shield     | <b>12 mm</b>     |
| Length        | <b>45,9 mm</b>    | diam.           |                  |
| Strain relief | <b>1</b>          | Strain relief   | <b>No</b>        |
| (acc. to EN   |                   | function        |                  |
| 62444)        |                   | Width           | <b>15 mm</b>     |
| Shield clamp  | <b>MSKL</b>       | Height          | <b>22 mm</b>     |
| type          |                   |                 |                  |




|               |                   |                 |                  |
|---------------|-------------------|-----------------|------------------|
| Part No.      | <b>37671.100</b>  | For max. no. of | <b>1</b>         |
| EAN           | <b>4251269322</b> | cables          |                  |
|               | <b>051</b>        | Shield          | <b>8 - 18 mm</b> |
| Package       | <b>10</b>         | diameter        |                  |
| quantity      |                   | Min. shield     | <b>8 mm</b>      |
| No. of shield | <b>1</b>          | diam.           |                  |
| clamps        |                   | Max. shield     | <b>18 mm</b>     |
| Length        | <b>45,9 mm</b>    | diam.           |                  |
| Strain relief | <b>1</b>          | Strain relief   | <b>No</b>        |
| (acc. to EN   |                   | function        |                  |
| 62444)        |                   | Width           | <b>20 mm</b>     |
| Shield clamp  | <b>MSKL</b>       | Height          | <b>28,2 mm</b>   |
| type          |                   |                 |                  |






|                                  |                      |                        |                   |
|----------------------------------|----------------------|------------------------|-------------------|
| Part No.                         | <b>37672.100</b>     | For max. no. of        | <b>1</b>          |
| EAN                              | <b>4251269322068</b> | cables                 |                   |
| Package quantity                 | <b>10</b>            | Shield diameter        | <b>17 - 22 mm</b> |
| No. of shield clamps             | <b>1</b>             | Min. shield diam.      | <b>17 mm</b>      |
| Length                           | <b>45,9 mm</b>       | Max. shield diam.      | <b>22 mm</b>      |
| Strain relief (acc. to EN 62444) | <b>1</b>             | Strain relief function | <b>No</b>         |
| Shield clamp type                | <b>SKL</b>           | Width                  | <b>26,5 mm</b>    |
|                                  |                      | Height                 | <b>36 mm</b>      |





|                                  |                      |                        |                   |
|----------------------------------|----------------------|------------------------|-------------------|
| Part No.                         | <b>37673.100</b>     | For max. no. of        | <b>1</b>          |
| EAN                              | <b>4251269322075</b> | cables                 |                   |
| Package quantity                 | <b>10</b>            | Shield diameter        | <b>22 - 30 mm</b> |
| No. of shield clamps             | <b>1</b>             | Min. shield diam.      | <b>22 mm</b>      |
| Length                           | <b>45,9 mm</b>       | Max. shield diam.      | <b>30 mm</b>      |
| Strain relief (acc. to EN 62444) | <b>1</b>             | Strain relief function | <b>No</b>         |
| Shield clamp type                | <b>SKL</b>           | Width                  | <b>35 mm</b>      |
|                                  |                      | Height                 | <b>40,5 mm</b>    |

|                 |                   |               |                   |
|-----------------|-------------------|---------------|-------------------|
| Part No.        | <b>37680</b>      | Shield clamp  | <b>MSKL</b>       |
| EAN             | <b>4251269323</b> | type          |                   |
|                 | <b>652</b>        | Shield        | <b>3 - 12 mm</b>  |
| Package         | <b>10</b>         | diameter      |                   |
| quantity        |                   | Min. shield   | <b>3 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                   |
| clamps          |                   | Max. shield   | <b>12 mm</b>      |
| For max. no. of | <b>1</b>          | diam.         |                   |
| cables          |                   | Strain relief | <b>Yes</b>        |
| Length          | <b>45,9 mm</b>    | function      |                   |
| Strain relief   | <b>1</b>          | Width         | <b>19 mm</b>      |
| (acc. to EN     |                   | Height        | <b>36 mm</b>      |
| 62444)          |                   | Mounting      | <b>52 mm</b>      |
|                 |                   | height        |                   |
|                 |                   | Clamping      | <b>6 - 13 mm</b>  |
|                 |                   | range         |                   |
|                 |                   | Clamping      | <b>1 x 6 - 13</b> |
|                 |                   | range         | <b>mm</b>         |




|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37681</b>      | Shield clamp  | <b>MSKL</b>        |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>669</b>        | Shield        | <b>8 - 18 mm</b>   |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>8 mm</b>        |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>18 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>45,9 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>22 mm</b>       |
| (acc. to EN     |                   | Height        | <b>36 mm</b>       |
| 62444)          |                   | Mounting      | <b>57 mm</b>       |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>12 - 19 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 12 - 19</b> |
|                 |                   | range         | <b>mm</b>          |






|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37682</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>676</b>        | Shield        | <b>17 - 22 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>17 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>22 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>45,9 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>26,5 mm</b>     |
| (acc. to EN     |                   | Height        | <b>38 mm</b>       |
| 62444)          |                   | Mounting      | <b>62 mm</b>       |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>18 - 23 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 18 - 23</b> |
|                 |                   | range         | <b>mm</b>          |





|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37683</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>683</b>        | Shield        | <b>22 - 30 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>22 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>30 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>45,9 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>38 mm</b>       |
| (acc. to EN     |                   | Height        | <b>52 mm</b>       |
| 62444)          |                   | Mounting      | <b>72 mm</b>       |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>23 - 32 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 23 - 32</b> |
|                 |                   | range         | <b>mm</b>          |

|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37688</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269324</b> | type          |                    |
|                 | <b>192</b>        | Shield        | <b>30 - 38 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>30 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>38 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>87,7 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>44 mm</b>       |
| (acc. to EN     |                   | Height        | <b>62 mm</b>       |
| 62444)          |                   | Mounting      | <b>78 mm</b>       |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>32 - 38 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 32 - 38</b> |
|                 |                   | range         | <b>mm</b>          |




|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37684</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>782</b>        | Shield        | <b>30 - 38 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>30 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>38 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>87,7 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>48 mm</b>       |
| (acc. to EN     |                   | Height        | <b>67 mm</b>       |
| 62444)          |                   | Mounting      | <b>82 mm</b>       |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>38 - 42 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 38 - 42</b> |
|                 |                   | range         | <b>mm</b>          |






|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37685</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>799</b>        | Shield        | <b>38 - 48 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>38 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>48 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>87,7 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>55 mm</b>       |
| (acc. to EN     |                   | Height        | <b>83 mm</b>       |
| 62444)          |                   | Mounting      | <b>101 mm</b>      |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>42 - 50 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 42 - 50</b> |
|                 |                   | range         | <b>mm</b>          |




|                 |                   |               |                    |
|-----------------|-------------------|---------------|--------------------|
| Part No.        | <b>37686</b>      | Shield clamp  | <b>SKL</b>         |
| EAN             | <b>4251269323</b> | type          |                    |
|                 | <b>805</b>        | Shield        | <b>44 - 56 mm</b>  |
| Package         | <b>10</b>         | diameter      |                    |
| quantity        |                   | Min. shield   | <b>44 mm</b>       |
| No. of shield   | <b>1</b>          | diam.         |                    |
| clamps          |                   | Max. shield   | <b>56 mm</b>       |
| For max. no. of | <b>1</b>          | diam.         |                    |
| cables          |                   | Strain relief | <b>Yes</b>         |
| Length          | <b>87,7 mm</b>    | function      |                    |
| Strain relief   | <b>1</b>          | Width         | <b>69 mm</b>       |
| (acc. to EN     |                   | Height        | <b>98 mm</b>       |
| 62444)          |                   | Mounting      | <b>116 mm</b>      |
|                 |                   | height        |                    |
|                 |                   | Clamping      | <b>50 - 64 mm</b>  |
|                 |                   | range         |                    |
|                 |                   | Clamping      | <b>1 x 50 - 64</b> |
|                 |                   | range         | <b>mm</b>          |


|                 |            |               |             |
|-----------------|------------|---------------|-------------|
| Part No.        | 37687      | Shield clamp  | SKL         |
| EAN             | 4251269323 | type          |             |
|                 | 928        | Shield        | 56 - 68 mm  |
| Package         | 10         | diameter      |             |
| quantity        |            | Min. shield   | 56 mm       |
| No. of shield   | 1          | diam.         |             |
| clamps          |            | Max. shield   | 62 mm       |
| For max. no. of | 1          | diam.         |             |
| cables          |            | Strain relief | Yes         |
| Length          | 87,7 mm    | function      |             |
| Strain relief   | 1          | Width         | 69 mm       |
| (acc. to EN     |            | Height        | 98 mm       |
| 62444)          |            | Mounting      | 116 mm      |
|                 |            | height        |             |
|                 |            | Clamping      | 50 - 64 mm  |
|                 |            | range         |             |
|                 |            | Clamping      | 1 x 50 - 64 |
|                 |            | range         | mm          |




SC|LF|MSKL 3-12

|                 |            |               |         |
|-----------------|------------|---------------|---------|
| Part No.        | 37608.100  | Min. shield   | 3 mm    |
| EAN             | 4251269320 | diam.         |         |
|                 | 149        | Max. shield   | 12 mm   |
| Package         | 10         | diam.         |         |
| quantity        |            | Length        | 32 mm   |
| No. of shield   | 1          | Strain relief | No      |
| clamps          |            | function      |         |
| Shield clamp    | MSKL       | Width         | 22,5 mm |
| type            |            | Height        | 34,5 mm |
| For max. no. of | 1          | Mounting      | 28 mm   |
| cables          |            | height        |         |
| Shield          | 3 - 12 mm  |               |         |
| diameter        |            |               |         |






|                 |                   |               |                |
|-----------------|-------------------|---------------|----------------|
| Part No.        | <b>37610.100</b>  | Min. shield   | <b>8 mm</b>    |
| EAN             | <b>4251269320</b> | diam.         |                |
|                 | <b>156</b>        | Max. shield   | <b>18 mm</b>   |
| Package         | <b>10</b>         | diam.         |                |
| quantity        |                   | Length        | <b>32 mm</b>   |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>      |
| clamps          |                   | function      |                |
| Shield clamp    | <b>MSKL</b>       | Width         | <b>22,5 mm</b> |
| type            |                   | Height        | <b>40,7 mm</b> |
| For max. no. of | <b>1</b>          | Mounting      | <b>34,2 mm</b> |
| cables          |                   | height        |                |
| Shield          | <b>8 - 18 mm</b>  |               |                |
| diameter        |                   |               |                |



|                 |                   |               |               |
|-----------------|-------------------|---------------|---------------|
| Part No.        | <b>36251.100</b>  | Min. shield   | <b>1,5 mm</b> |
| EAN             | <b>4251269320</b> | diam.         |               |
|                 | <b>071</b>        | Max. shield   | <b>3 mm</b>   |
| Package         | <b>10</b>         | diam.         |               |
| quantity        |                   | Length        | <b>32</b>     |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>     |
| clamps          |                   | function      |               |
| Shield clamp    | <b>SKL</b>        | Width         | <b>22,5</b>   |
| type            |                   | Height        | <b>26,9</b>   |
| For max. no. of | <b>1</b>          | Mounting      | <b>20,4</b>   |
| cables          |                   | height        |               |
| Shield          | <b>1,5 - 3 mm</b> |               |               |
| diameter        |                   |               |               |


SC|LF|SKL 3-6


|                 |                   |               |                |
|-----------------|-------------------|---------------|----------------|
| Part No.        | <b>36253.100</b>  | Min. shield   | <b>3 mm</b>    |
| EAN             | <b>4251269320</b> | diam.         |                |
|                 | <b>088</b>        | Max. shield   | <b>6 mm</b>    |
| Package         | <b>10</b>         | diam.         |                |
| quantity        |                   | Length        | <b>32 mm</b>   |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>      |
| clamps          |                   | function      |                |
| Shield clamp    | <b>SKL</b>        | Width         | <b>22,5 mm</b> |
| type            |                   | Height        | <b>27,5 mm</b> |
| For max. no. of | <b>1</b>          | Mounting      | <b>21 mm</b>   |
| cables          |                   | height        |                |
| Shield          | <b>3 - 6 mm</b>   |               |                |
| diameter        |                   |               |                |




SC|LF|SKL 6-8

|                 |                   |               |                |
|-----------------|-------------------|---------------|----------------|
| Part No.        | <b>36255.100</b>  | Min. shield   | <b>6 mm</b>    |
| EAN             | <b>4251269320</b> | diam.         |                |
|                 | <b>095</b>        | Max. shield   | <b>8 mm</b>    |
| Package         | <b>10</b>         | diam.         |                |
| quantity        |                   | Length        | <b>32 mm</b>   |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>      |
| clamps          |                   | function      |                |
| Shield clamp    | <b>SKL</b>        | Width         | <b>22,5 mm</b> |
| type            |                   | Height        | <b>29 mm</b>   |
| For max. no. of | <b>1</b>          | Mounting      | <b>22,5 mm</b> |
| cables          |                   | height        |                |
| Shield          | <b>6 - 8 mm</b>   |               |                |
| diameter        |                   |               |                |






|                        |                      |                        |                |
|------------------------|----------------------|------------------------|----------------|
| Part No.               | <b>36256.100</b>     | Min. shield diam.      | <b>8 mm</b>    |
| EAN                    | <b>4251269320101</b> | Max. shield diam.      | <b>11 mm</b>   |
| Package quantity       | <b>10</b>            | Length                 | <b>32 mm</b>   |
| No. of shield clamps   | <b>1</b>             | Strain relief function | <b>No</b>      |
| Shield clamp type      | <b>SKL</b>           | Width                  | <b>22,5 mm</b> |
| For max. no. of cables | <b>1</b>             | Height                 | <b>34 mm</b>   |
| Shield diameter        | <b>8 - 11 mm</b>     | Mounting height        | <b>27,5 mm</b> |





|                        |                      |                        |                |
|------------------------|----------------------|------------------------|----------------|
| Part No.               | <b>36257.100</b>     | Min. shield diam.      | <b>11 mm</b>   |
| EAN                    | <b>4251269320118</b> | Max. shield diam.      | <b>17 mm</b>   |
| Package quantity       | <b>10</b>            | Length                 | <b>32 mm</b>   |
| No. of shield clamps   | <b>1</b>             | Strain relief function | <b>No</b>      |
| Shield clamp type      | <b>SKL</b>           | Width                  | <b>23 mm</b>   |
| For max. no. of cables | <b>1</b>             | Height                 | <b>41 mm</b>   |
| Shield diameter        | <b>11 - 17 mm</b>    | Mounting height        | <b>34,5 mm</b> |

|                 |                   |               |                |
|-----------------|-------------------|---------------|----------------|
| Part No.        | <b>36258.100</b>  | Min. shield   | <b>17 mm</b>   |
| EAN             | <b>4251269320</b> | diam.         |                |
|                 | <b>125</b>        | Max. shield   | <b>22 mm</b>   |
| Package         | <b>10</b>         | diam.         |                |
| quantity        |                   | Length        | <b>32 mm</b>   |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>      |
| clamps          |                   | function      |                |
| Shield clamp    | <b>SKL</b>        | Width         | <b>26,5 mm</b> |
| type            |                   | Height        | <b>48,5 mm</b> |
| For max. no. of | <b>1</b>          | Mounting      | <b>42 mm</b>   |
| cables          |                   | height        |                |
| Shield          | <b>17 - 22 mm</b> |               |                |
| diameter        |                   |               |                |




|                 |                   |               |                |
|-----------------|-------------------|---------------|----------------|
| Part No.        | <b>36259.100</b>  | Min. shield   | <b>22 mm</b>   |
| EAN             | <b>4251269320</b> | diam.         |                |
|                 | <b>132</b>        | Max. shield   | <b>30 mm</b>   |
| Package         | <b>10</b>         | diam.         |                |
| quantity        |                   | Length        | <b>32 mm</b>   |
| No. of shield   | <b>1</b>          | Strain relief | <b>No</b>      |
| clamps          |                   | function      |                |
| Shield clamp    | <b>SKL</b>        | Width         | <b>35 mm</b>   |
| type            |                   | Height        | <b>52,9 mm</b> |
| For max. no. of | <b>1</b>          | Mounting      | <b>46,4 mm</b> |
| cables          |                   | height        |                |
| Shield          | <b>22 - 30 mm</b> |               |                |
| diameter        |                   |               |                |






|                                  |                   |                        |                  |
|----------------------------------|-------------------|------------------------|------------------|
| Part No.                         | <b>37612.100</b>  | Shield diameter        | <b>3 - 12 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>3 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>12 mm</b>     |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>54,3 mm</b>   |
| Shield clamp type                | <b>MSKL</b>       | Strain relief function | <b>Yes</b>       |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>22,5 mm</b>   |
| For max. no. of cables           | <b>1</b>          | Height                 | <b>34,5 mm</b>   |
|                                  |                   | Mounting height        | <b>28 mm</b>     |



|                                  |                   |                        |                  |
|----------------------------------|-------------------|------------------------|------------------|
| Part No.                         | <b>37614.100</b>  | Shield diameter        | <b>8 - 18 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>8 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>18 mm</b>     |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>54,3 mm</b>   |
| Shield clamp type                | <b>MSKL</b>       | Strain relief function | <b>Yes</b>       |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>22,5 mm</b>   |
| For max. no. of cables           | <b>1</b>          | Height                 | <b>40,7 mm</b>   |
|                                  |                   | Mounting height        | <b>34,2 mm</b>   |


SC|LFZ|SKL 1.5-3


|                                  |                   |                        |                   |
|----------------------------------|-------------------|------------------------|-------------------|
| Part No.                         | <b>36910.100</b>  | Shield diameter        | <b>1,5 - 3 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>1,5 mm</b>     |
|                                  | <b>163</b>        | Max. shield diam.      | <b>3 mm</b>       |
| Package quantity                 | <b>10</b>         | Length                 | <b>52,4 mm</b>    |
| No. of shield clamps             | <b>1</b>          | Strain relief function | <b>Yes</b>        |
| Shield clamp type                | <b>SKL</b>        | Width                  | <b>22,5 mm</b>    |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Height                 | <b>26,9 mm</b>    |
| For max. no. of cables           | <b>1</b>          | Mounting height        | <b>20,4 mm</b>    |




SC|LFZ|SKL 3-6

|                                  |                   |                        |                 |
|----------------------------------|-------------------|------------------------|-----------------|
| Part No.                         | <b>36915.100</b>  | Shield diameter        | <b>3 - 6 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>3 mm</b>     |
|                                  | <b>170</b>        | Max. shield diam.      | <b>6 mm</b>     |
| Package quantity                 | <b>10</b>         | Length                 | <b>52,4 mm</b>  |
| No. of shield clamps             | <b>1</b>          | Strain relief function | <b>Yes</b>      |
| Shield clamp type                | <b>SKL</b>        | Width                  | <b>22,5 mm</b>  |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Height                 | <b>27,5 mm</b>  |
| For max. no. of cables           | <b>1</b>          | Mounting height        | <b>21 mm</b>    |






|                                  |                      |                        |                 |
|----------------------------------|----------------------|------------------------|-----------------|
| Part No.                         | <b>36920.100</b>     | Shield diameter        | <b>6 - 8 mm</b> |
| EAN                              | <b>4251269320187</b> | Min. shield diam.      | <b>6 mm</b>     |
| Package quantity                 | <b>10</b>            | Max. shield diam.      | <b>8 mm</b>     |
| No. of shield clamps             | <b>1</b>             | Length                 | <b>52,4 mm</b>  |
| Shield clamp type                | <b>SKL</b>           | Strain relief function | <b>Yes</b>      |
| Strain relief (acc. to EN 62444) | <b>1</b>             | Width                  | <b>22,5 mm</b>  |
| For max. no. of cables           | <b>1</b>             | Height                 | <b>29 mm</b>    |
|                                  |                      | Mounting height        | <b>22,5 mm</b>  |





|                                  |                      |                        |                  |
|----------------------------------|----------------------|------------------------|------------------|
| Part No.                         | <b>36925.100</b>     | Shield diameter        | <b>8 - 11 mm</b> |
| EAN                              | <b>4251269320194</b> | Min. shield diam.      | <b>8 mm</b>      |
| Package quantity                 | <b>10</b>            | Max. shield diam.      | <b>11 mm</b>     |
| No. of shield clamps             | <b>1</b>             | Length                 | <b>52,4 mm</b>   |
| Shield clamp type                | <b>SKL</b>           | Strain relief function | <b>Yes</b>       |
| Strain relief (acc. to EN 62444) | <b>1</b>             | Width                  | <b>22,5 mm</b>   |
| For max. no. of cables           | <b>1</b>             | Height                 | <b>34 mm</b>     |
|                                  |                      | Mounting height        | <b>27,5 mm</b>   |

|                                  |                   |                        |                   |
|----------------------------------|-------------------|------------------------|-------------------|
| Part No.                         | <b>36930.100</b>  | Shield diameter        | <b>11 - 17 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>11 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>17 mm</b>      |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>62 mm</b>      |
| Shield clamp type                | <b>SKL</b>        | Strain relief function | <b>Yes</b>        |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>23 mm</b>      |
| For max. no. of cables           |                   | Height                 | <b>41 mm</b>      |
|                                  |                   | Mounting height        | <b>34,5 mm</b>    |




|                                  |                   |                        |                   |
|----------------------------------|-------------------|------------------------|-------------------|
| Part No.                         | <b>36935.100</b>  | Shield diameter        | <b>17 - 22 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>17 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>22 mm</b>      |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>62 mm</b>      |
| Shield clamp type                | <b>SKL</b>        | Strain relief function | <b>Yes</b>        |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>26,5 mm</b>    |
| For max. no. of cables           |                   | Height                 | <b>48,5 mm</b>    |
|                                  |                   | Mounting height        | <b>42 mm</b>      |






|                                  |                   |                        |                   |
|----------------------------------|-------------------|------------------------|-------------------|
| Part No.                         | <b>36940.100</b>  | Shield diameter        | <b>22 - 30 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>22 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>30 mm</b>      |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>62 mm</b>      |
| Shield clamp type                | <b>SKL</b>        | Strain relief function | <b>Yes</b>        |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>35 mm</b>      |
| For max. no. of cables           | <b>1</b>          | Height                 | <b>52,9 mm</b>    |
|                                  |                   | Mounting height        | <b>46,4 mm</b>    |





|                                  |                   |                        |                   |
|----------------------------------|-------------------|------------------------|-------------------|
| Part No.                         | <b>36941.100</b>  | Shield diameter        | <b>30 - 38 mm</b> |
| EAN                              | <b>4251269320</b> | Min. shield diam.      | <b>30 mm</b>      |
| Package quantity                 | <b>10</b>         | Max. shield diam.      | <b>38 mm</b>      |
| No. of shield clamps             | <b>1</b>          | Length                 | <b>62 mm</b>      |
| Shield clamp type                | <b>SKL</b>        | Strain relief function | <b>Yes</b>        |
| Strain relief (acc. to EN 62444) | <b>1</b>          | Width                  | <b>46,5 mm</b>    |
| For max. no. of cables           | <b>1</b>          | Height                 | <b>76,5 mm</b>    |
|                                  |                   | Mounting height        | <b>70 mm</b>      |

|                        |                   |                                  |                  |
|------------------------|-------------------|----------------------------------|------------------|
| Part No.               | <b>37612.150</b>  | Width                            | <b>22,5 mm</b>   |
| EAN                    | <b>4251269321</b> | Strain relief (acc. to EN 62444) | <b>1</b>         |
| Package quantity       | <b>337</b>        | Shield diameter                  | <b>3 - 12 mm</b> |
| No. of shield clamps   | <b>10</b>         | Min. shield diam.                | <b>3 mm</b>      |
| Shield clamp type      | <b>MSKL</b>       | Max. shield diam.                | <b>12 mm</b>     |
| For max. no. of cables | <b>1</b>          | Strain relief function           | <b>Yes</b>       |
| Length                 | <b>51 mm</b>      | Height                           | <b>28 mm</b>     |




|                        |                   |                                  |                  |
|------------------------|-------------------|----------------------------------|------------------|
| Part No.               | <b>37614.150</b>  | Width                            | <b>22,5 mm</b>   |
| EAN                    | <b>4251269321</b> | Strain relief (acc. to EN 62444) | <b>1</b>         |
| Package quantity       | <b>344</b>        | Shield diameter                  | <b>8 - 18 mm</b> |
| No. of shield clamps   | <b>10</b>         | Min. shield diam.                | <b>8 mm</b>      |
| Shield clamp type      | <b>MSKL</b>       | Max. shield diam.                | <b>18 mm</b>     |
| For max. no. of cables | <b>1</b>          | Strain relief function           | <b>Yes</b>       |
| Length                 | <b>51 mm</b>      | Height                           | <b>34,2 mm</b>   |





|                 |                   |               |                   |
|-----------------|-------------------|---------------|-------------------|
| Part No.        | <b>37594.150</b>  | Width         | <b>22,5 mm</b>    |
| EAN             | <b>4251269324</b> | Strain relief | <b>1</b>          |
|                 | <b>895</b>        | (acc. to EN   |                   |
| Package         | <b>10</b>         | 62444)        |                   |
| quantity        |                   | Shield        | <b>17 - 22 mm</b> |
| No. of shield   | <b>1</b>          | diameter      |                   |
| clamps          |                   | Min. shield   | <b>17 mm</b>      |
| Shield clamp    | <b>SKL</b>        | diam.         |                   |
| type            |                   | Max. shield   | <b>22 mm</b>      |
| For max. no. of | <b>1</b>          | diam.         |                   |
| cables          |                   | Strain relief | <b>Yes</b>        |
| Length          | <b>51 mm</b>      | function      |                   |
|                 |                   | Height        | <b>48,5 mm</b>    |



|                 |                   |               |                   |
|-----------------|-------------------|---------------|-------------------|
| Part No.        | <b>37595.150</b>  | Width         | <b>22,5 mm</b>    |
| EAN             | <b>4251269324</b> | Strain relief | <b>1</b>          |
|                 | <b>901</b>        | (acc. to EN   |                   |
| Package         | <b>10</b>         | 62444)        |                   |
| quantity        |                   | Shield        | <b>22 - 30 mm</b> |
| No. of shield   | <b>1</b>          | diameter      |                   |
| clamps          |                   | Min. shield   | <b>22 mm</b>      |
| Shield clamp    | <b>SKL</b>        | diam.         |                   |
| type            |                   | Max. shield   | <b>30 mm</b>      |
| For max. no. of | <b>1</b>          | diam.         |                   |
| cables          |                   | Strain relief | <b>Yes</b>        |
| Length          | <b>51 mm</b>      | function      |                   |
|                 |                   | Height        | <b>53 mm</b>      |

SC single, with twist protection

|          |                   |                |               |
|----------|-------------------|----------------|---------------|
| Part No. | <b>36231</b>      | No. of screw   | <b>1</b>      |
| EAN      | <b>4251269302</b> | holes          |               |
|          | <b>251</b>        | Diam. of screw | <b>4,1 mm</b> |
| Package  | <b>10</b>         | holes          |               |
| quantity |                   | Thread         | <b>M4</b>     |
| Length   | <b>26 mm</b>      |                |               |
| Width    | <b>22,5 mm</b>    |                |               |
| Height   | <b>6,5 mm</b>     |                |               |
| Mounting | <b>2 mm</b>       |                |               |
| height   |                   |                |               |

