


# KTMB | Multi-range cable grommets


for cable diameters 2.5 - 33 mm / IP54 / UL Type 12



The KTMB grommets accept a wide range of cable diameters. A great benefit when the exact cable diameter is not known in advance.

The KTMB grommets are not split and therefore only usable for cables without connectors.

The model range KTMB small covers a diameter range from 2.5 to 16 mm, the model range KTMB large covers a diameter range from 13 to 33 mm.



## Specifications


<b>IP rating (EN 60529)</b>	IP54
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free

## Advantages & benefits

- Ideal for wiring non pre-terminated cables locally
- Easy storage

## Product types & sizes


### KTMB-A



Part No.	<b>41432</b>
EAN	<b>4251269307188</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>1</b>
Colour	<b>grey (similar RAL 7035)</b>
Length	<b>21 mm</b>
Width	<b>21 mm</b>


Height	<b>19 mm</b>
Mounting height	<b>2 mm</b>
For cable type	<b>Round cable</b>
Clamping range	<b>1 x 2.5 - 6.5 mm</b>

### KTMB-B




Part No.	<b>41434</b>
EAN	<b>4251269307195</b>
Package quantity	<b>10</b>
For max. no. of cables	<b>1</b>
Colour	<b>grey (similar RAL 7035)</b>
Length	<b>21 mm</b>
Width	<b>21 mm</b>

Height	<b>19 mm</b>
Mounting height	<b>2 mm</b>
For cable type	<b>Round cable</b>
Clamping range	<b>1 x 4 - 7.5 mm</b>

**KTMB-C**


Part No. **41436**  
 EAN **4251269307201**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 6.5 - 10 mm**

**KTMB-D**


Part No. **41438**  
 EAN **4251269307218**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 9.5 - 13 mm**

**KTMB-E**


Part No. **41440**  
 EAN **4251269307225**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 13 - 16 mm**

**KTMB-G**


Part No. **41460**  
 EAN **4251269307232**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **41,5 mm**  
 Width **40,5 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 13 - 18 mm**

**KTMB-H**


Part No. **41465**  
 EAN **4251269307249**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **41,5 mm**  
 Width **40,5 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 18 - 23 mm**

**KTMB-I**

Part No. **41470**  
 EAN **4251269307256**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **41,5 mm**  
 Width **40,5 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 23 - 28 mm**

**KTMB-J**


Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**41475**  
**4251269307263**  
**10**  
**1**  
**grey (similar RAL 7035)**  
**41,5 mm**  
**40,5 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**1 x 28 - 33 mm**

---

**KTMB-K**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**41480**  
**4251269307270**  
**10**  
**2**  
**grey (similar RAL 7035)**  
**41,5 mm**  
**40,5 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**2 x 13 - 18 mm**

---

**icotek**<sup>®</sup>  
smart cable management