

AT-B adapter grommets

for custom interface solutions / IP65



AT-B is a blank adapter grommet (based on large KT grommets) for custom interface solutions, suitable for split icotek cable entry systems. The AT-M adapter grommets are made of elastomer with a polyamide body.

The integrated polyamide body is completely closed on one side. The effective area is 24 x 24 mm, the wall thickness is 6 mm. Custom drill-holes and cut-outs can be made here for e.g. installation of screw mounted hybrid connectors.

They are compatible with all split icotek cable entry systems (suitable for KT cable grommets).

IP54

ECOLAB
certified

IP55

UV
ISO 4892-2A

IP64

RoHS
compliant

IP65

REACH
COMPLIANCE

RIIR

Made in
Germany

HL3
EN 45545-2


Specifications

| | |
|-----------------------|------------------------------|
| IP rating (EN 60529) | IP54, IP55, IP64, IP65 |
| Material | Elastomer Body: Polyamide |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C° |
| Properties | silicone free, halogen free |

Advantages & benefits

- Panel connectors and sockets can be integrated directly into the cable entry system
- Separate cut-outs for connectors are no longer necessary
- Space-saving solution
- Individually usable area is 24 x 24 mm

Product types & sizes

| | | |
|--|------------------|---------------|
| AT-B | Part No. | 39950 |
|  | EAN | 4251269320934 |
| | Package quantity | 10 |
| | Length | 42 mm |
| | Width | 41,5 mm |
| | Height | 19 mm |
| | Mounting height | 2 mm |