


KEL-DPZ CR multi-membrane cable entry plates

for the use in cleanrooms / up to IP66 / UL Type 12



KEL-DPZ CR cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ CR products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ CR with cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ CR matches exactly the cut-out dimensions of 6-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B CR fits on cut-outs 46 × 46 mm. The very compact size KEL-DPZ-E CR is designed for routing cables in very small space. Through a cut-out of only 18 × 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL CR (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

IP54



RoHS compliant

IP55



IP64



Made in Germany

IP65



IP66




Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66
UL Type (UL 50E)	UL Type 12
Material	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting


Product types & sizes

Advantages & benefits


- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

KEL-DPZ 24|14 CR gy

Part No.	43700.601	Width	58 mm
EAN	4251269327315	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 x 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|14 CR (S)VOC gy


Part No.	43700.600	Width	58 mm
EAN	4251269327148	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 x 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|14 CR (S)VOC bk


Part No.	50700.600	Width	58 mm
EAN	4251269327223	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 x 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|14 CR bk


Part No.	50700.601	Width	58 mm
EAN	4251269327407	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	112 x 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	10 x 3.2 - 6.5 mm 4 x 16 - 22 mm

KEL-DPZ 24|15 CR (S)VOC gy

Part No.	43720.600	Width	58 mm
EAN	4251269327186	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	15	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	15 x 7.2 - 12 mm


KEL-DPZ 24|15 CR gy

Part No.	43720.601	Width	58 mm
EAN	4251269327360	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	15	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	15 x 7.2 - 12 mm

**KEL-DPZ 24|15 CR
(S)VOC bk**


Part No. **50720.600**
 EAN **4251269327278**
 Package quantity **5**
 For max. no. of cables **15**
 Max. cable diameter **12 mm**
 Colour **black**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.2 - 12 mm**

KEL-DPZ 24|15 CR bk


Part No. **50720.601**
 EAN **4251269327452**
 Package quantity **5**
 For max. no. of cables **15**
 Max. cable diameter **12 mm**
 Colour **black**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.2 - 12 mm**

KEL-DPZ 24|16 CR gy

Part No. **43725.601**
 EAN **4251269327377**
 Package quantity **5**
 For max. no. of cables **16**
 Max. cable diameter **22 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

**KEL-DPZ 24|16 CR
(S)VOC gy**


Part No. **43725.600**
 EAN **4251269327193**
 Package quantity **5**
 For max. no. of cables **16**
 Max. cable diameter **22 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm


**KEL-DPZ 24|16 CR
(S)VOC bk**

Part No. **50725.600**
 EAN **4251269327285**
 Package quantity **5**
 For max. no. of cables **16**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **147 mm**


Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

KEL-DPZ 24|16 CR bk


Part No.	50725.601	Width	58 mm
EAN	4251269327469	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	16	Cut-out size	112 × 36 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	8 × 3.2 - 6.5 mm
			4 × 5 - 9.7 mm
			2 × 9 - 16.2 mm
			2 × 16 - 22 mm

KEL-DPZ 24|17 CR (S)VOC gy


Part No.	43705.600	Width	58 mm
EAN	4251269325458	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 × 3.2 - 6.5 mm
			6 × 5 - 10.2 mm
			5 × 9 - 16.2 mm

KEL-DPZ 24|17 CR gy


Part No.	43705.601	Width	58 mm
EAN	4251269327322	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 × 3.2 - 6.5 mm
			6 × 5 - 10.2 mm
			5 × 9 - 16.2 mm

KEL-DPZ 24|17 CR (S)VOC bk


Part No.	50705.600	Width	58 mm
EAN	4251269327230	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 × 3.2 - 6.5 mm
			6 × 5 - 10.2 mm
			5 × 9 - 16.2 mm

KEL-DPZ 24|17 CR bk


Part No.	50705.601	Width	58 mm
EAN	4251269327414	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	17	Cut-out size	112 × 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	6 × 3.2 - 6.5 mm
			6 × 5 - 10.2 mm
			5 × 9 - 16.2 mm

KEL-DPZ 24|25 CR gy


Part No.	43710.601	Width	58 mm
EAN	4251269327339	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|25 CR (S)VOC gy


Part No.	43710.600	Width	58 mm
EAN	4251269327155	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|25 CR (S)VOC bk


Part No.	50710.600	Width	58 mm
EAN	4251269327247	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|25 CR bk


Part No.	50710.601	Width	58 mm
EAN	4251269327421	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	25	Cut-out size	112 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	12 x 3.2 - 6.5 mm 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm

KEL-DPZ 24|26 CR (S)VOC gy


Part No.	43711.600	Width	58 mm
EAN	4251269327162	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	26	Cut-out size	112 x 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	26 x 5 - 10.2 mm

KEL-DPZ 24|26 CR gy


Part No.	43711.601	Width	58 mm
EAN	4251269327346	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	26	Cut-out size	112 x 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	26 x 5 - 10.2 mm

KEL-DPZ 24|26 CR bk


Part No.	50711.601	Width	58 mm
EAN	4251269327438	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	26	Cut-out size	112 × 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	26 x 5 - 10.2 mm

KEL-DPZ 24|26 CR (S)VOC bk


Part No.	50711.600	Width	58 mm
EAN	4251269327254	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	26	Cut-out size	112 × 36 mm
Max. cable diameter	10,2 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	26 x 5 - 10.2 mm

KEL-DPZ 24|32 CR (S)VOC gy


Part No.	43730.600	Width	58 mm
EAN	4251269327209	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	32	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	21 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm

KEL-DPZ 24|32 CR gy

Part No.	43730.601	Width	58 mm
EAN	4251269327384	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	32	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	21 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm

KEL-DPZ 24|32 CR bk

Part No.	50730.601	Width	58 mm
EAN	4251269327476	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	32	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	21 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm

KEL-DPZ 24|32 CR (S)VOC bk


Part No.	50730.600	Width	58 mm
EAN	4251269327292	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	32	Cut-out size	112 × 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	21 x 3.2 - 6.5 mm 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm

KEL-DPZ 24|42 CR gy

Part No.	43715.601	Width	58 mm
EAN	4251269327353	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	42	Cut-out size	112 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	42 x 3.2 - 6.5 mm

KEL-DPZ 24|42 CR (S)VOC gy


Part No.	43715.600	Width	58 mm
EAN	4251269327179	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	42	Cut-out size	112 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	42 x 3.2 - 6.5 mm

KEL-DPZ 24|42 CR (S)VOC bk


Part No.	50715.600	Width	58 mm
EAN	4251269327261	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	42	Cut-out size	112 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	42 x 3.2 - 6.5 mm

KEL-DPZ 24|42 CR bk


Part No.	50715.601	Width	58 mm
EAN	4251269327445	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	42	Cut-out size	112 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	42 x 3.2 - 6.5 mm

KEL-DPZ 24|121 CR (S)VOC gy


Part No.	43735.600	Width	58 mm
EAN	4251269327216	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR gy


Part No.	43735.601	Width	58 mm
EAN	4251269327391	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR bk


Part No.	50735.601	Width	58 mm
EAN	4251269327483	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR (S)VOC bk


Part No.	50735.600	Width	58 mm
EAN	4251269327308	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	121	Cut-out size	112 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,9 mm
Length	147 mm	Clamping range	119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm

KEL-DPZ 16|11 CR (S)VOC gy


Part No.	43815.600	Width	58 mm
EAN	4251269327544	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	11	Cut-out size	86 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	11 x 7.5 - 12 mm

KEL-DPZ 16|11 CR gy


Part No.	43815.601	Width	58 mm
EAN	4251269327643	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	11	Cut-out size	86 x 36 mm
Max. cable diameter	12 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	11 x 7.5 - 12 mm

KEL-DPZ 16|14 CR gy

Part No.	43816.601	Width	58 mm
EAN	4251269327650	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	86 x 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	5 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 9 - 16.2 mm


KEL-DPZ 16|14 CR (S)VOC gy

Part No.	43816.600	Width	58 mm
EAN	4251269327551	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	14	Cut-out size	86 x 36 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,8 mm
Length	120 mm	Clamping range	5 x 3.2 - 6.5 mm 5 x 5 - 10.2 mm 4 x 9 - 16.2 mm

KEL-DPZ 16|20 CR gy


Part No. **43817.601**
 EAN **4251269327667**
 Package quantity **5**
 For max. no. of cables **20**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **11 x 3.2 - 6.5 mm**
5 x 5 - 10.2 mm
4 x 7.5 - 12 mm

KEL-DPZ 16|20 CR (S)VOC gy


Part No. **43817.600**
 EAN **4251269327568**
 Package quantity **5**
 For max. no. of cables **20**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **11 x 3.2 - 6.5 mm**
5 x 5 - 10.2 mm
4 x 7.5 - 12 mm

KEL-DPZ 16|25 CR gy

Part No. **43818.601**
 EAN **4251269327674**
 Package quantity **5**
 For max. no. of cables **25**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **16 x 3.2 - 6.5 mm**
6 x 5 - 10.2 mm
3 x 7.5 - 12 mm

KEL-DPZ 16|25 CR (S)VOC gy


Part No. **43818.600**
 EAN **4251269327575**
 Package quantity **5**
 For max. no. of cables **25**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **16 x 3.2 - 6.5 mm**
6 x 5 - 10.2 mm
3 x 7.5 - 12 mm

KEL-DPZ 16|34 CR gy


Part No. **43819.601**
 EAN **4251269327681**
 Package quantity **5**
 For max. no. of cables **34**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **34 x 3.2 - 6.5 mm**

KEL-DPZ 16|34 CR (S)VOC gy


Part No. **43819.600**
 EAN **4251269327582**
 Package quantity **5**
 For max. no. of cables **34**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **120 mm**

Width **58 mm**
 Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **86 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,8 mm**
 Clamping range **34 x 3.2 - 6.5 mm**

**KEL-DPZ 6|12 CR
(S)VOC gy**


Part No. **43809.600**
 EAN **4251269327490**
 Package quantity **5**
 For max. no. of cables **12**
 Max. cable diameter **8 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**

Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **12 x 4.5 - 8 mm**

KEL-DPZ 6|12 CR gy


Part No. **43809.601**
 EAN **4251269327599**
 Package quantity **5**
 For max. no. of cables **12**
 Max. cable diameter **8 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**

Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **12 x 4.5 - 8 mm**

KEL-DPZ 6|18 CR gy


Part No. **43812.601**
 EAN **4251269327612**
 Package quantity **5**
 For max. no. of cables **18**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**

Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **18 x 3.2 - 6.5 mm**

**KEL-DPZ 6|18 CR
(S)VOC gy**


Part No. **43812.600**
 EAN **4251269327513**
 Package quantity **5**
 For max. no. of cables **18**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**

Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **18 x 3.2 - 6.5 mm**

KEL-DPZ 6|18-1 CR gy


Part No. **43811.601**
 EAN **4251269327605**
 Package quantity **5**
 For max. no. of cables **18**
 Max. cable diameter **8 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**

Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **7 x 4.5 - 8 mm**
5 x 3.2 - 6.5 mm
6 x 2.5 - 5 mm


**KEL-DPZ 6|18-1 CR
(S)VOC gy**

Part No. **43811.600**
 EAN **4251269327506**
 Package quantity **5**
 For max. no. of cables **18**
 Max. cable diameter **8 mm**
 Colour **grey (similar RAL 7035)**
 Length **85,5 mm**


Width **54 mm**
 Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **7 x 4.5 - 8 mm**
5 x 3.2 - 6.5 mm
6 x 2.5 - 5 mm

KEL-DPZ 6|23 CR gy


Part No.	43813.601	Width	54 mm
EAN	4251269327629	Height	7,5 mm
Package quantity	5	Mounting height	7,5 mm
For max. no. of cables	23	Cut-out size	52 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	10 x 3.2 - 6.5 mm 13 x 2.5 - 5 mm

KEL-DPZ 6|23 CR (S)VOC gy


Part No.	43813.600	Width	54 mm
EAN	4251269327520	Height	7,5 mm
Package quantity	5	Mounting height	7,5 mm
For max. no. of cables	23	Cut-out size	52 x 36 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	10 x 3.2 - 6.5 mm 13 x 2.5 - 5 mm

KEL-DPZ 6|27 CR gy


Part No.	43814.601	Width	54 mm
EAN	4251269327636	Height	7,5 mm
Package quantity	5	Mounting height	7,5 mm
For max. no. of cables	27	Cut-out size	52 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	27 x 2.5 - 5 mm

KEL-DPZ 6|27 CR (S)VOC gy


Part No.	43814.600	Width	54 mm
EAN	4251269327537	Height	7,5 mm
Package quantity	5	Mounting height	7,5 mm
For max. no. of cables	27	Cut-out size	52 x 36 mm
Max. cable diameter	5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	4,5
Length	85,5 mm	Clamping range	27 x 2.5 - 5 mm

KEL-DPZ-B 13 CR (S)VOC gy

Part No.	43794.600	Width	58 mm
EAN	4251269327711	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	13	Cut-out size	46 x 46 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm


KEL-DPZ-B 13 CR gy

Part No.	43794.601	Width	58 mm
EAN	4251269327834	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	13	Cut-out size	46 x 46 mm
Max. cable diameter	22 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	8 x 3.2 - 6.5 mm 4 x 5 - 10.2 mm 1 x 16 - 22 mm

KEL-DPZ-B 13 CR bk


Part No. **50794.601**
 EAN **4251269327889**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **72,8 mm**

Width **58 mm**
 Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
1 x 16 - 22 mm

KEL-DPZ-B 13 CR (S)VOC bk


Part No. **50794.600**
 EAN **4251269327766**
 Package quantity **5**
 For max. no. of cables **13**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **72,8 mm**

Width **58 mm**
 Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
1 x 16 - 22 mm

KEL-DPZ-B 17 CR gy


Part No. **43796.601**
 EAN **4251269327841**
 Package quantity **5**
 For max. no. of cables **17**
 Max. cable diameter **16,2 mm**
 Colour **grey (similar RAL 7035)**
 Length **72,8 mm**

Width **58 mm**
 Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
2 x 7.5 - 12 mm
1 x 9 - 16.2 mm

KEL-DPZ-B 17 CR (S)VOC gy


Part No. **43796.600**
 EAN **4251269327728**
 Package quantity **5**
 For max. no. of cables **17**
 Max. cable diameter **16,2 mm**
 Colour **grey (similar RAL 7035)**
 Length **72,8 mm**

Width **58 mm**
 Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
2 x 7.5 - 12 mm
1 x 9 - 16.2 mm


KEL-DPZ-B 17 CR bk

Part No. **50796.601**
 EAN **4251269327896**
 Package quantity **5**
 For max. no. of cables **17**
 Max. cable diameter **16,2 mm**
 Colour **black**
 Length **72,8 mm**


Width **58 mm**
 Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
2 x 7.5 - 12 mm
1 x 9 - 16.2 mm

**KEL-DPZ-B 17 CR
(S)VOC bk**


Part No.	50796.600	Width	58 mm
EAN	4251269327773	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	17	Cut-out size	46 x 46 mm
Max. cable diameter	16,2 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	10 x 3.2 - 6.5 mm
			4 x 5 - 10.2 mm
			2 x 7.5 - 12 mm
			1 x 9 - 16.2 mm

**KEL-DPZ-B 25 CR
(S)VOC gy**


Part No.	43798.600	Width	58 mm
EAN	4251269327735	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 x 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

KEL-DPZ-B 25 CR gy

Part No.	43798.601	Width	58 mm
EAN	4251269327858	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 x 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	grey (similar RAL 7035)	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

KEL-DPZ-B 25 CR bk

Part No.	50798.601	Width	58 mm
EAN	4251269327902	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 x 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

**KEL-DPZ-B 25 CR
(S)VOC bk**

Part No.	50798.600	Width	58 mm
EAN	4251269327780	Height	10 mm
Package quantity	5	Mounting height	10 mm
For max. no. of cables	25	Cut-out size	46 x 46 mm
Max. cable diameter	6,5 mm	No. of screw holes	4
Colour	black	Diam. of screw holes	5,7 mm
Length	72,8 mm	Clamping range	25 x 3.2 - 6.5 mm

**KEL-DPZ-E 112|7 CR
gy**

Part No.	43780.601	Width	29 mm
EAN	4251269327810	Height	14 mm
Package quantity	5	Mounting height	14 mm
For max. no. of cables	7	No. of screw holes	2
Max. cable diameter	12 mm	Diam. of screw holes	5,7 mm
Colour	grey (similar RAL 7035)	Clamping range	7 x 7.5 - 12 mm
Length	147 mm		

**KEL-DPZ-E 112|7 CR
(S)VOC gy**

Part No. **43780.600**
 EAN **4251269327698**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **12 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|7 CR
bk**


Part No. **50780.601**
 EAN **4251269327865**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **12 mm**
 Colour **black**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|7 CR
(S)VOC bk**


Part No. **50780.600**
 EAN **4251269327742**
 Package quantity **5**
 For max. no. of cables **7**
 Max. cable diameter **12 mm**
 Colour **black**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|21 CR
gy**

Part No. **43790.601**
 EAN **4251269327827**
 Package quantity **5**
 For max. no. of cables **21**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR
(S)VOC gy**

Part No. **43790.600**
 EAN **4251269327704**
 Package quantity **5**
 For max. no. of cables **21**
 Max. cable diameter **6,5 mm**
 Colour **grey (similar RAL 7035)**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR
bk**


Part No. **50790.601**
 EAN **4251269327872**
 Package quantity **5**
 For max. no. of cables **21**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR
(S)VOC bk**


Part No. **50790.600**
 EAN **4251269327759**
 Package quantity **5**
 For max. no. of cables **21**
 Max. cable diameter **6,5 mm**
 Colour **black**
 Length **147 mm**

Width **29 mm**
 Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

KEL-DPZ-KX/KL 72 CR gy


Part No. **43675.001.601**
 EAN **4251269327919**
 Package quantity **1**
 For max. no. of cables **72**
 Max. cable diameter **22 mm**
 Colour **grey (similar RAL 7035)**
 Length **221 mm**

Width **90 mm**
 Height **4 mm**
 Mounting height **4 mm**
 Cut-out size **192 x 62 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,1 mm**
 Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm

KEL-DPZ-KX/KL 72 CR (S)VOC gy


Part No. **43675.001.600**
 EAN **4251269327797**
 Package quantity **1**
 For max. no. of cables **72**
 Max. cable diameter **22 mm**
 Colour **grey (similar RAL 7035)**
 Length **221 mm**

Width **90 mm**
 Height **4 mm**
 Mounting height **4 mm**
 Cut-out size **192 x 62 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,1 mm**
 Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm

KEL-DPZ-KX/KL 72 CR bk

Part No. **43675.101.601**
 EAN **4251269327926**
 Package quantity **1**
 For max. no. of cables **72**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **221 mm**

Width **90 mm**
 Height **4 mm**
 Mounting height **4 mm**
 Cut-out size **192 x 62 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,1 mm**
 Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm

KEL-DPZ-KX/KL 72 CR (S)VOC bk

Part No. **43675.101.600**
 EAN **4251269327803**
 Package quantity **1**
 For max. no. of cables **72**
 Max. cable diameter **22 mm**
 Colour **black**
 Length **221 mm**

Width **90 mm**
 Height **4 mm**
 Mounting height **4 mm**
 Cut-out size **192 x 62 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,1 mm**
 Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm