

# KT CR multi | KT CR special | Multi-hole / special cable grommets

for the use in cleanrooms, 1 - 8 mm / IP54 / UL Type 12



Cable grommets KT CR multi are used with the following cleanroom cable entry components:

- [KEL-U CR cable entry frames](#)

KT CR multi-hole and special grommets enable a sealing of the cables with IP54 and UL Type 12.

When using double or quadruple grommets the cable density of cleanroom cable entry frames can be greatly increased. The multi-hole model range KT CR small is designed for cable diameters from 1 to 8 mm. ATG CR adapter grommets provide the possibility to hold a small KT CR grommet to reduce the clamping range down to 1 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.

**The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).**

**The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.**



## Specifications


<b>IP rating (EN 60529)</b>	IP54
<b>UL Type (UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free

## Advantages & benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets


## Product types & sizes

### KT 2|1 CR gy




Part No.	<b>39942.601</b>	Height	<b>19 mm</b>
EAN	<b>4251269326684</b>	Mounting height	<b>2 mm</b>
Package quantity	<b>10</b>	For cable type	<b>Round cable</b>
For max. no. of cables	<b>2</b>	Clamping range	<b>2 x 1 - 1 mm</b>
Colour	<b>grey (similar RAL 7035)</b>		
Length	<b>21 mm</b>		
Width	<b>21 mm</b>		

### KT 2|1 CR (S)VOC gy




Part No.	<b>39942.600</b>	Height	<b>19 mm</b>
EAN	<b>4251269326554</b>	Mounting height	<b>2 mm</b>
Package quantity	<b>10</b>	For cable type	<b>Round cable</b>
For max. no. of cables	<b>2</b>	Clamping range	<b>2 x 1 - 1 mm</b>
Colour	<b>grey (similar RAL 7035)</b>		
Length	<b>21 mm</b>		
Width	<b>21 mm</b>		

**KT 2|2 CR gy**


Part No. **39935.601**  
 EAN **4251269326653**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 2 - 2 mm**

**KT 2|2 CR (S)VOC gy**


Part No. **39935.600**  
 EAN **4251269326523**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 2 - 2 mm**

**KT 2|3 CR gy**


Part No. **39939.601**  
 EAN **4251269326677**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 3 - 3 mm**

**KT 2|3 CR (S)VOC gy**


Part No. **39939.600**  
 EAN **4251269326547**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 3 - 3 mm**

**KT 2|4 CR gy**


Part No. **39906.601**  
 EAN **4251269326592**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 4 - 4 mm**

**KT 2|4 CR (S)VOC gy**


Part No. **39906.600**  
 EAN **4251269326462**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 4 - 4 mm**

**KT 2|5 CR gy**


Part No. **41200.601**  
 EAN **4251269326691**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 5 - 5 mm**

**KT 2|5 CR (S)VOC gy**


Part No. **41200.600**  
 EAN **4251269326561**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 5 - 5 mm**

**KT 2|6 CR gy**


Part No. **41201.601**  
 EAN **4251269326707**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 6 - 6 mm**

**KT 2|6 CR (S)VOC gy**


Part No. **41201.600**  
 EAN **4251269326578**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 6 - 6 mm**

**KT 2|7 CR gy**


Part No. **41202.601**  
 EAN **4251269326714**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 7 - 7 mm**

**KT 2|7 CR (S)VOC gy**

Part No. **41202.600**  
 EAN **4251269326585**  
 Package quantity **10**  
 For max. no. of cables **2**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **2 x 7 - 7 mm**


**KT 2|8 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39917.601**  
**4251269326639**  
**10**  
**2**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**2 x 8 - 8 mm**


**KT 2|8 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39917.600**  
**4251269326509**  
**10**  
**2**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**2 x 8 - 8 mm**


**KT 4|2 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39937.601**  
**4251269326660**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 2 - 2 mm**


**KT 4|2 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39937.600**  
**4251269326530**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 2 - 2 mm**


**KT 4|3 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39914.601**  
**4251269326622**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 3 - 3 mm**


**KT 4|3 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39914.600**  
**4251269326493**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 3 - 3 mm**


**KT 4|4 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39909.601**  
**4251269326615**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 4 - 4 mm**


**KT 4|4 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39909.600**  
**4251269326486**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 4 - 4 mm**


**KT 4|5 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39908.601**  
**4251269326608**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 5 - 5 mm**


**KT 4|5 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39908.600**  
**4251269326479**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 5 - 5 mm**


**KT 4|6 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39932.601**  
**4251269326646**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**

Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 6 - 6 mm**


**KT 4|6 CR (S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Colour  
Length  
Width

**39932.600**  
**4251269326516**  
**10**  
**4**  
**grey (similar RAL 7035)**  
**21 mm**  
**21 mm**


Height  
Mounting height  
For cable type  
Clamping range

**19 mm**  
**2 mm**  
**Round cable**  
**4 x 6 - 6 mm**

**KTs 16 CR gy**


Part No. **39901.601**  
 EAN **4251269326295**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 16 - 16 mm**

**KTs 16 CR (S)VOC gy**


Part No. **39901.600**  
 EAN **4251269326172**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 16 - 16 mm**

**KTs 17 CR gy**


Part No. **39900.601**  
 EAN **4251269326288**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 17 - 17 mm**

**KTs 17 CR (S)VOC gy**


Part No. **39900.600**  
 EAN **4251269326165**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Round cable**  
 Clamping range **1 x 17 - 17 mm**

**ATG CR gy**

Part No. **41253.601**  
 EAN **4251269327131**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **41,5 mm**  
 Width **42 mm**

Height **19 mm**  
 Mounting height **2 mm**

**ATG CR (S)VOC gy**

Part No. **41253.600**  
 EAN **4251269326929**  
 Package quantity **10**  
 For max. no. of cables **1**  
 Colour **grey (similar RAL 7035)**  
 Length **41,5 mm**  
 Width **42 mm**

Height **19 mm**  
 Mounting height **2 mm**

