

# KEL-QTA | Pluggable cable entry plates

for cables with connectors, tool-free assembly / IP54



Split, pluggable cable entry plates (IP54) for routing pre-terminated and standard cables utilising [split QT grommets](#) or membranes.

Suitable for cut-outs for 10- and 24-pin industrial connectors. The compact size KEL-QTA-B is suitable for cut-outs 45.5 x 45.5 mm. The round versions of the KEL-QTA are suitable for cut-outs 32 / 50 mm in diameter.

The KEL-QTA easily routes pre-terminated cables, multi-conductors, hoses or conduits without using any tools for assembly.

IP54

CE US

RIWA

HL3  
EN 45545-2

ECOLAB  
certified

UV  
ISO 4892-2A

Made in  
Germany

RoHS  
compliant

REACH  
COMPLIANCE

## Specifications

|                       |   |
|-----------------------|---|
| IP rating (EN 60529)  | IP54                                      |
| Material              | Elastomer                                 |
| Flame class           | UL94-V0, self-extinguishing               |
| Operating temperature | -40 C° to 100 C°                          |
| Properties            | UV-resistant, silicone free, halogen free |
| Mounting options      | Snap-in                                   |
| Mounting height       | 5 mm                                      |

## Advantages & Benefits

- Quick assembly without tools
- High cable density
- Routing of cables with and without connectors
- Upon disassembly (e.g. maintenance) screwing and unscrewing of the cable entry frame is not necessary
- Available for a large range of cut-out sizes
- Suitable for metric cut-outs
- Greatly increased cable density when using double or quadruple grommets


## Product Types & Sizes

### KEL-QTA 24|4 A




|                                  |                      |                         |                     |
|----------------------------------|----------------------|-------------------------|---------------------|
| Part No.                         | <b>43644</b>         | Height                  | <b>12 mm</b>        |
| EAN                              | <b>4251269310379</b> | Mounting height         | <b>5 mm</b>         |
| Package quantity                 | <b>10</b>            | Cut-out size            | <b>112 x 36 mm</b>  |
| For max. no. of cables           | <b>16</b>            | For min. wall thickness | <b>1,5 mm</b>       |
| Max. cable diam., with connector | <b>15 mm</b>         | For max. wall thickness | <b>2,5 mm</b>       |
| Length                           | <b>142 mm</b>        | For wall thickness      | <b>1,5 - 2,5 mm</b> |
| Width                            | <b>44 mm</b>         | Suitable for grommets   | <b>4 x QT small</b> |

### KEL-QTA 24|4 B




|                                  |                      |                         |                     |
|----------------------------------|----------------------|-------------------------|---------------------|
| Part No.                         | <b>43645</b>         | Height                  | <b>12 mm</b>        |
| EAN                              | <b>4251269310386</b> | Mounting height         | <b>5 mm</b>         |
| Package quantity                 | <b>10</b>            | Cut-out size            | <b>112 x 36 mm</b>  |
| For max. no. of cables           | <b>16</b>            | For min. wall thickness | <b>2,8 mm</b>       |
| Max. cable diam., with connector | <b>15 mm</b>         | For max. wall thickness | <b>4 mm</b>         |
| Length                           | <b>142 mm</b>        | For wall thickness      | <b>2,8 - 4 mm</b>   |
| Width                            | <b>44 mm</b>         | Suitable for grommets   | <b>4 x QT small</b> |

**KEL-QTA24|2-DP 18 A**


|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43642</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310355</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>26</b>            | Cut-out size            | <b>112 x 36 mm</b>  |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>1,5 mm</b>       |
| Max. cable diam., without connector | <b>16 mm</b>         | For max. wall thickness | <b>2,5 mm</b>       |
| Length                              | <b>142 mm</b>        | For wall thickness      | <b>1,5 - 2,5 mm</b> |
|                                     |                      | Suitable for grommets   | <b>2 x QT small</b> |

**KEL-QTA24|2-DP 18 B**


|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43643</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310362</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>26</b>            | Cut-out size            | <b>112 x 36 mm</b>  |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>2,8 mm</b>       |
| Max. cable diam., without connector | <b>16 mm</b>         | For max. wall thickness | <b>4 mm</b>         |
| Length                              | <b>142 mm</b>        | For wall thickness      | <b>2,8 - 4 mm</b>   |
|                                     |                      | Suitable for grommets   | <b>2 x QT small</b> |

**KEL-QTA 10|2-DP 6 A**


|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43656</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310409</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>14</b>            | Cut-out size            | <b>65 x 36 mm</b>   |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>1,5 mm</b>       |
| Max. cable diam., without connector | <b>5 mm</b>          | For max. wall thickness | <b>2,5 mm</b>       |
| Length                              | <b>75 mm</b>         | For wall thickness      | <b>1,5 - 2,5 mm</b> |
|                                     |                      | Suitable for grommets   | <b>2 x QT small</b> |

**KEL-QTA 10|2-DP 6 B**


|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43659</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310423</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>14</b>            | Cut-out size            | <b>65 x 36 mm</b>   |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>2,8 mm</b>       |
| Max. cable diam., without connector | <b>5 mm</b>          | For max. wall thickness | <b>4 mm</b>         |
| Length                              | <b>75 mm</b>         | For wall thickness      | <b>2,8 - 4 mm</b>   |
|                                     |                      | Suitable for grommets   | <b>2 x QT small</b> |

**KEL-QTA 10|1-DP 18 A**

|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43655</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310393</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>22</b>            | Cut-out size            | <b>65 x 36 mm</b>   |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>1,5 mm</b>       |
| Max. cable diam., without connector | <b>5 mm</b>          | For max. wall thickness | <b>2,5 mm</b>       |
| Length                              | <b>75 mm</b>         | For wall thickness      | <b>1,5 - 2,5 mm</b> |
|                                     |                      | Suitable for grommets   | <b>1 x QT small</b> |


**KEL-QTA 10|1-DP 18 B**

|                                     |                      |                         |                     |
|-------------------------------------|----------------------|-------------------------|---------------------|
| Part No.                            | <b>43658</b>         | Width                   | <b>44 mm</b>        |
| EAN                                 | <b>4251269310416</b> | Height                  | <b>12 mm</b>        |
| Package quantity                    | <b>10</b>            | Mounting height         | <b>5 mm</b>         |
| For max. no. of cables              | <b>22</b>            | Cut-out size            | <b>65 x 36 mm</b>   |
| Max. cable diam., with connector    | <b>15 mm</b>         | For min. wall thickness | <b>2,8 mm</b>       |
| Max. cable diam., without connector | <b>5 mm</b>          | For max. wall thickness | <b>4 mm</b>         |
| Length                              | <b>75 mm</b>         | For wall thickness      | <b>2,8 - 4 mm</b>   |
|                                     |                      | Suitable for grommets   | <b>1 x QT small</b> |


**KEL-QTA-B4 A**

|                                  |                      |
|----------------------------------|----------------------|
| Part No.                         | <b>43660</b>         |
| EAN                              | <b>4251269310430</b> |
| Package quantity                 | <b>10</b>            |
| For max. no. of cables           | <b>16</b>            |
| Max. cable diam., with connector | <b>15 mm</b>         |
| Length                           | <b>55 mm</b>         |
| Width                            | <b>55 mm</b>         |


|                         |                     |
|-------------------------|---------------------|
| Height                  | <b>11 mm</b>        |
| Mounting height         | <b>5 mm</b>         |
| Cut-out size            | <b>46 x 46 mm</b>   |
| For min. wall thickness | <b>1,5 mm</b>       |
| For max. wall thickness | <b>2,5 mm</b>       |
| For wall thickness      | <b>1,5 - 2,5 mm</b> |
| Suitable for grommets   | <b>4 x QT small</b> |

**KEL-QTA 32 A**


|                                  |                      |
|----------------------------------|----------------------|
| Part No.                         | <b>43632</b>         |
| EAN                              | <b>4251269310331</b> |
| Package quantity                 | <b>10</b>            |
| For max. no. of cables           | <b>4</b>             |
| Max. cable diam., with connector | <b>15 mm</b>         |
| Height                           | <b>12 mm</b>         |
| Mounting height                  | <b>5 mm</b>          |
| For min. wall thickness          | <b>1,5 mm</b>        |
| For max. wall thickness          | <b>2,5 mm</b>        |
| For wall thickness               | <b>1,5 - 2,5 mm</b>  |
| Suitable for grommets            | <b>1 x QT small</b>  |

**KEL-QTA 32 B**

|                                  |                      |
|----------------------------------|----------------------|
| Part No.                         | <b>43636</b>         |
| EAN                              | <b>4251269310348</b> |
| Package quantity                 | <b>10</b>            |
| For max. no. of cables           | <b>4</b>             |
| Max. cable diam., with connector | <b>15 mm</b>         |
| Height                           | <b>12 mm</b>         |
| Mounting height                  | <b>5 mm</b>          |
| For min. wall thickness          | <b>2,8 mm</b>        |
| For max. wall thickness          | <b>4 mm</b>          |
| For wall thickness               | <b>2,8 - 4 mm</b>    |
| Suitable for grommets            | <b>1 x QT small</b>  |

**KEL-QTA 50 A**

|                                  |                      |
|----------------------------------|----------------------|
| Part No.                         | <b>43622</b>         |
| EAN                              | <b>4251269310317</b> |
| Package quantity                 | <b>10</b>            |
| For max. no. of cables           | <b>8</b>             |
| Max. cable diam., with connector | <b>15 mm</b>         |
| Height                           | <b>12 mm</b>         |
| Mounting height                  | <b>5 mm</b>          |
| For min. wall thickness          | <b>1,5 mm</b>        |
| For max. wall thickness          | <b>2,5 mm</b>        |
| For wall thickness               | <b>1,5 - 2,5 mm</b>  |
| Suitable for grommets            | <b>2 x QT small</b>  |

**KEL-QTA 50 B**

|                                  |                      |
|----------------------------------|----------------------|
| Part No.                         | <b>43626</b>         |
| EAN                              | <b>4251269310324</b> |
| Package quantity                 | <b>10</b>            |
| For max. no. of cables           | <b>8</b>             |
| Max. cable diam., with connector | <b>15 mm</b>         |
| Height                           | <b>12 mm</b>         |
| Mounting height                  | <b>5 mm</b>          |
| For min. wall thickness          | <b>2,8 mm</b>        |
| For max. wall thickness          | <b>4 mm</b>          |
| For wall thickness               | <b>2,8 - 4 mm</b>    |
| Suitable for grommets            | <b>2 x QT small</b>  |

