


□□ □□□
□□□ □□□ □□□□



REACH COMPLIANCE
RoHS compliant

□□□ □□□ □□□ □□ □□□ □□ □□ □□□□ □□ □ □□□□.
□□□□ □□ □ □□□□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□. □□ □□□□ KEL □□□□
□□ □□□□ KEL-DPZ □□□□ □□ □□□□, □□□ □□□□ □□ □□□□□□ □□□□.



□□□ □□□□ □□□ □□□□□□□□ □□□□□□. (□□□□ 99142)



□□□□ □□□ □□□□□□□□ (□□□□ 99200) □ □□ □ □□□□. □□ □□□□ M5 DIN 912 □□□□ □□□ □ □□



□□□□ □□□ □□ □ □□ □□□□□□□□ 99200) □□□□ □□□□ 99201) □ □□□□ □□ □ □□□□. □□ □□□□
M5 DIN 912 □□□ □□ □□□□□□.

□□ □ □□

- KEL / KEL-DPZ □□ □□□ □□□ □□ □□□□ □□ □ □□□□
- □□□ □□□□ □□□ □ □□□□
- □□□□ □□□□ □□ □□□□□□

□□□□□
0 C° to 70 C°
□□ □□□□

□□ □□ □ □□

□□ □□ A



EAN

99142

**100
4 mm**

□□ :

**KEL-ER / KEL-U /
KEL / KEL-QUICK
/ KEL 183 / KEL-
FL**

□□ □□ B



EAN


99200

**4251269324208
40
3 mm**

□□ :

**KEL-ER / KEL-U /
KEL / KEL-QUICK
/ KEL 183 / KEL-
FL / KEL-DPZ**

□□ □□ C



EAN

99201

**4251269324215
40
3 mm**

□□ :

**□□(RAL 7035□ □□)
KEL-DPZ**

