




KEL-FL □□□ □□□ □□□□ / IP54




■ 000 000 000000 00 가0

IP 等级 (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
	IP54
	UL94-V0, IP54
	-40 C° to 100 C°
	IP54, IP54


	EAN	46201 4251269311673 5 RAL 7035	2 mm
	EAN	46210 4251269311710 5 1 RAL 7035	19 mm 2 mm 0 mm 19 mm 23 mm 5,5 mm 6 mm




EAN		46211	19 mm
		4251269311727	2 mm
		5	
		1	
			28 mm
		42 mm	33 mm
		21 mm	5,5 mm
			6 mm



EAN		46212	19 mm
		4251269311734	2 mm
		5	
		1	
			24 mm
		42 mm	30 mm
		21 mm	8,5 mm
			9 mm




EAN		46214	19 mm
		4251269311741	2 mm
		5	
		1	
			19 mm
		42 mm	24 mm
		21 mm	6,5 mm
			7 mm



EAN		46215	19 mm
		4251269311758	2 mm
		5	
		1	
			28 mm
		42 mm	33 mm
		21 mm	9 mm
			9,5 mm



EAN		46202	2 mm
		4251269311680	
		5	
		65 mm	
		21 mm	
		19 mm	



EAN		46250	19 mm
		4251269311765	2 mm
		5	
		1	
			32,5 mm
		65 mm	38 mm
		21 mm	5 mm
			5,5 mm




EAN

□□□ □

46251
4251269311772
5
1
□□(RAL 7035□ □□)
65 mm
21 mm

□□ □□
□□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□

19 mm
2 mm
□□ □□□
45 mm
50,5 mm
6 mm
6,5 mm




EAN

□□□ □

46252
4251269311789
5
1
□□(RAL 7035□ □□)
65 mm
21 mm

□□ □□
□□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□

19 mm
2 mm
□□ □□□
47 mm
52 mm
9,5 mm
10 mm




EAN

□□□ □

46255
4251269311796
5
1
□□(RAL 7035□ □□)
65 mm
21 mm

□□ □□
□□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□

19 mm
2 mm
□□ □□□
38 mm
43 mm
12,5 mm
13 mm



EAN

□□□ □

46256
4251269311802
5
1
□□(RAL 7035□ □□)
65 mm
21 mm

□□ □□
□□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□

19 mm
2 mm
□□ □□□
49 mm
54 mm
5 mm
6 mm



EAN

46203
4251269311697
5
□□(RAL 7035□ □□)
87 mm
21 mm
19 mm

□□ □□

2 mm



EAN

□□□ □

46300
4251269311819
5
1
□□(RAL 7035□ □□)
87 mm
21 mm

□□ □□
□□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□
□□ □□ □□□ □□

19 mm
2 mm
□□ □□□
72 mm
77 mm
5 mm
5,5 mm



EAN

46204
4251269311703
5
RAL 7035
114 mm
21 mm
19 mm

mm mm

2 mm



EAN

mm mm

46330
4251269311826
5
1
RAL 7035
114 mm
21 mm

mm mm
mm mm
mm mm mm mm
mm mm mm mm
mm mm mm mm
mm mm mm mm

19 mm
2 mm
85 mm
99 mm
4,2 mm
5,2 mm

