


□□□□ □□, □□□□ / IP66 / IP68, FDA □□




KEL-DPU-HD는 3.2~22.22mm의 다양한 두께의 IP66/68** 방수 방진 가용입니다. KI
모든 방수 방진 모델은 IP66/68** 방수 방진입니다.

** □□□ □□ □□□ IP66/IP68 가□




IP 等级 (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
认证	CCC UL 94HB
工作温度	-40 C° to 80 C°
其他特性	防雾, 防霉, 防盐雾, 防紫外线, 防臭氧
保修	3 年 有限保修

1935/2004/EG (EU) 10/2011
FDA
0.421 μm , ISO 4287)
(IP66/IP68**)
3.2-20.5mm
가이드
0.0, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.2, 1.5, 2.0, 2.5, 3.0, 3.2, 3.6, 4.0, 4.5, 5.0, 5.6, 6.3, 7.1, 8.0, 9.0, 10.0, 11.2, 12.5, 14.0, 16.0, 18.0, 20.0, 22.4, 25.0, 28.0, 31.5, 35.5, 40.0, 45.0, 50.0, 56.0, 63.0, 71.0, 80.0, 90.0, 100.0, 112.0, 125.0, 140.0, 160.0, 180.0, 200.0, 224.0, 250.0, 280.0, 315.0, 355.0, 400.0, 450.0, 500.0, 560.0, 630.0, 710.0, 800.0, 900.0, 1000.0, 1120.0, 1250.0, 1400.0, 1600.0, 1800.0, 2000.0, 2240.0, 2500.0, 2800.0, 3150.0, 3550.0, 4000.0, 4500.0, 5000.0, 5600.0, 6300.0, 7100.0, 8000.0, 9000.0, 10000.0, 11200.0, 12500.0, 14000.0, 16000.0, 18000.0, 20000.0, 22400.0, 25000.0, 28000.0, 31500.0, 35500.0, 40000.0, 45000.0, 50000.0, 56000.0, 63000.0, 71000.0, 80000.0, 90000.0, 100000.0, 112000.0, 125000.0, 140000.0, 160000.0, 180000.0, 200000.0, 224000.0, 250000.0, 280000.0, 315000.0, 355000.0, 400000.0, 450000.0, 500000.0, 560000.0, 630000.0, 710000.0, 800000.0, 900000.0, 1000000.0, 1120000.0, 1250000.0, 1400000.0, 1600000.0, 1800000.0, 2000000.0, 2240000.0, 2500000.0, 2800000.0, 3150000.0, 3550000.0, 4000000.0, 4500000.0, 5000000.0, 5600000.0, 6300000.0, 7100000.0, 8000000.0, 9000000.0, 10000000.0, 11200000.0, 12500000.0, 14000000.0, 16000000.0, 18000000.0, 20000000.0, 22400000.0, 25000000.0, 28000000.0, 31500000.0, 35500000.0, 40000000.0, 45000000.0, 50000000.0, 56000000.0, 63000000.0, 71000000.0, 80000000.0, 90000000.0, 100000000.0, 112000000.0, 125000000.0, 140000000.0, 160000000.0, 180000000.0, 200000000.0, 224000000.0, 250000000.0, 280000000.0, 315000000.0, 355000000.0, 400000000.0, 450000000.0, 500000000.0, 560000000.0, 630000000.0, 710000000.0, 800000000.0, 900000000.0, 1000000000.0, 1120000000.0, 1250000000.0, 1400000000.0, 1600000000.0, 1800000000.0, 2000000000.0, 2240000000.0, 2500000000.0, 2800000000.0, 3150000000.0, 3550000000.0, 4000000000.0, 4500000000.0, 5000000000.0, 5600000000.0, 6300000000.0, 7100000000.0, 8000000000.0, 9000000000.0, 10000000000.0, 11200000000.0, 12500000000.0, 14000000000.0, 16000000000.0, 18000000000.0, 20000000000.0, 22400000000.0, 25000000000.0, 28000000000.0, 31500000000.0, 35500000000.0, 40000000000.0, 45000000000.0, 50000000000.0, 56000000000.0, 63000000000.0, 71000000000.0, 80000000000.0, 90000000000.0, 100000000000.0, 112000000000.0, 125000000000.0, 140000000000.0, 160000000000.0, 180000000000.0, 200000000000.0, 224000000000.0, 250000000000.0, 280000000000.0, 315000000000.0, 355000000000.0, 400000000000.0, 450000000000.0, 500000000000.0, 560000000000.0, 630000000000.0, 710000000000.0, 800000000000.0, 900000000000.0, 1000000000000.0, 1120000000000.0, 1250000000000.0, 1400000000000.0, 1600000000000.0, 1800000000000.0, 2000000000000.0, 2240000000000.0, 2500000000000.0, 2800000000000.0, 3150000000000.0, 3550000000000.0, 4000000000000.0, 4500000000000.0, 5000000000000.0, 5600000000000.0, 6300000000000.0, 7100000000000.0, 8000000000000.0, 9000000000000.0, 10000000000000.0, 11200000000000.0, 12500000000000.0, 14000000000000.0, 16000000000000.0, 18000000000000.0, 20000000000000.0, 22400000000000.0, 25000000000000.0, 28000000000000.0, 31500000000000.0, 35500000000000.0, 40000000000000.0, 45000000000000.0, 50000000000000.0, 56000000000000.0, 63000000000000.0, 71000000000000.0, 80000000000000.0, 90000000000000.0, 100000000000000.0, 112000000000000.0, 125000000000000.0, 140000000000000.0, 160000000000000.0, 180000000000000.0, 200000000000000.0, 224000000000000.0, 250000000000000.0, 280000000000000.0, 315000000000000.0, 355000000000000.0, 400000000000000.0, 450000000000000.0, 500000000000000.0, 560000000000000.0, 630000000000000.0, 710000000000000.0, 800000000000000.0, 900000000000000.0, 1000000000000000.0, 1120000000000000.0, 1250000000000000.0, 1400000000000000.0, 1600000000000000.0, 1800000000000000.0, 2000000000000000.0, 2240000000000000.0, 2500000000000000.0, 2800000000000000.0, 3150000000000000.0, 3550000000000000.0, 4000000000000000.0, 4500000000000000.0, 5000000000000000.0, 5600000000000000.0, 6300000000000000.0, 7100000000000000.0, 8000000000000000.0, 900000

KEL-DPU-HD 24 13			
	EAN 0 000 000 000 000 000 0 00 000 00	73940 4251269324260 10 13 20,5 mm 147 mm 58 mm	00 00 00 000 (ISO 4287) 00 000 00 0 00 00 0 00 00 0 0 000 00 000 00 0
			14 mm 14 mm 00(RAL 5005 00 00) Ra = 0,421 µm 112 x 36 mm M4 1,5 mm 2 mm 4 4 mm 10 x 3.2 - 6.3 mm 3 x 16 - 20.5 mm

KEL-DPU-HD 24|14



EAN

0000 0
00 000 00

73944
4251269324277
10
14
10,5 mm
147 mm
58 mm

00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 0 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
5 × 3.2 - 6.3 mm
2 × 4 - 7.5 mm
3 × 5.5 - 10.5 mm
1 × 8 - 12.5 mm
3 × 12 - 16.2 mm

KEL-DPU-HD 24|16



EAN

0000 0
00 000 00

73936
4251269324284
10
16
14,5 mm
147 mm
58 mm


00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 0 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
8 × 3.2 - 5.5 mm
6 × 5 - 8.5 mm
2 × 9.5 - 14.5 mm

KEL-DPU-HD 24|16-1



EAN

0000 0
00 000 00

73932
4251269324291
10
16
16,2 mm
147 mm
58 mm

00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 0 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
2 × 3.2 - 6.3 mm
9 × 4 - 7.5 mm
1 × 5.5 - 10.5 mm
1 × 8 - 12.5 mm
3 × 12 - 16.2 mm

KEL-DPU-HD 24|17



EAN

0000 0
00 000 00

73934
4251269324307
10
17
12,5 mm
147 mm
58 mm


00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 0 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
4 × 3.2 - 6.3 mm
2 × 4 - 7.5 mm
1 × 5.5 - 10.5 mm
10 × 8 - 12.5 mm

KEL-DPU-HD 24|20



EAN

0000 0
00 0000 00

73938
4251269324314
10
20
10,5 mm
147 mm
58 mm


00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
12 x 3.2 - 5.5 mm
8 x 5 - 10.5 mm

KEL-DPU-HD 24|21



EAN

0000 0
00 0000 00

73930
4251269324321
10
21
12,5 mm
147 mm
58 mm

00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
1 x 3.2 - 6.3 mm
14 x 4 - 7.5 mm
4 x 5.5 - 10.5 mm
2 x 8 - 12.5 mm

KEL-DPU-HD 24|32



EAN

0000 0
00 0000 00

73942
4251269324338
10
32
6,3 mm
147 mm
58 mm

00 00

00 000 (ISO 4287)
00 000

00 0 00
00 0 00
00 0 0
000 00
000 00 0

14 mm
14 mm
00(RAL 5005 00)
Ra = 0,421 µm
112 × 36 mm
M4
1,5 mm
2 mm
4
4 mm
32 x 3.2 - 6.3 mm