

3A / 4A insertler ve uyumlu gövdeler

AT-HA adaptör insert ve MIS ayrılabilir kablo girişi için



icotek offers 3A or 4A insert sets and matching connector housings with integrated M20 (cable diam. 6 - 12 mm) or M25 (cable diam. 13 - 18 mm) cable glands for [adapter grommets AT-HA](#) and [split cable entry frames MIS](#).

The connector housings are compatible and CE-compliant with numerous insert manufacturers (Harting, Ilme, Phoenix Contact, TE Connectivity, Weidmüller, Lapp, Amphenol, Molex, RS Pro, ...).



Teknik datalar

Malzeme	Kutular: Poliamit Einsatz: Polikarbonat
Yangın sınıfı	UL94-V0, kendi söner
Isı	-40 C° - 125 C°
Özellikler	silikonsuz, halojensiz

Avantajlar

- Fiş takıldığında IP65 yüksek koruma sınıfı
- Çeşitli üreticilerin çok sayıda fiş ekiyle uyumludur

Ürün tipleri ve boyutları

İnsert seti 3A



Sipariş No.	55510
EAN	4251269337499
Paket içi miktarı	5
Anma akımı	10 A
Anma gerilimi	230 V

İnsert seti 4A



Sipariş No.	55511
EAN	4251269337
	529
Paket içi miktarı	5
Anma akımı	10 A
Anma gerilimi	230 V

Gövde KV 20



Sipariş No.	55514
EAN	
Paket içi miktarı	5
Kablo rakoru	M20
Kablo çapları için	1 x 6 - 12 mm

Gövde KV 25



Sipariş No.	55515
EAN	
Paket içi miktarı	5
Kablo rakoru	M25
Kablo çapları için	1 x 13 - 18 mm

